

NON-PASSERINE BIRDS

- Abraham, C. L. & Evans, R. M. (1999). Metabolic costs of heat solicitation calls in relation to thermal need in embryos of American white pelicans. *Anim. Behav.*, **57**, 967-975.
- Adler, H. J., Kenealy, J. F. X., Dedio, R. M. & Saunders, J. C. (1992). Threshold shift, hair cell loss, and hair bundle stiffness following exposure to 120 and 125 dB pure tones in the neonatal chick. *Acta Otolaryngol.*, **112**, 444-454.
- Alexander, G. D., Houston, D. C. & Campbell, M. (1994). A possible acoustic function for the casque structure in hornbills (Aves, Bucerotidae). *J. Zool.*, **233**, 57-67.
- Ali, N. J., Farabaugh, S. & Dooling, R. (1993). Recognition of contact calls by the budgerigar *Melopsittacus undulatus*. *Bull. Psychon. Soc.*, **31**, 468-470.
- Amagai, S., Dooling, R. J., Formby, C. & Forrest, T. G. (1997). Discrimination of silent temporal gaps in sinusoidal markers by the budgerigar (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **101**, 3124.
- Amagai, S., Dooling, R. J., Shamma, S., Kidd, T. L. & Lohr, B. (1999). Detection of modulation in spectral envelopes and linear-rippled noises by budgerigars (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **105**, 2029-2035.
- Andelt, W. F. & Hopper, S. N. (1996). Effectiveness of alarm-distress calls for frightening herons from a fish rearing facility. *Prog. Fish-Cult.*, **58**, 258-262.
- Anjos, L. dos (1999). Preliminary analysis of sounds and habitat of *Picumnus nebulosus* Sundevall (Aves, Picidae). *Rev. Brasil. Zool.*, **16**, 433-439.
- Apcin, J. & Franck, D. (1994). Acoustic communication between pair mates in the spectacled parrotlet. *J. Ornithol.*, **135** (Sonderheft), 155.
- Appleby, B. M. & Redpath, S. M. (1997). Indicators of male quality in the hoots of tawny owls (*Strix aluco*). *J. Raptor Res.*, **31**, 65-70.
- Appleby, B. M. & Redpath, S. M. (1997). Variation in the male territorial hoot of the tawny owl *Strix aluco* in three English populations. *Ibis*, **139**, 152-158.
- Arrowood, P. C. (1988). Duetting, pair bonding and agonistic display in parakeet pairs. *Behaviour*, **106**, 129-157.
- Ascanio-Echeverria, D. & Davis, W. E., Jr. (2000). Notes on the habitat, behavior and vocalizations of zigzag herons in Venezuela. *Waterbirds*, **23**, 521-523.
- Ashiya, T. & Nakagawa, M. (1993). A proposal of a recognition system for the species of birds receiving birdcalls: an application of recognition systems for environmental sound. *Ieice Trans. Fundam. Electron. Comm. Comput. Sci.*, **E76A**, 1858-1860.
- Aubin, T. & Mathevon, N. (1995). Adaptation to severe conditions of propagation: long-distance distress calls; and courtship calls of a colonial seabird. *Bioacoustics*, **6**, 153-161.
- Aubin, T. & Jouventin, P. (1997). Individual recognition in a noisy environment (penguins). *Adv. Ethol.*, **32**, 27.
- Aubin, T., Jouventin, P. & Hildebrand, C. (2000). Penguins use the two-voice system to recognize each other. *Proc. Roy. Soc. Lond. B.*, **267**, 1081-1087.
- Aubin, T. & Jouventin, P. (1998). Individual recognition in the adelie penguin *Pygoscelis adeliae* and the king penguin *Aptenodytes patagonicus*: two strategies of acoustic communication in a noisy environment. *Bioacoustics*, **9**, 154.
- Aubin, T. & Jouventin, P. (1997). Discrimination of the parental call by the king penguin chick *Aptenodytes patagonicus*: the cocktail-party effect. *Bioacoustics*, **8**, 254-255.
- Aubin, T. & Jouventin, P. (1998). Cocktail-party effect in king penguin colonies. *Proc. Roy. Soc. Lond., Ser. B., Biol. Sci.*, **265**, 1665-1673.
- Aubin, T. & Lengagne, T. (1998). Recognition of the parent call by the chick of the king penguin *Aptenodytes patagonicus* in the noisy colony environment. *Bull. Soc. Zool. France*, **123**, 267-278 (French).
- Baker, M. C. (2000). Cultural diversification in the flight call of the ringneck parrot in western Australia. *Condor*, **102**, 905-910.
- Bala, A. D. S. & Takahashi, T. T. (2000). Pupillary dilation response as an indicator of auditory discrimination in an owl. *J. Comp. Physiol. A.*, **186**, 425-434.
- Balaban, E. (1997). Changes in multiple brain regions underlie species differences in a complex, congenital behavior. *Proc. Natl. Acad. Sci. USA*, **94**, 2001-2006.
- Ball, G. F. (1994). Neurochemical specializations associated with vocal learning and production in songbirds and budgerigars. *Brain Behav. Evol.*, **44**, 234-246.
- Ballintijn, M. R., ten Cate, C., Nuijens, F. & Berkhoudt, H. (1994). Sex differences in the sound producing system of the collared dove. *J. Ornithol.*, **135** (Sonderheft), 156.
- Ballintijn, M. R., ten Cate, C., Nuijens, F. & Berkhoudt, H. (1995). The syrinx of the collared dove (*Streptopelia decaocto*): structure, inter-individual variation and development. *Neth. J. Zool.*, **45**, 45--479.
- Ballintijn, M. R. & ten Cate, C. (1998). Sound production in the collared dove: a test of the "whistle" hypothesis.

J. Exp. Biol., **201**, 1637-1649.

- Ballintijn, M. & ten Cate, C. (1999). Acoustic differentiation in the coo-vocalizations of the collared dove. *Bioacoustics*, **10**, 1-17.
- Ballintijn, M. R., ten Cate, C., Nuijens F. & Berkhoudt, H. (1997). Sex differences in the vocalizations and syrinx of the collared dove (*Streptopelia decaocto*). *Auk*, **114**, 22-39.
- Ballintijn, M. R. & ten Cate, C. (1997). Vocal development and its differentiation in a non-songbird: the collared dove (*Streptopelia decaocto*). *Behaviour*, **134**, 595-621.
- Ballintijn, M. R. & ten Cate, C. (1994). Development of cooing in male collared doves. *J. Ornithol.*, **135** (Sonderheft), 156.
- Ballintijn, M. R. & ten Cate, C. (1999). Variation in number of elements in the perch coo vocalization in the collared dove (*Streptopelia decaocto*) and what it may tell about the sender. *Behaviour*, **136**, 847-864.
- Baltz, A. P. & Clark, A. B. (1994). Limited evidence for an audience effect in budgerigars, *Melopsittacus undulatus*. *Anim. Behav.*, **47**, 460-462.
- Banta Lavenex, P. (1999). Vocal production mechanisms in the budgerigar (*Melopsittacus undulatus*): The presence and implications of amplitude modulation. *J. Acoust. Soc. Am.*, **106**, 491-505.
- Baptista, L. F. (1996). Nature and its nurturing in avian vocal development. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 39-60.
- Baptista, L. F. & Gaunt, S. L. L. (1994). Advances in studies of avian sound communication. *Condor*, **96**, 817-830.
- Bartlett, P. (1998). Social aspects of call learning in the zebra finch (*Taeniopygia guttata*) and budgerigar (*Melopsittacus undulatus*). Ph.D. Thesis. University of St Andrews.
- Bartlett, P. & Slater, P. J. B. (1999). The effect of new recruits on the flock specific call of budgerigars (*Melopsittacus undulatus*). *Ethol. Ecol. Evol.*, **11**, 139-147.
- Bate, L. A., Finsten, A. & Crossley, J. G. (1992). Consumption patterns of newly hatched chicks as a consequence of the placement of speakers emitting maternal vocalizations within the pen. *Can. J. Anim. Sci.*, **72**, 1012-1013.
- Baumgarten, L. (1990). Notes on the vocalizations of *Barnardius zonarius semitorquatus* (Quoy and Gaimard). *Zool. Gart. N. F.*, **60**, 369-374 (German).
- Bautista, L. M. & Lane, S. J. (2000). Coal tits increase evening body mass in response to tawny owl calls. *Acta Ethol.*, **2**, 105-110.
- Beani, L. & Dessi-Fulgheri, F. (1995). Mate choice in the grey partridge, *Perdix perdix*: role of physical and Behavioural male traits. *Anim. Behav.*, **49**, 347-356.
- Beani, L., Briganti, F., Campanella, G., Lupo, C. & Dessi-Fulgheri, F. (2000). Effect of androgens on structure and rate of crowing in the Japanese quail (*Coturnix japonica*). *Behaviour*, **137**, 417-435.
- Beani, L. & Fusani, L. (1997). Function and hormonal background of vocal display in non-songbirds. *Adv. Ethol.*, **32**, 31.
- Beani, L., Panzica, G. C., Briganti, F., Persichella, P. & Dessi-Fulgheri, F. (1994). Central and peripheral correlates of courtship calls in the grey partridge (*Perdix perdix*). *Boll. Zool. Suppl.*, **61**, 19.
- Beani, L., Panzica, G., Briganti, F., Persichella, P. & Dessi-Fulgheri, F. (1995). Testosterone-induced changes in call structure, midbrain and syrinx anatomy in partridges. *Physiol. Behav.*, **58**, 1149-1157.
- Beani, L., Panzica, G. C., Briganti, F., Persichella, P. & Dessi-Fulgheri, F. (1993). Testosterone affects the acoustic structure of calls in the grey partridge (*Perdix perdix*): changes at peripheral and central levels. *Proc. Int. Conf. Hormones, Brain and Behaviour, Tours 1993*.
- Beckers, G. J. L. & ten Cate, C. (2001). Perceptual relevance of differences in coo structure in two turtle-dove species. *Adv. Ethol.*, **36**, 120.
- Beckers, G. J. L. & ten Cate, C. (2001). Perceptual relevance of species-specific differences in acoustic signal structure in *Streptopelia* doves. *Anim. Behav.*, **62**, 511-518.
- Beecher, M. D. & Stoddard, P. K. (1990). The role of bird song and calls in individual recognition: contrasting field and laboratory perspectives. In *Comparative Perception*, Vol. 2. (W. C. Stebbins & M. A. Berkley, eds). Wiley; New York, pp. 375-408.
- Bergmann, H.-H. & Duettmann, H. (2001). Can testosterone induce the male whistle-shake call in female shelducks *Tadorna tadorna*. *Bioacoustics*, **11**, 265-276.
- Berlin, K. E. & Clark, A. B. (1998). Embryonic calls as care-soliciting signals in budgerigars, *Melopsittacus undulatus*. *Ethology*, **104**, 531-544.
- Berrow, S. D. (2000). The use of acoustics to monitor burrow-nesting white-chinned petrels *Procellaria aequinoctialis* at Bird Island, South Georgia. *Polar Biol.*, **23**, 575-579.
- Bissonnette, J. P. & Fekete, D. M. (1996). Standard atlas of the gross anatomy of the developing inner ear of the chicken. *J. Comp. Neurol.*, **368**, 620-630.
- Blokpoel, H. & Neuman, J. (1997). Sound levels in 3 ring-billed gull colonies of different size. *Colonial*

- Waterbirds*, **20**, 221-226.
- Boal, C. W. & Bibles, B. D. (2001). Responsiveness of elf owls to conspecific and great horned owl calls. *J. Field Ornithol.*, **72**, 66-71.
- Boehner, J. & Hammerschmidt, K. (1996). Computer-aided acoustic analysis of complex bird calls. *Bioacoustics*, **6**, 313-314.
- Bolhuis, J. J. & van Kampen, H. S. (1992). An evaluation of auditory learning in filial imprinting. *Behaviour*, **122**, 195-230.
- Bosakowski, T. & Smith, D. G. (1998). Response of a forest raptor community to broadcasts of heterospecific and conspecific calls during the breeding season. *Can. Field-Nat.*, **112**, 198-203.
- Boylan, J. T. (2000). Sonographic analysis of the vocalizations of Chilean and Caribbean flamingos. *Waterbirds*, **23**, 179-184.
- Brackenbury, J. H. (1989). Functions of the syrinx and control of sound production. In *Form and Function in Birds, Vol. 4* (A. S. King & J. McLelland, eds). Academic Press; San Diego, pp. 193-220.
- Bradbury, J. W., Cortopassi, K. A. & Clemons, J. R. (2001). Geographical variation in the contact calls of orange-fronted parakeets. *Auk*, **118**, 958-972.
- Brainard, M. S. & Knudsen, E. I. (1998). Sensitive periods for visual calibration of the auditory space map in the barn owl optic tectum. *J. Neurosci.*, **18**, 3929-3942.
- Braun, K. (1994). Auditory filial imprinting: Brain circuits and mechanisms of neuronal plasticity. *J. Ornithol.*, **135**, 419.
- Brauth, S. E., Heaton, J. T., Durand, S. E., Liang, W. & Hall, W. S. (1994). Functional anatomy of forebrain auditory pathways in the budgerigar (*Melopsittacus undulatus*). *Brain Behav. Evol.*, **44**, 210-233.
- Brauth, S. E., Liang, W. & Roberts, T. (2000). Vocalization-induced zenk responses in budgerigar vocal control nuclei. *Soc. Neurosci. Abstr.*, **26**.
- Brauth, S. E., Liang, W. & Roberts, T. F. (2001). Projections of the oval nucleus of the hyperstriatum ventrale in the budgerigar: relationships with the auditory system. *J. Comp. Neurol.*, **432**, 481-511.
- Brauth, S., Liang, W., Roberts, T. F., Scott, L. L. & Quinlan, E. M. (2002). Contact call-driven zenk protein induction and habituation in telencephalic auditory pathways in the budgerigar (*Melopsittacus undulatus*): implications for understanding vocal learning processes. *Learn. Mem.*, **9**, 76-88.
- Brauth, S. E., McHale, C. M., Brasher, C. A. & Dooling, R. J. (1987). Auditory pathways in the budgerigar. I. Thalamo-telencephalic projection. *Brain Behav. Evol.*, **30**, 174-199.
- Brenowitz, E. A. & Kroodsma, D. E. (1996). The neuroethology of birdsong. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 285-304.
- Bretagnolle, V., Genevois, F. & Mougeot, F. (1998). Intra- and intersexual functions in the call of a non-passerine bird. *Behaviour*, **135**, 1161-1184.
- Bretagnolle, V. & Lequette, B. (1990). Structural variation in the call of the Cory's shearwater (*Calonectris diomedea*, Aves, Procellariidae). *Ethology*, **85**, 313-323.
- Bretagnolle, V. & Genevois, F. (1997). Geographic variation in the call of the blue petrel: effects of sex and geographical scale. *Condor*, **99**, 985-989.
- Bretagnolle, V. (1996). Acoustic communication in a group of nonpasserine birds, the petrels. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 160-177.
- Bretagnolle, V. (1995). Systematics of the soft-plumaged petrel, *Pterodroma mollis*, complex: new insight from vocalisations. *Ibis*, **137**, 207-218.
- Bretagnolle, V. (1992). Geographical variations in the calls of the west palearctic petrels and suggestions on their taxonomy. *Alauda*, **60**, 251-252 (French).
- Bretagnolle, V. & Thibault, J. C. (1993). Communicative behaviour in breeding ospreys (*Pandion haliaetus*): description and relationship of signals to life history. *Auk*, **110**, 736-751.
- Bried, J. & Jouventin, P. (1997). Morphological and vocal variation among subspecies of the black-faced sheathbill. *Condor*, **99**, 818-825.
- Brittan-Powell, E. F., Dooling, R. J., Larsen, O. N. & Heaton, J. T. (1997). Mechanisms of vocal production in budgerigars (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **101**, 578-589.
- Brown, E. D. & Farabaugh, S. M. (1997). What birds with complex social relationships can tell us about vocal learning: Vocal sharing in avian groups. In *Social Influences on Vocal Development* (C. T. Snowdon and M. Hausberger, eds.). Cambridge University Press; Cambridge, pp. 98-127.
- Brown, B. T., Mills, G. S., Powels, C., Russell, W. A., Therres, G. D. & Pottie, J. J. (1999). The influence of weapons-testing noise on bald eagle behavior. *J. Raptor Res.*, **33**, 227-232.
- Brown, S. D., Dooling, R. J. & O'Grady, K. (1988). Perceptual organization of acoustic stimuli by budgerigars (*Melopsittacus undulatus*). III. Contact calls. *J. Comp. Psychol.*, **102**, 236-247.
- Brua, R. B., Nuechterlein, G. L. & Buitron, D. (1996). Vocal response of eared grebe embryos to egg cooling

- and egg turning. *Auk*, **113**, 525-533.
- Brua, R. B. (1996). Impact of embryonic vocalizations on the incubation behaviour of eared grebes. *Behaviour*, **133**, 145-160.
- Brua, R. B. (1993). *Incubation behavior and embryonic vocalizations of eared grebes*. MS thesis. North Dakota State University; Fargo, North Dakota.
- Budde, C. (1999). The vocal repertoire of the grey crowned crane *Balearica regulorum gibbericeps*. II: The unison call. *Bioacoustics*, **10**, 191-201.
- Budde, C. (1999). The vocal repertoire of the grey crowned crane *Balearica regulorum gibbericeps*. I: The tonal and the non-harmonic calls. *Bioacoustics*, **10**, 161-173.
- Budde, C. (1998). The behavior and vocalisations of the grey crowned crane *Balearica regulorum gibbericeps* - a comparison between captive and free-living birds. Ph.D. diss., Univ. Bonn, Bonn, Germany.
- Budde, C. (2001). Ontogeny of calls of a nonpasserine species: the grey crowned crane *Balearica regulorum gibbericeps*. *Afr. J. Ecol.*, **39**, 33-37.
- Bugden, S. C. & Evans, R. M. (1997). Vocal solicitation of heat as an integral component of the developing thermoregulatory system in young domestic chickens. *Can. J. Zool.*, **75**, 1949-1954.
- Bugden, S. C. & Evans, R. M. (1999). The development of a vocal thermoregulatory response to temperature in embryos of the domestic chicken. *Wilson Bull.*, **111**, 188-194.
- Buitron, D. & Nuechterlein, G. L. (1993). Parent-young vocal communication in eared grebes. *Behaviour*, **127**, 1-20.
- Bunting, E. C., Cotanche, D. A., Durham, D. & Girod, D. A. (1996). The role of hyaline cell migration in cochlear hair cell regeneration in chick basilar papilla following severe noise damage. *Assoc. Res. Otol. Abstr.*, **19**, 4.
- Butchart, S. H. M., Seddon, N. & Ekstrom, J. M. M. (1999). Yelling for sex: harem males compete for female access in bronze-winged jacanas. *Anim. Behav.*, **57**, 637-646.
- Butlin, R. K., Guilford, T. & Krebs, J. R., eds. (1993). The evolution and design of animal signalling systems. *Philos. Trans. R. Soc. Lond. B.*, **340**, 161-255.
- Caine, N. G., Addington, R. L. & Windfelder, T. L. (1995). Factors affecting the rate of food calls in the Burmese red junglefowl (*Gallus gallus spadiceus*). *J. Comp. Psychol.*, **106**, 92-96.
- Calladine, J., Buner, F. & Aebsicher, N. J. (1999). Temporal variations in the singing activity and the detection of turtle doves *Streptopelia turtur*: Implications for surveys. *Bird Study*, **46**, 74-80.
- Carlier, P. (1995). Vocal communication in peregrine falcons *Falco peregrinus* during breeding. *Ibis*, **137**, 582-585.
- Carlsen, R. & Lickliter, R. (1999). Augmented prenatal tactile and vestibular stimulation alters postnatal auditory and visual responsiveness in bobwhite quail chicks. *Dev. Psychobiol.*, **35**, 215-225.
- Carr, C. E. (1993). Delay line models of sound localization in the barn owl. *Am. Zool.*, **33**, 79-85.
- Carr, C. E. & Konishi, M. (1990). A circuit for detection of interaural time differences in the brainstem of the barn owl. *J. Neurosci.*, **10**, 3227-3246.
- Carr, C. E. (1993). Processing of temporal information in the brain. *Ann. Rev. Neurosci.*, **16**, 223-243.
- Carr, C. E. & Boudreau, R. E. (1993). An axon with a myelinated initial segment in the bird auditory system. *Brain Res.*, **628**, 330-334.
- Cate, C. ten, Ballintijn, M. R. & Adriaanse, I. (1994). Is a coo a dove's song? *J. Ornithol.*, **135** (Sonderheft), 158.
- Cate, C. ten (1994). Perceptual mechanisms in imprinting and song learning. In *Causal Mechanisms of Behavioural Development* (J. A. Hogan & J. J. Bolhuis, eds.). Cambridge University Press; Cambridge, pp. 116-146.
- Cate, C. ten & Ballintijn, M. (1997). Behavioural mechanisms underlying vocal control in birds. *Adv. Ethol.*, **32**, 32.
- Cate, C. ten & Ballintijn, M. R. (1996). Dove coos and flashed lights: the interruptibility of song in a non-songbird. *J. Comp. Psych.*, **110**, 267-275.
- Ceugniet, M., Aubin, T., Bernard-Laurent, A. & Soyez, D. (1999). Vocal signatures of the rally call of red-legged and rock partridges and of their hybrids. *C. R. Acad. Sci. Paris, Sciences de la Vie*, **322**, 887-895.
- Chappell, M. A., Zuk, M., Kwan, T. H. & Johnsen, T. S. (1995). Energy cost of an avian vocal display: crowing in red junglefowl. *Anim. Behav.*, **49**, 255-257.
- Charrier, I., Mathevon, N., Jouventin, P. & Aubin, T. (2001). Acoustic communication in a black-headed gull colony: How do chicks identify their parents? *Ethology*, **107**, 961-974.
- Chen, L., Trautwein, P. G., Miller, K. & Salvi, R. J. (1995). Effects of kanamycin ototoxicity and hair cell regeneration on the DC endocochlear potential in adult chickens. *Hear. Res.*, **89**, 28-34.
- Chen, L., Salvi, R. J. & Hashino, E. (1993). Recovery of CAP threshold and amplitude in chickens following kanamycin ototoxicity. *Hear. Res.*, **69**, 15-24.
- Cheng, M.-F. & Zuo, M. (1995). Proposed pathways for vocal self-stimulation: met-enkephalinergic projections

- linking the midbrain vocal nucleus, auditory thalamic regions, and neurosecretory hypothalamus. *J. Neurobiol.*, **25**, 361-379.
- Cheng, M.-F. & Zuo, M. (1992). Connectivities of midbrain vocal control nucleus and hypothalamus: contribution of enkephalinergic pathways. *Soc. Neurosci. Abstr.*, **18**, 527.
- Cheng, M.-F. (1986). Female cooing promotes ovarian development in ring doves. *Physiol. Behav.*, **37**, 371-374.
- Cheng, M.-F., Peng, J. P. & Johnson, P. (1998). Hypothalamic neurons preferentially respond to female nest coo stimulation: demonstration of direct acoustic stimulation of luteinizing hormone release. *J. Neurosci.*, **18**, 5477-5489.
- Cochran, S. L., Stone, J. S., Birmingham-McDonogh, O., Ayers, S. R., Lefcort, F. & Rubel, E. W. (1999). Ontogenetic expression of Trk neurotrophin receptors in the chick auditory system. *J. Comp. Neurol.*, **399**, 271-288.
- Cohen, Y. E. & Knudsen, E. I. (1995). Binaural tuning of auditory units in the forebrain archistriatal gaze fields of the barn owl: local organization but no space map. *J. Neurosci.*, **15**, 5152-5168.
- Cohen, Y. E. & Knudsen, E. I. (1995). Binaural tuning of auditory units in the forebrain archistriatal gaze fields of the barn owl: Local organization but no space map. *J. Neurosci.*, **15**, 5152-5168.
- Coles, R. B. & Guppy, A. (1988). Directional hearing in the barn owl, *Tyto alba*. *J. Comp. Physiol. A.*, **163**, 117-133.
- Collins, S. A. & Goldsmith, A. R. (1998). Individual and species differences in quail calls (*Coturnix c. japonica*, *C. c. coturnix* and a hybrid). *Ethology*, **104**, 977-990.
- Conway, C. J., Eddleman, W. R., Anderson, S. H. & Hanebury, L. R. (1993). Seasonal changes in Yuma clapper rail vocalization rate and habitat use. *J. Wildl. Manage.*, **57**, 282-290.
- Copi, C. & Vielliard, J. (1990). Phylogeny and biogeography of some Brazilian *Picumnus*, as shown by their bioacoustical characters. In *Acta XX Congr. Int. Ornithol. Suppl.* New Zealand Ornithological Congress Trust Board; Wellington, pp. 478-479.
- Cortopassi, K. A. & Bradbury, J. W. (2000). The comparison of harmonically rich sounds using spectrographic cross-correlation and principal coordinates analysis. *Bioacoustics*, **11**, 89-127.
- Cotanche, D. A. (1987). Regeneration of hair cell stereociliary bundles in the chick cochlea following severe acoustic trauma. *Hear. Res.*, **30**, 181-196.
- Cotanche, D. A., Lee, K. H., Stone, J. S. & Picard, D. A. (1994). Hair cell regeneration in the bird cochlea following noise damage or ototoxic drug damage: a review. *Anat. Embryol.*, **189**, 1-18.
- Cotanche, D. A. (1999). Structural recovery from sound and aminoglycoside damage in the avian cochlea. *Audiol. Neuro-Otol.*, **4**, 271-285.
- Cresswell, W. (1994). The function of alarm calls in redshanks, *Tringa totanus*. *Anim. Behav.*, **47**, 736-738.
- Cruickshank, A. J., Gautier, J. P. & Chappuis, C. (1993). Vocal mimicry in wild African grey parrots *Psittacus erithacus*. *Ibis*, **135**, 293-299.
- Cuisin, M. (2000). Notes on the song of the middle spotted woodpecker *Dendrocopos (=Picoides) medius*. *Alauda*, **68**, 151-153.
- Cynx, J. & Clark, S. (1998). The laboratory use of conditional and natural responses in the study of avian auditory perception. In *Animal Acoustic Communication* (S. L. Hopp, M. J. Owren and C. S. Evans, eds.). Springer-Verlag; Berlin, pp. 353-377.
- Dantzker, M. S., Deane, G. B. & Bradbury, J. W. (1999). Directional acoustic radiation in the strut display of male sage grouse *Centrocercus urophasianus*. *J. Exp. Biol.*, **202**, 2893-2910.
- Davies, N. B., Kilner, R. M. & Noble, D. G. (1998). Nestling cuckoos, *Cuculus canorus*, exploit hosts with begging calls that mimic a brood. *Proc. Roy. Soc. Lond., Ser. B., Biol. Sci.*, **265**, 673-678.
- Davis, W. E. (1991). Evolution of distress calls in birds: still an enigma. *Bird. Obs.*, **19**, 187-190.
- Davis, W. E., Jr. & Beehler, B. M. (1993). Dual singing between an adult and fledgling marbled frogmouth. *Corella*, **17**, 111-113.
- Dent, M. L., Larsen, O. N. & Dooling, R. J. (1997). Free-field binaural unmasking in budgerigars (*Melopsittacus undulatus*). *Behav. Neurosci.*, **111**, 590-598.
- Dent, M. L., Dooling, R. J. & Pierce, A. S. (2000). Frequency discrimination in budgerigars (*Melopsittacus undulatus*): Effects of tone duration and tonal context. *J. Acoust. Soc. Am.*, **107**, 2657-2664.
- Dent, M. L., Larsen, O. N. & Dooling, R. J. (1996). Mechanisms underlying binaural phenomena in budgerigars (*Melopsittacus undulatus*). *Soc. Neurosci. Abstr.*, **22**, 153.
- Dent, M. L., Brittan-Powell, E. F., Dooling, R. J. & Pierce, A. (1997). Perception of synthetic /ba/-/wa/ speech continuum by budgerigars (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **102**, 1891-1897.
- Deregnaucourt, S., Guyomarc'h, J. & Richard, V. (2001). Classification of hybrid crows in quail using artificial neural networks. *Behav. Process.*, **56**, 103-112.
- Dhondt, A. A., Lambrechts, M. M. & Bijnens, L. (1989). Acoustic communication in birds and its differences from human language. In *Studies of Language Origins* (J. Wind, E. G. Pulleyblank, E. de Grolier & B. H. Bichakjian, eds.). John Benjamins; Amsterdam, pp. 273-281.

- Diamond, J. (2002). Dispersal, mimicry, and geographic variation in northern Melanesian birds. *Pacific Sci.*, **56**, 1-22.
- Dodenhoff, D. J., Stark, R. D. & Johnson, E. V. (2001). Do woodpecker drums encode information for species recognition? *Condor*, **103**, 143-150.
- Dodenhoff, D. J. (1996). Interspecific and intraspecific communication: a quantitative analysis of drumming behavior using four species of California occurring woodpeckers (Family picidae). M.Sc. Thesis. California Polytechnic St. Univ; San Luis Obispo, CA.
- Dooling, R. J., Best, C. T. & Brown, S. D. (1995). Discrimination of synthetic full-formant and sinewave /ra-la/ continua by budgerigars (*Melopsittacus undulatus*) and zebra finches (*Taeniopygia guttata*). *J. Acoust. Soc. Am.*, **97**, 1839-1846.
- Dooling, R. J. (1991). Hearing in birds. In *The Evolutionary Biology of Hearing* (D. Webster, R. Fay & A. Popper, eds.). Springer Verlag; New York, pp. 545-559.
- Dooling, R. J., Park, T. J., Brown, S. D., Okanoya, K. & Soli, S. D. (1987). Perceptual organization of acoustic stimuli by budgerigars (*Melopsittacus undulatus*). II. Vocal signals. *J. Comp. Psychol.*, **101**, 367-381.
- Dooling, R. J., Ryals, B. M. & Manabe, K. (1997). Recovery of hearing and vocal behavior after hair-cell regeneration. *Proc. Natl. Acad. Sci. USA*, **94**, 14206-14210.
- Dooling, R. J. (1986). Perception of vocal signals by the budgerigar (*Melopsittacus undulatus*). *Exp. Biol.*, **45**, 195-218.
- Dooling, R. J. & Ryals, B. M. (1997). Auditory perception and plasticity in the avian auditory system. *J. Acoust. Soc. Am.*, **101**, 3191.
- Douglas III, H. D. (1998). Response of eastern willets (*Catoptrophorus s. semipalmatus*) to vocalizations of eastern and western willets. *Auk*, **115**, 514-518.
- Douglas III, H. D. & Conner, W. E. (1999). Is there a sound reception window in coastal environments? Evidence from shorebird communication systems. *Naturwissenschaften*, **86**, 228-230.
- Douglas III, H. D. (1996). Communication, evolution and ecology in the willet (*Catoptrophorus semipalmatus*): its implications for shorebirds (Suborder Charadrii). M.S. Thesis. Wake Forest University; Winston-Salem.
- Dowsett-Lemaire, F. & Dowsett, R. J. (1988). Vocalizations of the green turacos (*Tauraco* species) and their systematic status. *Tauraco*, **1**, 64-71.
- Dowsett-Lemaire, F. (1992). On the vocal behaviour and habitat of the maned owl *Jubula lettii* in south western Congo. *Bull. Br. Ornithol. Club*, **112**, 213-218.
- Duckert, L. G. & Rubel, E. W. (1993). Current concepts in hair cell regeneration. *Otolaryngol. Clin. N. Am.*, **26**, 873-901.
- Duckert, L. G. & Rubel, E. W. (1993). Morphological correlates of functional recovery in the chicken inner ear after gentamicin treatment. *J. Comp. Neurol.*, **331**, 75-96.
- Duettmann, H. & Groothuis, T. (1996). Evolutionary origin, proximate causal organization and signal value of the whistle-shake-display of male shelducks (*Tadorna tadorna*). *Behaviour*, **133**, 597-618.
- Duettmann, H. & Sebbel, P. (1994). The whistle-shake display of male shelducks. *J. Ornithol.*, **135** (Sonderheft), 158.
- Duncan, R. K., Eisen, M. D. & Saunders, J. C. (1997). Strings or springs: Insight into the nature of links in chick cochlear hair bundles. *J. Acoust. Soc. Am.*, **101**, 3123.
- Durand, S. E., Brauth, S. E. & Liang, W. (2001). Calcitonin gene-related peptide immunoreactive cells and fibers in forebrain vocal and auditory nuclei of the budgerigar (*Melopsittacus undulatus*). *Brain Behav. Evol.*, **58**, 61-79.
- Durand, S. E., Heaton, J. T., Amateau, S. K. & Brauth, S. E. (1997). Vocal control pathways through the anterior forebrain of a parrot (*Melopsittacus undulatus*). *J. Comp. Neurol.*, **377**, 179-206.
- Dyson, M. L., Klump, G. M. & Gauger, B. (1998). Absolute hearing thresholds and critical masking ratios in the European barn owl: a comparison with other owls. *J. Comp. Physiol. A.*, **182**, 695-702.
- Eberhardt, L. S. (1997). A test of an environmental advertisement hypothesis for the function of drumming in yellow-bellied sapsuckers. *Condor*, **99**, 798-803.
- Eda-Fujiwara, H., Ishii, K., Kaibe, M., Kimura, T. & Satoh, R. (2001). Identification of an auditory telencephalic region sensitive to male song repertoires in female budgerigars. *Zool. Sci. (Tokyo)*, **18**, Suppl., 119.
- Eda-Fujiwara, H. & Okumura, H. (1992). The temporal pattern of vocalizations in the budgerigar *Melopsittacus undulatus*. *J. Yamashina Inst. Ornithol.*, **24**, 18-31.
- Eda-Fujiwara, H., Ishii, K., Kaibe, M., Satoh, R. & Kimura, T. (2001). Differential neuronal activation by male song repertoires in the forebrain of female budgerigars. *Adv. Ethol.*, **36**, 147.
- Eda-Fujiwara, H., Watanabe, A. & Okumura, H. (1995). Effects of deafening on the temporal pattern of vocalizations in the budgerigar *Melopsittacus undulatus*. *J. Ethol.*, **13**, 145-152.
- Eilam, D., Dayan, T., Ben-Eliyahu, S., Schulman, I., Shefer, G. & Hendrie, C. A. (1999). Differential behavioural and hormonal responses of voles and spiny mice to owl calls. *Anim. Behav.*, **58**, 1085-

- Ellis, P., Ratcliffe, N. & Suddaby, D. (1998). Seasonal variation in diurnal attendance and response to playback by Leach's petrels *Oceanodroma leucorhoa* on Gruney, Shetland. *Ibis*, **140**, 336-339.
- Englaender, W. & Bergmann, H.-H. (1990). On the vocal development in the shelduck. *Voliere*, **13**, 228-232 (German).
- Erasmus, R. P. B. (1992). Notes on the call of the grass owl *Tyto capensis*. *Ostrich*, **63**, 184-185.
- Evans, C. S. & Evans, L. (1999). Chicken food calls are functionally referential. *Anim. Behav.*, **58**, 307-319.
- Evans, C. S. (1993). Recognition of contentment call spectral characteristics by mallard ducklings: evidence for a consistent perceptual process. *Anim. Behav.*, **45**, 1071-1082.
- Evans, R. M. (1988). Embryonic vocalizations as care soliciting signals, with particular reference to the American white pelican. In *Acta XIX Congressus Internationalis Ornithologici* (H. Ouellet, ed.). Ottawa Press; Ottawa, pp. 1465-1475.
- Evans, C. S., Evans, L. & Marler, P. (1993). On the meaning of alarm calls: functional reference in an avian vocal system. *Anim. Behav.*, **46**, 23-38.
- Evans, R. M., Whitaker, A. & Wiebe, M. O. (1994). Development of vocal regulation of temperature by embryos in pipped eggs of ring-billed gulls. *Auk*, **111**, 596-604.
- Evans, R. M. (1994). Cold-induced calling and shivering in young American white pelicans: Honest signalling of offspring need for warmth in a functionally integrated thermoregulatory system. *Behaviour*, **129**, 13-34.
- Evans, C. S. & Marler, P. (1994). Food calling and audience effects in male chickens, *Gallus gallus*: Their relationships to food availability, courtship and social facilitation. *Anim. Behav.*, **47**, 1159-1170.
- Fahn, O., Robbins, M. B., Valenzuela, P. M., Coopmans, P., Ridgely, R. S. & Schuchmann, K.-L. (2000). Status, ecology, and vocalizations of the five-coloured barbet *Capito quinticolor* in Ecuador, with notes on the orange-fronted barbet *C. squamatus*. *Bull. Brit. Ornithol. Club*, **120**, 16-22.
- Fangrath, M. (1994). Analyses of corn crake (*Crex crex*) calls. MSc thesis. University of Osnabrück; Osnabrück (German).
- Farabaugh, S. M. & Wild, J. M. (1997). Reciprocal connections between primary and secondary auditory pathways in the telencephalon of the budgerigar (*Melopsittacus undulatus*). *Brain Res.*, **747**, 18-25.
- Farabaugh, S. M., Linzenbold, A. & Dooling, R. J. (1994). Vocal plasticity in budgerigars (*Melopsittacus undulatus*): evidence for social factors in the learning of contact calls. *J. Comp. Psychol.*, **108**, 81-92.
- Farabaugh, S. M. & Dooling, R. J. (1996). Acoustic communication in parrots: Laboratory and field studies of budgerigars, *Melopsittacus undulatus*. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 97-117.
- Farabaugh, S. M., Dent, M. L. & Dooling, R. J. (1998). Hearing and vocalizations of wild-caught Australian budgerigars (*Melopsittacus undulatus*). *J. Comp. Psychol.*, **112**, 74-81.
- Farquhar, C. C. (1993). Individual and intersexual variation in alarm calls of the white-tailed hawk. *Condor*, **95**, 234-239.
- Ferdinand, L. (1996). Sonographic analysis of redshank *Tringa totanus* calls. *Bioacoustics*, **6**, 299-300.
- Fernandez-Juricic, E., Martella, M. B. & Alvarez, E. V. (1998). Vocalizations of the blue-fronted amazon (*Amazona aestiva*) in the Chancani Reserve, Cordoba, Argentina. *Wilson Bull.*, **110**, 352-361.
- Fernandez-Juricic, E. & Martella, M. B. (2000). Guttural calls of blue-fronted amazons: Structure, context, and their possible role in short range communication. *Wilson Bull.*, **112**, 35-43.
- Ferrari, E. A. M., Faleiros, L., Cerutti, S. M. & Oliveira, A. M. (1999). The functional value of sound and exploratory behaviour in detelencephalated pigeons. *Behav. Brain Res.*, **100**, 93-103.
- Ficken, M. S., Rusch, K. M., Taylor, S. J. & Powers, D. R. (2000). Blue-throated humming bird song: A pinnacle of nonoscine vocalizations. *Auk*, **117**, 120-128.
- Figuerola, J. & Gustamante, L. (1995). Does use of a tape lure bias samples of curlew sandpipers captured with mist nets? *J. Field Ornithol.*, **66**, 497-500.
- Filchagov, A. V. (1999). New data on vocalization in yellow-legged herring gulls from East Europa. *Zool. Zhurnal*, **78**, 349-357.
- Fitch, W. T. (1999). Acoustic exaggeration of size in birds via tracheal elongation: Comparative and theoretical analyses. *J. Zool.*, **248**, 31-48.
- Fitch, W. T. & Kelley, J. P. (2000). Perception of vocal tract resonances by whooping cranes *Grus americana*. *Ethology*, **106**, 559-574.
- Fletcher, N. H. & Tarnopolsky, A. (1999). Acoustics of the avian vocal tract. *J. Acoust. Soc. Am.*, **105**, 35-56.
- Fletcher, N. H. (2000). A class of chaotic bird calls? *J. Acoust. Soc. Am.*, **108**, 821-826.
- Foidart, A. & Balthazart, J. (1995). Sexual differentiation of brain and behavior in quail and zebra finches: Studies with a new aromatase inhibitor, R76713. *J. Steroid Biochem. Mol. Biol.*, **53**, 267-275.
- Ford, N. G., Freeman, K. B., Feltenstein, M. W. & Sufka, K. J. (2001). Dissociation of distress vocalizations and

- stress-induced analgesia in the chick social-separation-stress procedure. *Soc. Neurosci. Abstr.*, **27**, 1958.
- Fowler, J. A., Hulbert, M. E. & Smith, G. (1986). Sex ratio in a sample of tape-lured storm petrels, *Hydrobates pelagicus*, from Shetland, Scotland. *Seabirds*, **9**, 15-19.
- Freeman, P. L. (2000). Identification of individual barred owls using spectrogram analysis and auditory cues. *J. Raptor Res.*, **34**, 85-92.
- Fullard, J. H., Barclay, R. M. R. & Thomas, D. W. (1993). Echolocation in free-flying swiftlets (*Aerodramus sawtelli*). *Biotropica*, **25**, 334-339.
- Furlow, B., Kimball, R. T. & Marshall, M. C. (1998). Are rooster crows honest signals of fighting ability? *Auk*, **115**, 763-766.
- Fusani, L. (1994). Steroid-sensitive mechanisms of vocal behaviour in the ring dove. Mphil thesis. University of Cambridge.
- Fusani, L., Hutchison, R. E. & Hutchison, J. B. (1997). Vocal-postural co-ordination of a sexually dimorphic display in a monomorphic species: the barbary dove. *Behaviour*, **134**, 321-335.
- Fusani, L., Beani, L. & Dessimoni, F. (1994). Testosterone affects the acoustic structure of the male call in the grey partridge (*Perdix perdix*). *Behaviour*, **128**, 301-310.
- Gahr, M. (2000). Neural song control system of hummingbirds: Comparison to swifts, vocal learning (songbirds) and nonlearning (suboscines) passerines, and vocal learning (budgerigars) and nonlearning (dove, owl, gull, quail, chicken) nonpasserines. *J. Comp. Neurol.*, **426**, 182-196.
- Gahr, M., Guettinger, H. R. & Kroodsma, D. E. (1993). Estrogen receptors in the avian brain: survey reveals general distribution and forebrain areas unique to songbirds. *J. Comp. Neurol.*, **327**, 112-122.
- Galeotti, P. & Pavan, G. (1993). Differential responses of territorial tawny owls *Strix aluco* to the hooting of neighbours and strangers. *Ibis*, **135**, 300-304.
- Galeotti, P. R., Appleby, B. M. & Redpath, S. M. (1996). Macro and microgeographical variations in the "hoot" of Italian and English tawny owls (*Strix aluco*). *Ital. J. Zool.*, **63**, 57-64.
- Galeotti, P. (1998). Correlates of hoot rate and structure in male tawny owls *Strix aluco*: implications for male rivalry and female mate choice. *J. Avian Biol.*, **29**, 25-32.
- Galeotti, P. & Sacchi, R. (2001). Turnover of territorial scops owls *Otus scops* as estimated by spectrographic analyses of male hoots. *J. Avian Biol.*, **32**, 256-262.
- Galeotti, P., Paladin, M. & Pavan, G. (1993). Individually distinct hooting in male pygmy owls *Glaucidium passerinum*: a multivariate approach. *Ornis Scand.*, **24**, 15-20.
- Galeotti, P. & Pavan, G. (1993). Differential responses of territorial tawny owls *Strix aluco* to the hooting of neighbours and strangers. *Ibis*, **135**, 300-304.
- Gassick, J. C. le (1993). Call patterns of Eurasian scops owl. *Br. Birds*, **86**, 271.
- Gaunt, S. L. L., Baptista, L. F., Sanchez, J. E. & Hernandez, D. (1994). Song learning as evidenced from song sharing in two hummingbird species (*Colibri coruscans* and *C. thalassinus*). *Auk*, **111**, 87-103.
- Gaunt, A. S. (1986). Interaction of syringeal structure and airflow in avian phonation. *Acta XIX Congr. Int. Ornithol.*, 915-924.
- Gaunt, A. S. (1987). Phonation. In *Bird Respiration* (T. J. Seller, ed.). CRC Press; Boca Raton, Florida, pp. 71-94.
- Gaunt, A. S. (1988). Interaction of syringeal structure and airflow in avian phonation. In *Acta XIX Congressus Internationalis Ornithologici* (H. Ouellet, ed.). Ottawa, Ontario, 1986. National Museum of Natural Science; Ottawa, pp. 915-924.
- Gautier, J.-P., Cruickshank, A. J. & Chappuis, C. (1993). Vocal mimicry in wild African grey parrots *Psittacus erithacus*. In *Koninklijk Museum voor Midden Afrika, Tervuren, Belgien, Annalen Zoologische Wetenschappen*, Vol. 268. *Birds and the African Environment* (R. T. Wilson, ed.). Royal Museum for Central Africa; Tervuren, Belgium, pp. 453-459.
- Genevois, F. & Bretagnolle, V. (1995). Sexual dimorphism of voice and morphology in thinbilled prions (*Pachyptila belcheri*). *Notornis*, **42**, 1-10.
- Genevois, F. & Bretagnolle, V. (1994). Male blue petrels reveal their body mass when calling. *Ethol. Ecol. Evol.*, **6**, 377-383.
- Gibbs, J. P. & Melvin, S. M. (1993). Call response surveys for monitoring breeding waterbirds. *J. Wildl. Manage.*, **57**, 27-34.
- Gibson, R. M. (1996). Female choice in sage grouse: The roles of attraction and active comparison. *Behav. Ecol. Sociobiol.*, **39**, 55-59.
- Gilbert, G., McGregor, P. K. & Tyler, G. (1994). Vocal individuality as a census tool: Practical considerations illustrated by a study of two rare species. *J. Field Ornitol.*, **65**, 335-348.
- Gilbert, G. (1993). *Vocal individuality as a census and monitoring tool: practical considerations illustrated by a study of the bittern Botaurus stellaris and the black-throated diver Gavia immer*. Unpublished thesis. University of Nottingham.

- Gold, J. I. & Knudsen, E. I. (1999). Hearing impairment induces frequency specific adjustments in auditory spatial tuning in the optic tectum of young owls. *J. Neurophysiol.*, **82**, 2197-2209.
- Goller, F. & Larsen, O. N. (1997). In situ biomechanics of the syrinx and sound generation in pigeons. *J. Exp. Biol.*, **200**, 2165-2176.
- Golubeva, T. B. (1994). Number of stereocilia and frequency tuning of the hair cell in birds inner ear. *J. Ornithol.*, **135** (Sonderheft), 73.
- Gonzalez-Garcia, F. (1995). Reproductive biology and vocalizations of the horned guan *Oreophasis derbianus* in Mexico. *Condor*, **97**, 415-426.
- Goodson, J. L. & Adkins-Regan, E. (1997). Playback of crows of male Japanese quail elicits female phonotaxis. *Condor*, **99**, 990-993.
- Goth, A., Vogel, U. & Curio, E. (1999). The acoustic communication of the Polynesian megapode *Megapodius pritchardii* G. R. Gray. *Zool. Verhandl.* (Leiden), **327**, 37-51.
- Gottlieb, G., Tomlinson, W. T. & Radell, P. L. (1989). Developmental intersensory interference: Premature visual experience suppresses auditory learning in ducklings. *Infant Behav. Dev.*, **12**, 1-12.
- Grassi, S., Bambagioni, D., Ottaviani, F. & Serafini, G. (1993). Acoustic structure of vocalization and stapedius muscle activity during vocal development in chickens *Gallus gallus*. *J. Comp. Physiol. A.*, **172**, 473-479.
- Gratson, M. W. (1993). Sexual selection for increased male courtship and acoustic signals and against large male size at sharp-tailed grouse leks. *Evolution*, **47**, 691-696.
- Greenlees, T. B. & Duncan, I. J. H. (1993). Effects of enriching the acoustic environment during incubation on hatching of broiler chicks. *Poult. Sci.*, **72**, 114.
- Griffiths, C. S. (1994). Syringeal morphology and the phylogeny of the Falconidae. *Condor*, **96**, 127-140.
- Griswold, D. A., Harrer, M. F., Sladkin, C., Alessandro, D. A. & Gould, J. L. (1995). Intraspecific recognition by laughing gull chicks. *Anim. Behav.*, **50**, 1341-1348.
- Groenstoel, G. B. (1996). Aerobatic components in the song-flight display of male lapwings *Vanellus vanellus* as cues in female choice. *Ardea*, **84**, 45-55.
- Groothuis, T. G. G. (1993). The ontogeny of social displays: Form development, form fixation, and change in context. *Adv. Study Behav.*, **22**, 269-322.
- Groothuis, T., Morimando, F. & Hutchison, R. (1994). Ontogeny of vocalizations in two species of non-songbirds. *J. Ornithol.*, **135** (Sonderheft), 160.
- Groothuis, T., Morimando, F. & Hutchison, R. E. (1993). Testosterone and the development of postural and vocal displays in the barbary dove. *Proc. Int. Conf. Hormones, Brain and Behaviour, Tours 1993*.
- Groothuis, T. G. G., Morimando, F., Hutchison, R. & Vos, D. (1997). Aspects of vocal development in doves, gulls, and zebra finches. *Adv. Ethol.*, **32**, 30.
- Gutzwiller, K. J., Wiedenmann, R. T., Clements, K. L. & Anderson, S. H. (1994). Effects of human intrusion on song occurrence and singing consistency in sub-alpine birds. *Auk*, **111**, 28-37.
- Guymarc'h, J.-C. & Guymarc'h, C. (1996). Vocal communication in European quail; comparison with Japanese quail. *Compt. Rendus Acad. Sci. III*, **319**, 827-834.
- Guyomarc'h, J.-C., Aupiais, A. & Guyomarc'h, C. (1998). Individual differences in the long-distance vocalizations used during pair bonding in European quail (*Coturnix coturnix*). *Ethol. Ecol. Evol.*, **10**, 333-346.
- Guyomarc'h, C. & Guyomarc'h, J. C. (1994). Influence of a daily cycle of crowing on mature male Japanese quail. *C. R. Acad. Sci. Paris*, **317**, 621-626.
- Hall, W. S., Cookson, K. K., Heaton, J. T., Roberts, T. F., Shea, S. D., Amateau, S. K. & Brauth, S. E. (1999). Cytoarchitecture of vocal control nuclei in nestling budgerigars: Relationships to call development. *Brain Behav. Evol.*, **53**, 198-226.
- Hall, W. S., Cohen, P. L. & Brauth, S. E. (1993). Auditory projections to the anterior telencephalon in the budgerigar *Melopsittacus undulatus*. *Brain Behav. Evol.*, **41**, 97-116.
- Hall, W. S., Heaton, J. T., Cohen, P. L. & Brauth, S. E. (1992). Effect of forebrain auditory lesions on call development in budgerigars. *Soc. Neurosci. Abstr.*, **18**, 530.
- Hampton, N. G., Bolhuis, J. J. & Horn, G. (1995). Induction and development of a filial predisposition in the chick. *Behaviour*, **132**, 451-477.
- Hansch, P. & Wallschlaeger, D. (1996). Vocalisation of curassows (Cracidae). *Bioacoustics*, **6**, 315.
- Hansen, H. M. & Guthery, F. S. (2001). Calling behavior of bobwhite males and the call-count index. *Wildl. Soc. Bull.*, **29**, 145-152.
- Haug, E. A. & Didiuk, A. B. (1993). Use of recorded calls to detect burrowing owls. *J. Field Ornithol.*, **64**, 188-194.
- Hausberger, M., Richard, J. P., Black, J. M. & Quris, R. (1994). A quantitative analysis of individuality in barnacle goose loud calls. *Bioacoustics*, **5**, 247-260.
- Hausler, U. H. L., Sullivan, W. E., Soares, D. & Carr, C. E. (1999). A morphological study of the cochlear nuclei

- of the pigeon (*Columba livia*). *Brain Behav. Evol.*, **54**, 290-302.
- Heaton, J. T., Farabaugh, S. M. & Brauth, S. E. (1992). The effect of syringeal denervation on call production in the budgerigar. *Soc. Neurosci. Abstr.*, **18**, 530.
- Heaton, J. T., Farabaugh, S. M. & Brauth, S. E. (1995). Effect of syringeal denervation in the budgerigar (*Melopsittacus undulatus*): the role of the syrinx in call production. *Neurobiol. Learn. Memory*, **64**, 68-82.
- Heaton, J. T. & Dooling, R. J. (1993). Effect of deafening on the contact call of adult budgerigars. *Soc. Neurosci. Abstr.*, **19**, 1015.
- Heaton, J. T., Dooling, R. J. & Farabaugh, S. M. (1999). Effects of deafening on the calls and warble song of adult budgerigars (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **105**, 2010-2019.
- Heaton, J. T. & Brauth, S. E. (1999). Effects of deafening on the development of nestling and juvenile vocalizations in budgerigars (*Melopsittacus undulatus*). *J. Comp. Psychol.*, **113**, 314-320.
- Heaton, J. T. & Brauth, S. E. (2000). Telencephalic nuclei control late but not early nestling calls in the budgerigar. *Behav. Brain Res.*, **109**, 129-135.
- Heaton, J. T. & Brauth, S. E. (2000). Effects of lesions of the central nucleus of the anterior archistriatum on contact call and warble song production in the budgerigar (*Melopsittacus undulatus*). *Neurobiol. Learn. Memory*, **73**, 207-242.
- Heidrich, P., Koenig, C. & Wink, M. (1995). Bioacoustics, taxonomy and molecular systematics in American pygmy owls (Strigidae: *Glaucidium* spp.). *Stuttgarter Beitr. Naturk., Ser. A.*, Nr. **534**, 47 pp. (German).
- Heist, A. (2000). Singing in the brain. *Natural History*, **10/2000**, 14-16.
- Henry, L. (1998). Influency of context on the vocal behaviour of birds. *Bull. Soc. Zool. France*, **123**, 231-238 (French).
- Herting, B. L. & Belthoff, J. R. (2001). Bounce and double trill songs of male and female western screech-owls: Characterization and usefulness for classification of sex. *Auk*, **118**, 1095-1101.
- Heymann, J. & Bergmann, H.-H. (1988). On the development of behaviour in black grouse and capercaille (*Tetrao tetrix* and *T. urogallus*). *Norddeutsche Naturschutzakad. Ber.*, **1**, 93-97.
- Hicinbothom, G. M. & Miller, D. B. (1999). The influence of social context on the vocalizations of mallard ducklings (*Anas platyrhynchos*). *Bird Behavior*, **13**, 47-57.
- Hienz, R. D. & Sachs, M. B. (1987). Effects of noise on pure-tone thresholds in blackbirds (*Agelaius phoeniceus* and *Molothrus ater*) and pigeons (*Columba livia*). *J. Comp. Psychol.*, **101**, 16-24.
- Hile, A. G. & Striedter, G. F. (2000). Call convergence within groups of female budgerigars (*Melopsittacus undulatus*). *Ethology*, **106**, 1105-1114.
- Hile, A. G., Plummer, T. K. & Striedter, G. F. (2000). Male vocal imitation produces call convergence during pair bonding in budgerigars, *Melopsittacus undulatus*. *Anim. Behav.*, **59**, 1209-1218.
- Hill, F. A. R. & Lill, A. (1998). Vocalizations of the Christmas Island hawk-owl *Ninox natalis*: Individual variation in advertisement calls. *Emu*, **98**, 221-226.
- Hoeglund, J., Johansson, T. & Pelabon, C. (1997). Behaviourally mediated sexual selection: characteristics of successful male black grouse. *Anim. Behav.*, **54**, 255-264.
- Hofstetter, S. H. & Ritchison, G. (1998). The begging behavior of nestling eastern screech-owls. *Wilson Bull.*, **110**, 86-92.
- Honeycutt, H. & Lickliter, R. (2001). Order-dependent timing of unimodal and multimodal stimulation affects prenatal auditory learning in bobwhite quail embryos. *Dev. Psychobiol.*, **38**, 1-10.
- Horn, A. G., Leonard, M. L. & Weary, D. M. (1995). Oxygen consumption during crowing by roosters: talk is cheap. *Anim. Behav.*, **50**, 1171-1175.
- Hovi, M., Alatalo, R. V., Halonen, M. & Lundberg, A. (1997). Responses of male and female black grouse to male vocal display. *Ethology*, **103**, 1032-1041.
- Huelsman, H. (1996). "Water call" of young guillemots (*Uria aalge*) at sea. *Vogelwarte*, **38**, 250-252 (German).
- Hughes, J. M. (1997). Vocal duetting by a mated pair of coral-billed ground-cuckoos (*Carpococcyx renauldi*) at the Metro Toronto Zoo. *Zoo Biol.*, **16**, 179-186.
- Ilyichev, V. & Silayeva, O. (1992). *Talking Birds*. John P. Kent, Ballyrichard Farm, Arklow, County Wicklow, Rep. of Ireland.
- Isack, H. A. & Reyer, H.-U. (1989). Honeyguides and honey gatherers: interspecific communication in a symbiotic relationship. *Science*, **243**, 1343-1346.
- Islam, K. & Crawford, J. A. (1996). A comparison of four vocalizations of the genus *Tragopan* (Aves, Phasianidae). *Ethology*, **102**, 481-494.
- Ito, K. & Mori, K. (1999). Dynamic programming matching as a simulation of budgerigar contact call discrimination. *J. Acoust. Soc. Am.*, **105**, 552-559.
- Ito, K., Mori, K. & Iwasaki, S. (1996). Application of dynamic programming matching to classification of budgerigar contact calls. *J. Acoust. Soc. Am.*, **100**, 3947-3956.

- Jarvis, E. D. & Mello, C. V. (2000). Molecular mapping of brain areas involved in parrot vocal communication. *J. Comp. Neurol.*, **419**, 1-31.
- Jarvis, E. D., Ribeiro, S., Silva, M. L. da, Ventura, D., Vielliard, J. & Mello, C. V. (2000). Behaviourally driven gene expression reveals song nuclei in hummingbird brain. *Nature*, **406**, 628-632.
- Joergensen, J. M. & Mathisen, C. (1988). The avian inner ear. Continuous production of hair cells in vestibular sensory organs, but not in the auditory papilla. *Naturwissenschaften*, **73**, 319-320.
- Johnen, A., Wagner, H. & Gaese, B. H. (2001). Spatial attention modulates sound localization in barn owls. *J. Neurophysiol.*, **85**, 1009-1012.
- Jones, K. J. & Hill, W. L. (2001). Auditory perception of hawks and owls for passerine alarm calls. *Ethology*, **107**, 717-726.
- Jones, D. N. & Smith, G. C. (1997). Vocalisations of the marbled frogmouth. II: An assessment of vocal individuality as a potential census technique. *Emu*, **97**, 296-304.
- Jouventin, P., Aubin, T., Lengagne, T. (1999). Finding a parent in a king penguin colony: the acoustic system of individual recognition. *Anim. Behav.*, **57**, 1175-1183.
- Jurisevic, M. A. & Sanderson, K. J. (1998). A comparative analysis of distress call structure in Australian passerine and non-passerine species: influence of size and phylogeny. *J. Avian Biol.*, **29**, 61-71.
- Jurisevic, M. A. (1998). Comparison of vocalisations of Australian falcons and elanine kites. *Emu*, **98**, 1-12.
- Jurisevic, M. & Sanderson, K. J. (1998). Acoustic perception of passerine anti-predator signals by Australian raptors. *Aust. J. Zool.*, **46**, 369-380.
- Jurisevic, M. A. & Sanderson, K. J. (2000). Responses of Australian raptors to pure tones. *Emu*, **100**, 70-71.
- Jurisevic, M. A. (1997). Acoustic perception of alarm and distress vocalisations by Australian raptors. *Adv. Ethol.*, **32**, 116.
- Kaiser, E. (1997). Sexual recognition of common swifts. *Brit. Birds*, **90**, 167-174.
- Kampen, H. S. van (1994). Courtship food-calling in Burmese red junglefowl. I. The causation of female approach. *Behaviour*, **131**, 261-275.
- Kampen, H. S. van & Bolhuis, J. J. (1993). Interaction between auditory and visual learning during filial imprinting. *Anim. Behav.*, **45**, 623-625.
- Karakashian, S. J., Gyger, M. & Marler, P. (1988). Audience effects on alarm calling in chickens (*Gallus gallus*). *J. Comp. Psychol.*, **102**, 129-135.
- Katayama, A. & Corwin, J. T. (1993). Cochlear cytogenesis visualized through pulse labeling of chick embryos in culture. *J. Comp. Neurol.*, **333**, 28-40.
- Kayser, B. (1999). Diurnal and seasonal variation in song activity. *Dansk Orn. Foren. Tidsskr.*, **93**, 91-103.
- Kearns, G. D., Kwartin, N. B., Brinker, D. F. & Haramis, G. M. (1998). Digital playback and improved trap design enhances capture of migrant soras and Virginia rails. *J. Field Ornithol.*, **69**, 466-473.
- Keast, A. (1993). Song structures and characteristics: Members of a Eucalypt forest bird community compared. *Emu*, **93**, 259-268.
- Keller, C. H. & Takahashi, T. T. (2000). Representation of temporal features of complex sounds by the discharge patterns of neurons in the owl's inferior colliculus. *J. Neurophysiol.*, **84**, 2638-2650.
- Keller, C. H. & Takahashi, T. T. (1996). Responses to simulated echoes by neurons in the barn owl's auditory space map. *J. Comp. Physiol. A.*, **178**, 499-512.
- Kennedy, P. L. & Stahlecker, D. W. (1993). Responsiveness of nesting northern goshawks to taped broadcasts of three conspecific calls. *J. Wildl. Manage.*, **57**, 249-257.
- Kennedy, P. L. & Stahlecker, D. W. (1993). Responsiveness of nesting northern goshawks to taped broadcasts of three conspecific calls. *J. Raptor Res.*, **27**, 74-75.
- Kent, J. P. (1993). The chick's preference for certain features of the maternal cluck vocalization in the domestic fowl (*Gallus gallus*). *Behaviour*, **125**, 177-187.
- Khaling, S., Kaul, R. & Saha, G. K. (2002). Calling behaviour and its significance in satyr tragopan, *Tragopan satyra* (Galliformes: Phasianidae) in the Singhalila National Park, Darjeeling, India. *Proc. Zool. Soc. (Calcutta)*, **55**, 1-9.
- Kilner, R. M. (2000). Multiple nestling begging signals: Reed warbler chicks and cuckoo tricks. In *Animal Signals. Signalling and Signal Design in Animal Communication* (Y. Espmark, T. Amundsen and G. Rosenqvist, eds.). Tapir Academic Press; Trondheim, pp. 353-364.
- Kilner, R. M. & Davies, N. B. (1999). How selfish is a cuckoo chick? *Anim. Behav.*, **58**, 797-808.
- Kilner, R. M., Noble, D. G. & Davies, N. B. (1999). Signals of need in parent-offspring communication and their exploitation by the common cuckoo. *Nature*, **397**, 667-672.
- King, A. S. (1989). Functional anatomy of the syrinx. In *Form and Function in Birds*, Vol. 4 (A. S. King & J. McLelland, eds.). Academic Press; New York, pp. 107-192.
- Klatt, P. H. & Ritchison, G. (1993). The duetting behavior of eastern screech owls. *Wilson Bull.*, **105**, 483-489.
- Klatt, P. H. & Ritchison, G. (1994). The effect of mate removal on the vocal behavior and movement patterns of male and female eastern screech owls. *Condor*, **96**, 485-493.

- Klinke, R. & Smolders, J. W. T. (1993). Performance of the avian inner ear. *Prog. Brain Res.*, **97**, 31-43.
- Klump, G. M. (1996). Sound localization studies in non-specialized birds. In *Methods in Comparative Psychoacoustics* (G. M. Klump, R. J. Dooling, R. R. Fay and W. C. Stebbins, eds.). Birkhaeuser Verlag; Basel, pp. 221-233.
- Klump, G. M. (1996). Bird communication in the noisy world. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 321-338.
- Knudsen, E. I. (1998). Capacity for plasticity in the adult owl auditory system expanded by juvenile experience. *Science*, **279**, 1531-1533.
- Knudsen, E. I., Zheng, W. & DeBello, W. M. (2000). Traces of learning in the auditory localization pathway. *Proc. Natl. Acad. Sci. USA*, **97**, 11815-11820.
- Knudsen, E. I. & Brainard, M. S. (1995). Creating a unified representation of visual and auditory space in the brain. *Ann. Rev. Neurosci.*, **18**, 19-43.
- Knudsen, E. I. (1999). Mechanisms of experience dependent plasticity in the auditory localization pathway of the barn owl. *J. Comp. Physiol. A.*, **185**, 305-321.
- Knudsen, E. I. (1988). Early blindness results in a degraded map of auditory space in the optic tectum of the barn owl. *Proc. Natl. Acad. Sci. USA*, **85**, 6211-6214.
- Knudsen, E. I., Knudsen, P. F. & Masino, T. (1993). Parallel pathways mediating both sound localization and gaze control in the forebrain and midbrain of the barn owl. *J. Neurosci.*, **13**, 2837-2852.
- Knudsen, E. I. & Knudsen, P. F. (1996). Contribution of the forebrain archistriatal gaze fields to auditory orienting behavior in the barn owl. *Exp. Brain Res.*, **108**, 23-32.
- Knudsen, E. I. & Brainard, M. S. (1991). Visual instruction of the neural map of auditory space in the developing optic tectum. *Science*, **253**, 85-87.
- Knudsen, E. I. & Knudsen, P. F. (1996). Disruption of auditory spatial working memory by inactivation of the forebrain archistriatum in barn owls. *Nature*, **383**, 428-431.
- Koene, P. (1996). Temporal structure of red jungle fowl crow sequences: single-case analysis. *Behav. Processes*, **38**, 193-202.
- Koene, P. & Wiepkema, P. R. (1991). Pre-dustbathing vocalizations as an indicator of a "need" in domestic hens. In *Alternatives in Animal Husbandry* (M. Boehncke, ed.). AgrarKultur Verlag; Witzenhausen, pp. 95-103.
- Koenig, C. (1994). Sound utterances as interspecific isolation mechanisms in owls of the genus *Otus* (Aves: Strigidae) from the southern South America. *Stuttg. Beitr. Naturk., Ser. A.*, Nr. **511**, 1-35 (German).
- Koenig, C. (1994). Biological patterns in owl taxonomy, with emphasis on bioacoustical studies on Neotropical pygmy (*Glaucidium*) and screech owls (*Otus*). In *Raptor Conservation Today* (B. Meyburg & R. Chancellor, eds.). WWGBP, The Pica Press; East Sussex, pp. 1-19.
- Koeppel, C., Manley, G. A. & Konishi, M. (2000). Auditory processing in birds. *Curr. Opin. Neurobiol.*, **10**, 474-481.
- Koeppel, C. (1994). Phase locking at high frequencies in the barn owl's auditory nerve. *Abstr. Midwest Res. Meet. Assoc. Res. Otolaryngol.*, **18**, 382.
- Koeppel, C. & Manley, G. A. (1997). Frequency representation in the emu basilar papilla. *J. Acoust. Soc. Am.*, **101**, 1574-1584.
- Komdeur, J. & Hatchwell, B. J. (1999). Kin recognition: function and mechanism in avian societies. *Trends Ecol. Evol.*, **14**, 237-241.
- Konishi, M. (1992). The neural algorithm for sound localization in the owl. In *Harvey Lectures, 86*. Wiley-Liss, Inc.; New York, pp. 47-64.
- Konishi, M., Takahashi, T. T., Wagner, H., Sullivan, W. E. & Carr, C. E. (1988). Neurophysiological and anatomical substrates of sound localization in the owl. In *Auditory Function: Neurobiological Bases of Hearing* (G. M. Edelman, W. E. Gall & W. M. Cowan, eds.). John Wiley & Sons; New York, pp. 721-745.
- Konishi, M. (1993). Neuroethology of sound localization in the owl. *J. Comp. Physiol. A.*, **173**, 3-7.
- Konishi, M. (1993). Listening with two ears. *Sci. Am.*, **268**(4), 66-74.
- Koppl, C. & Yates, G. (1999). Coding of sound pressure level in the barn owl's auditory nerve. *J. Neurosci.*, **19**, 9674.
- Kort, S. R. de, den Hartog, P. & ten Cate, C. (2001). Dove hybrids and their response to vocalizations of the parental species. *Adv. Ethol.*, **36**, 142.
- Kort, S. R. de & ten Cate, C. (2001). Response to interspecific vocalizations is affected by degree of phylogenetic relatedness in *Streptopelia* doves. *Anim. Behav.*, **61**, 239-247.
- Kort, S. R. de, den Hartog, P. M. & ten Cate, C. (2002). Vocal signals, isolation and hybridization in the vinaceous dove (*Streptopelia vinacea*) and the ring-necked dove (*S. capicola*). *Behav. Ecol. Sociobiol.*, **51**, 378-385.

- Kroodsma, D. E., Vielliard, J. M. E. & Stiles, F. G. (1996). Study of bird sounds in the Neotropics: Urgency and opportunity. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 269-281.
- Kroodsma, D. E. & Miller, E. H., eds. (1996). *Ecology and Evolution of Acoustic Communication in Birds*. Comstock Publishing Associates, Cornell University Press; Ithaca and London.
- Lambrechts, M. M. & Dhondt, A. A. (1994). Individual voice discrimination in birds. *Curr. Ornithol.*, **12**, 115-139.
- Lanctot, R. B., Sandercock, B. K. & Kempenaers, B. (2000). Do male breeding displays function to attract mates or defend territories? The explanatory role of mate and site fidelity. *Waterbirds*, **23**, 155-164.
- Larsen, O. N. & Goller, F. (2002). Direct observation of syringeal muscle function in songbirds and a parrot. *J. Exp. Biol.*, **205**, 25-35.
- Larsen, O. N., Dent, M. & Dooling, R. J. (1993). Free-field release from noise masking in parakeets. *Soc. Neurosci. Abstr.*, **19**, 1015.
- Larsen, O. N., Dent, M. L. & Dooling, R. J. (1994). Free-field release from masking in the budgerigar (*Melopsittacus undulatus*). In *Sensory Transduction, Vol. 2*. (H. Breer & N. Elsner, eds.). Thieme Verlag; Stuttgart, p. 370.
- Lavenex, P. B. (1999). Vocal production mechanisms in the budgerigar (*Melopsittacus undulatus*): The presence and implications of amplitude modulations. *J. Acoust. Soc. Am.*, **106**, 491-505.
- Lavenex, P. B. (2000). Lesions in the budgerigar vocal control nucleus NLC affect production, but not memory, of English words and natural vocalizations. *J. Comp. Neurol.*, **421**, 437-460.
- Lee, K. H. & Cotanche, D. A. (1996). Potential role of bFGF and retinoic acid in the regeneration of chicken cochlear hair cells. *Hear. Res.*, **94**, 1-13.
- Leek, M. R., Dent, M. L. & Dooling, R. J. (2000). Masking by harmonic complexes in budgerigars (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **107**, 1737-1744.
- Lefevre, K., Gaston, A. J. & Montgomerie, R. (2001). Repertoire, structure, and individual distinctiveness of thick-billed murre calls. *Condor*, **103**, 134-142.
- Lefevre, K., Montgomerie, R. & Gaston, A. J. (1998). Parent-offspring recognition in thick-billed murres (Aves: Alcidae). *Anim. Behav.*, **55**, 925-938.
- Legare, M. L., Eddleman, W. R., Buckley, P. A. & Kelly, C. (1999). The effectiveness of tape playback in estimating black rail density. *J. Wildlife Manage.*, **63**, 116-125.
- Lengagne, T., Jouventin, P. & Aubin, T. (1999). Finding one's mate in a king penguin colony: Efficiency of acoustic communication. *Behaviour*, **136**, 833-846.
- Lengagne, T., Lauga, J. & Jouventin, P. (1997). A method of independent time and frequency decomposition of bioacoustic signals: inter-individual recognition in four species of penguins. *Compt. Rendus Acad. Sci.*, **320**, 885-891.
- Lengagne, T. (2001). Temporal stability in the individual features in the calls of eagle owls (*Bubo bubo*). *Behaviour*, **138**, 1407-1419.
- Lengagne, T., Aubin, T., Jouventin, P. & Lauga, J. (2000). Perceptual salience of individually distinctive features in the calls of adult king penguins. *J. Acoust. Soc. Am.*, **107**, 508-516.
- Lengagne, T., Lauga, J. & Aubin, T. (2001). Intra-syllabic acoustic signatures used by the king penguin in parent-chick recognition: an experimental approach. *J. Exp. Biol.*, **204**, 663-672.
- Lengagne, T., Lauga, J. & Jouventin, P. (1998). A method of independent time and frequency decomposition of bioacoustic signals: inter-individual recognition in four species of penguins. *C. R. Acad. Sci. Paris, Serie III*, **320**, 885-891.
- Leonard, M. L. & Horn, A. G. (1995). Crowing in relation to status in roosters. *Anim. Behav.*, **49**, 1283-1290.
- Lessells, C. M., Rowe, C. L. & McGregor, P. K. (1995). Individual and sex differences in the provisioning calls of European bee-eaters. *Anim. Behav.*, **49**, 244-247.
- Lickliter, R., Dyer, A. B. & McBride, T. (1993). Perceptual consequences of early social experience in precocial birds. *Behav. Processes*, **30**, 185-200.
- Lickliter, R. & Stoumbos, J. (1991). Enhanced prenatal auditory experience facilitates postnatal visual responsiveness in bobwhite quail chicks. *J. Comp. Psychol.*, **105**, 89-94.
- Lickliter, R. & Lewkowicz, D. J. (1995). Intersensory experience and early perceptual development: Attenuated prenatal sensory stimulation affects postnatal auditory and visual responsiveness in bobwhite quail chicks. *Dev. Psychol.*, **31**, 609-618.
- Lin, J.-Y., Dooling, R. J. & Dent, M. L. (1997). Auditory filter shapes in the budgerigar (*Melopsittacus undulatus*) derived from notched-noise maskers. *J. Acoust. Soc. Am.*, **101**, 3124.
- Lin, J.-Y. & Dooling, R. J. (1997). Detection of amplitude modulation, frequency modulation, and quasifrequency modulation by the budgerigar (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **101**, 3082.

- Lohr, B. & Dooling, R. J. (1998). Detection of changes in timbre and harmonicity by zebra finches (*Taeniopygia guttata*) and budgerigars (*Melopsittacus undulatus*). *J. Comp. Psychol.*, **112**, 36-47.
- Long, K. D., Kennedy, G. & Balaban, E. (2001). Transferring an inborn auditory perceptual predisposition with interspecies brain transplants. *Proc. Natl. Acad. Sci. USA*, **98**, 5862-5867.
- Lotem, A. (1998). Manipulative begging calls by parasitic cuckoo chicks: why should true offspring not do the same? *Trends Ecol. Evol.*, **13**, 342-343.
- Lotem, A. (1999). Manipulative begging by parasitic cuckoo nestlings and paradoxical host behaviour: a reply to Redondo. *Trends Ecol. Evol.*, **14**, 107.
- Lotto, A. J., Kluender, K. R. & Holt, L. L. (1997). Perceptual compensation for coarticulation by Japanese quail (*Coturnix coturnix japonica*). *J. Acoust. Soc. Am.*, **102**, 1134-1140.
- MacDougall-Shackleton, E. & Harbison, H. (1998). Singing behavior of lekking green hermits. *Condor*, **100**, 149-152.
- MacKenzie, J. G., Foster, T. M. & Temple, W. (1993). Sound avoidance in hens. *Behav. Processes*, **30**, 143-156.
- Mahler, B. & Tubaro, P. L. (2001). Relationship between song characters and morphology in New World pigeons. *Biol. J. Linn. Soc.*, **74**, 533-539.
- Maijer, S. (1996). Distinctive song of highland form maculicollis of the red-winged tinamou (*Rhynchotus rufescens*): Evidence for species rank. *Auk*, **113**, 695-697.
- Mair, J., Marx, G., Mennicken, L. & Petersen, J. (2001). Analysis of vocalisation in chicken flocks in the early light-off phase. *Adv. Ethol.*, **36**, 210.
- Maller, C. J. & Jones, D. N. (2001). Vocal behaviour of the common koel, *Eudynamys scolopacea*, and implications for mating systems. *Emu*, **101**, 105-112.
- Manabe, K., Sadr, E. I. & Dooling, R. J. (1998). Control of vocal intensity in budgerigars (*Melopsittacus undulatus*): differential reinforcement of vocal intensity and the Lombard effect. *J. Acoust. Soc. Am.*, **103**, 1190-1198.
- Manabe, K., Kawashima, T. & Staddon, J. E. R. (1995). Differential vocalization in budgerigars: Towards an experimental analysis of naming. *J. Exp. Anal. Behav.*, **63**, 111-126.
- Manabe, K., Staddon, J. E. R. & Cleaveland, J. M. (1997). Control of vocal repertoire by reward in budgerigars (*Melopsittacus undulatus*). *J. Comp. Psychol.*, **111**, 50-62.
- Manabe, K. & Dooling, R. J. (1997). Control of vocal production in budgerigars (*Melopsittacus undulatus*): selective reinforcement, call differentiation, and stimulus control. *Behav. Processes*, **41**, 117-132.
- Manley, G. A. (1990). *Peripheral Hearing Mechanisms in Reptiles and Birds*. Springer Verlag; Heidelberg.
- Manley, G. A., Koeppel, C. & Konishi, M. (1988). A neural map of interaural intensity differences in the brain stem of the barn owl. *J. Neurosci.*, **8**, 2665-2676.
- Manley, G. A. & Koeppel, C. (1997). Activity of primary auditory neurons in the cochlear ganglion of the emu *Dromaius novaehollandiae*: Spontaneous discharge, frequency tuning, and phase locking. *J. Acoust. Soc. Am.*, **101**, 1560-1573.
- Manley, G. A., Kaiser, A., Brix, J. & Gleich, O. (1991). Activity patterns of primary auditory-nerve fibres in chickens: Development of fundamental properties. *Hear. Res.*, **57**, 1-15.
- Marler, P. & Evans, C. (1996). Bird calls: just emotional displays or something more? *Ibis*, **138**, 26-33.
- Martens, J. & Eck, S. (1995). Towards an ornithology of the Himalayas. Systematics, ecology and vocalizations of Nepal birds. *Bonner Zool. Monogr.*, **38**, 1-445.
- Martin-Vivaldi, M., Palomino, J. J. & Soler, M. (1998). Song structure in the hoopoe (*Upupa epops*) - Strophe length reflects male condition. *J. Orn.*, **139**, 287-296.
- Martin-Vivaldi, M., Palomino, J. J. & Soler, M. (1999). Function of song in the hoopoe *Upupa epops*. *Bird Study*, **46**, 104-111.
- Martin-Vivaldi, M., Palomino, J. V. & Soler, M. (2000). Attraction of hoopoe *Upupa epops* females and males by means of song playback in the field: influence of strophe length. *J. Avian Biol.*, **31**, 351-359.
- Martin, K., Horn, A. G. & Hannon, S. J. (1995). The calls and associated behavior of breeding willow ptarmigan in Canada. *Wilson Bull.*, **107**, 496-509.
- Martin-Vivaldi, M., Palomino, J. J., Soler, M. & Martinez, J. G. (1999). Song strophe-length and reproductive success in a non-passerine bird, the hoopoe *Upupa epops*. *Ibis*, **141**, 670-679.
- Marx, G. (2001). Habituation to acoustic environmental changes in two lines of domestic chicken. *Adv. Ethol.*, **36**, 212.
- Marx, G. (1997). Gradual expression of social needs by distress calls in young chicken. *Adv. Ethol.*, **32**, 101.
- Marx, G., Leppelt, J. & Ellendorff, F. (2001). Vocalisation in chicks (*Gallus gallus dom.*) during stepwise social isolation. *Appl. Anim. Behav. Sci.*, **75**, 61-74.
- Massa, R., Galanti, V. & Bottone, L. (1996). Mate choice and reproductive success in the domesticated budgerigar, *Melopsittacus undulatus*. *Ital. J. Zool.*, **63**, 243-246.
- Mathevon, N. (1996). What parameters can be used for individual acoustic recognition by the greater flamingo? *C. R. Acad. Sci. Paris*, **319**, 29-32.

- Mathevon, N. (1996). Avian communication in acoustically extreme environments: degradation of sound signals and adaptive strategies in unfavourable conditions for propagation. Ph.D. thesis. University of Lyon I, France (French).
- Mathevon, N. (1997). Individuality of contact calls in the greater flamingo *Phoenicopterus ruber* and the problem of background noise in a colony. *Ibis*, **139**, 513-517.
- May, L. (1994). Individually distinctive corncrake *Crex crex* calls: a pilot study. *Bioacoustics*, **6**, 25-32.
- May, L. (1998). Individually distinctive corncrake *Crex crex* calls: A further study. *Bioacoustics*, **9**, 135-148.
- Mazer, J. A. (1998). How the owl resolves auditory coding ambiguity. *Proc. Natl. Acad. Sci. USA*, **95**, 10932-10937.
- McAdie, T. M., Foster, T. M., Temple, W. & Matthews, L. R. (1993). A method for measuring the aversiveness of sounds to domestic hens. *Appl. Anim. Behav. Sci.*, **37**, 223-238.
- McBride, T. C. & Lickliter, R. (1994). Specific postnatal auditory stimulation interferes with species-typical visual responsiveness in bobwhite quail chicks. *Dev. Psychobiol.*, **27**, 169-183.
- McCracken, K. G. & Sheldon, F. H. (1997). Avian vocalizations and phylogenetic signal. *Proc. Natl. Acad. Sci. USA*, **94**, 3833-3836.
- McElroy, M. D., Leon, K., Mello, C. V. & Jarvis, E. D. (2001). Molecular mapping of vocal communication brain areas in a vocal non-learner avian species: Ring doves. *Soc. Neurosci. Abstr.*, **27**, 844.
- McFarland, D. C. (1991). The biology of the ground parrot, *Pezoporus wallicus*, in Queensland. II. Spacing, calling, and breeding behaviour. *Wildl. Res.*, **18**, 185-197.
- McGregor, P. K., Tavares, J., Langemann, U., Peake, T. M. & Latruffe, C. (1997). Acoustic communication in territorial bird networks: corn buntings and corn crakes. *Adv. Ethol.*, **32**, 126.
- McGregor, P. K. & Peake, T. M. (1998). The role of individual identification in conservation biology. In *Behavioral Ecology and Conservation Biology* (T. M. Caro, ed.). Oxford University Press; Oxford.
- McGregor, P. K., Peake, T. M. & Gilbert, G. (2000). Communication behaviour and conservation: the application of sound science. In *Animal Behaviour and Conservation* (W. J. Sutherland, M. Gosling and M. Avery, eds.). Cambridge University Press; Cambridge.
- Menoni, E. (1991). Cackle calls and territoriality of female capercaillie in spring in the Pyrenees. *Acta Biol. Mont.*, **10**, 63-82 (French).
- Miller, D. B. (1994). Social context affects the ontogeny of instinctive behaviour. *Anim. Behav.*, **48**, 627-734.
- Miller, E. H. (1992). Acoustic signals of sapsuckers: structure and evolution. *Am. Zool.*, **32**, 5A.
- Miller, G. L. & Knudsen, E. I. (1999). Early visual experience shapes the representation of auditory space in the forebrain gaze fields of the barn owl. *J. Neurosci.*, **19**, 2326-2336.
- Miller, E. H. (1995). Sounds of shorebirds: opportunities for amateurs and an update of published information. *Wader Study Group Bull.*, **78**, 18-22.
- Miller, E. H. (1996). Nuptial vocalizations of male least seedsnipe: Structure and evolutionary significance. *Condor*, **98**, 418-422.
- Miller, E. H. (1996). Acoustic differentiation and speciation in shorebirds. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 241-257.
- Miller, E. (1988). Collection of yodel calls for individual identification of male common loons. In *Conference on Common Loon Research and Management* (P. I. V. Strong, ed.). North American Loon Fund; Meredith, NH., pp. 44-52.
- Miller, C. E. (1988). Collection of yodel calls for individual identification of male common loons. In *Papers from the 1987 North American Conference on Loon Research and Management* (P. I. V. Strong, ed.). N. American Loon Fund, Meredith, NH., pp. 1-14.
- Mills, H. (2000). Geographically distributed acoustical monitoring of migrating birds. *J. Acoust. Soc. Am.*, **108**, 2582.
- Moiseff, A. (1989). Binaural disparity cues available to the barn owl for sound localization. *J. Comp. Physiol. A.*, **164**, 629-636.
- Mori, K. & Striedter, G. (1992). Neurons in field L of budgerigars prefer species specific calls to white noise. *Soc. Neurosci. Abstr.*, **18**, 527.
- Morris, M. M. J. (2001). Rates of 'peent' calls by American woodcocks: The seven percent solution. *Ontario Birds*, **19**, 8-11.
- Mougeot, F. & Bretagnolle, V. (2000). Predation as a cost of sexual communication in nocturnal seabirds: an experimental approach using acoustic signals. *Anim. Behav.*, **60**, 647-656.
- Mueller, C. M. (1988). Distribution of GABAergic perikarya and terminals in the centers of the higher auditory pathway of the chicken. *Cell Tissue Res.*, **252**, 99-106.
- Nespor, A. A., Dent, M. L., Lukaszewicz, M. J., Dooling, R. J. & Ball, G. F. (1994). Testosterone induction of male-like vocalizations in female budgerigars. *Soc. Neurosci. Abstr.*, **20**, 163.
- Nespor, A. A. (2000). Comparative neuroendocrine mechanisms mediating sex differences in reproductive and

- vocal behavior and the related brain regions in songbirds, budgerigars and quail. *Avian Poultry Biol. Rev.*, **11**, 45-62.
- Nespor, A. A., Chaves, L., Dooling, R. J. & Ball, G. F. (1998). Assessment of volumetric sex differences in the vocal system of budgerigars by immunocytochemistry for methionine enkephalin and vasoactive intestinal polypeptide. *Soc. Neurosci. Abstr.*, **24**, 1699.
- Nespor, A. A., Lukazewicz, M. J., Dooling, R. J. & Ball, G. F. (1996). Testosterone induction of male-like vocalizations in female budgerigars (*Melopsittacus undulatus*). *Horm. Behav.*, **30**, 162-169.
- Niemiec, A. J., Raphael, Y. & Moody, D. B. (1994). Return of auditory function following structural regeneration after acoustic trauma: Behavioral measures from quail. *Hear. Res.*, **75**, 209-224.
- Nuechterlein, G. L. & Buitron, D. (1998). Interspecific mate choice by late-courtship male western grebes. *Behav. Ecol.*, **9**, 313-321.
- Ofsie, M. S. & Cotanche, D. A. (1996). Distribution of nerve fibers in the basilar papilla of normal and sound-damaged chick cochlea. *J. Comp. Neurol.*, **370**, 281-294.
- Okanoya, K. & Dooling, R. J. (1990). Detection of gaps in noise by budgerigars (*Melopsittacus undulatus*) and zebra finches (*Poephila guttata*). *Hear. Res.*, **50**, 185-192.
- Oommen, M. & Andrews, M. I. (1996). Awakening, roosting and vocalization behaviour of the whitebreasted kingfisher *Halcyon smyrnensis fusca* (Boddaert). *Pavo*, **34**, 43-46.
- Otter, K. (1996). Individual variation in the advertising call of male Northern saw-whet owls. *J. Field Ornithol.*, 398-405.
- Ottvall, R. (1999). Female corncrake (*Crex crex*) singing in the wild. *J. Ornithol.*, **140**, 453-456.
- Palestis, B. G. & Burger, J. (1999). Individual sibling recognition in experimental broods of common tern chicks. *Anim. Behav.*, **58**, 375-381.
- Panek, M. (1998). Use of call counts for estimating spring density of the grey partridge *Perdix perdix*. *Acta Ornithologica*, **33**, 143-148.
- Patterson, D. K. & Pepperberg, I. M. (1994). A comparative study of human and parrot phonation: Acoustic and articulatory correlates of vowels. *J. Acoust. Soc. Am.*, **96**, 634-648.
- Patterson, D. K. (1998). Acoustic and articulatory correlates of stop consonants in a parrot and a human subject. *J. Acoust. Soc. Am.*, **103**, 2197-2215.
- Pavey, C. R. & Smyth, A. K. (1998). Effects of avian mobbing on roost use and diet of powerful owls, *Ninox strenua*. *Anim. Behav.*, **55**, 313-318.
- Payne, R. B. & Payne, L. L. (1998). Nestling eviction and vocal begging behaviors in Australian glossy cuckoos *Chrysococcyx basalis* and *C. lucidus*. In *Parasitic Birds and their Hosts, Studies in Coevolution* (S. I. Rothstein and S. K. Robinson, eds.). Oxford University Press; Oxford, pp. 152-169.
- Peake, T. M. & McGregor, P. K. (2001). Corncrake *Crex crex* census estimates: A conservation application of vocal individuality. *Anim. Biodiv. Conserv.*, **24**, 81-90.
- Peake, T. M. (1997). Variation in the vocal behaviour of the corncrake *Crex crex*: potential for conservation. Ph.D. Thesis. University of Nottingham.
- Peake, T. M. & McGregor, P. K. (1999). Geographical variation in the vocalisation of the corncrake *Crex crex*. *Ethol. Ecol. Evol.*, **11**, 123-137.
- Peake, T. M. & McGregor, P. K. (1997). Variation in the vocal behaviour of the corncrake *Crex crex*: potential for conservation. *Adv. Ethol.*, **32**, 295.
- Peake, T. M., McGregor, P. K., Smith, K. W., Tyler, G., Gilbert, G. & Green, R. E. (1998). Individuality in corncrake *Crex crex* vocalizations. *Ibis*, **140**, 120-127.
- Pegoraro, K. & Foeger, M. (1995). The "croop" calls of the waldrapp ibis *Geronticus eremita*: their diverse functions in a complex social system. *J. Ornithol.*, **136**, 243-252 (German).
- Pegoraro, K. (1994). Vocal inventory of the waldrapp ibis *Geronticus eremita*. *J. Ornithol.*, **135** (Sonderheft), 168.
- Pelt, T. I. van, Piatt, J. F. & van Vliet, G. B. (1999). Vocalizations of the Kittlitz's murrelet. *Condor*, **101**, 395-397.
- Penteriani, V., Gallardo, M. & Cazassus, H. (2000). Diurnal vocal activity of young eagle owls and its implications in detecting occupied nests. *J. Raptor Res.*, **34**, 232-235.
- Penteriani, V. (2001). The annual and diel cycles of goshawk vocalizations at nest sites. *J. Raptor Res.*, **35**, 24-30.
- Penteriani, V. (1999). Dawn and morning goshawk courtship vocalizations as a method for detecting nest sites. *J. Wildl. Manage.*, **63**, 511-516.
- Pepperberg, I. M. (1999). *The Alex Studies. Cognitive and Communicative Abilities of Grey Parrots*. Harvard University Press; Cambridge, Massachusetts.
- Pepperberg, I. M. (1997). Social influences on the acquisition of human-based codes in parrots and nonhuman primates. In *Social Influences on Vocal Development* (C. T. Snowdon and M. Hausberger, eds.). Cambridge University Press; Cambridge, pp. 157-177.

- Pepperberg, I. M. & Neapolitan, D. M. (1988). Second language acquisition: A framework for studying the importance of input and interaction in exceptional song acquisition. *Ethology*, **77**, 150-168.
- Pepperberg, I. M. (1994). Vocal learning in grey parrots: Possible adaptive constraints on mimicry? *J. Ornithol.*, **135**, 453.
- Pepperberg, I. M. (1994). Vocal learning in grey parrots (*Psittacus erithacus*): Effects of social interaction, reference, and context. *Auk*, **111**, 300-313.
- Pepperberg, I. M. (1992). What studies on song learning can teach us about playback experiments. In *Playback and Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 45-57.
- Pepperberg, I. M. (1990). Learning to communicate: the effects of social interaction. In *Perspectives in Ethology, Vol. 9* (P. Bateson & P. H. Klopfer, eds.). Plenum; New York, pp. 119-164.
- Pepperberg, I. M., Gardiner, L. L. & Luttrell, L. J. (1999). Limited contextual vocal learning in the grey parrot (*Psittacus erithacus*): The effect of interactive co-viewers on videotaped instruction. *J. Comp. Psychol.*, **113**, 158-171.
- Pepperberg, I. M., Sandefer, R. M., Noel, D. A. & Ellsworth, C. P. (2000). Vocal learning in the grey parrot (*Psittacus erithacus*): effects of species identity and number of trainers. *J. Comp. Psychol.*, **114**, 371-380.
- Pepperberg, I. M., Naughton, J. R. & Banta, P. A. (1998). Allospecific vocal learning by grey parrots (*Psittacus erithacus*): A failure of videotaped instruction under certain conditions. *Behav. Processes*, **42**, 139-158.
- Pepperberg, I. M. (1993). A review of the effects of social interaction on vocal learning in African grey parrots *Psittacus erithacus*. *Neth. J. Zool.*, **43**, 104-124.
- Pepperberg, I. M. (1988). Comprehension of "absence" by an African grey parrot: learning with respect to questions of same/different. *J. Exp. Anal. Behav.*, **50**, 553-564.
- Pepperberg, I. M. (1988). The importance of social interaction and observation in the acquisition of communicative competence: possible parallels between avian and human learning. In *Social Learning: A Comparative Approach* (T. T. Zentall & B. G. Galef, Jr., eds). Erlbaum; Hillsdale, N. J., pp. 279-299.
- Pizzari, T. & Birkhead, T. R. (2001). For whom does the hen cackle? The function of postoviposition cackling. *Anim. Behav.*, **61**, 601-607.
- Plummer, T. K. & Striedter, G. F. (2000). Auditory responses in the vocal motor system of budgerigars. *J. Neurobiol.*, **42**, 79-94.
- Poganiatz, I. & Wagner, H. (2001). Sound-localization experiments with barn owls in virtual space: influence of broadband interaural level difference on head-turning behavior. *J. Comp. Physiol. A.*, **187**, 225-233.
- Poje, C. P., Sewell, D. A. & Saunders, J. C. (1995). The effects of exposure to intense sound on the DC endocochlear potential in the chick. *Hear. Res.*, **82**, 197-204.
- Pomeroy, D. E. (1993). Song in the lives of three common birds in Uganda (*Streptopelia semitorquata*, *Turdus pelios*, *Camaroptera brachyura*). In *Koninklijk Museum voor Midden Afrika Tervuren Belgische Annalen Zoologische Wetenschappen*, Vol. 268. *Birds and the African Environment* (R. T. Wilson, ed). Royal Museum for Central Afrika; Tervuren, Belgium, pp. 447-452.
- Powell, E. F., Dooling, R. J. & Farabaugh, S. M. (1992). Development of vocal learning in the budgerigar. *Soc. Neurosci. Abstr.*, **18**, 529.
- Powell, E. F. (1993). *Perception of developing vocalizations in the budgerigar (Melopsittacus undulatus)*. M.S. thesis, University of Maryland, College Park.
- Powell, E. F., Dooling, R. J. & Larsen, O. N. (1994). Spectral differences in calls produced by the budgerigar in air and helium. *Soc. Neurosci. Abstr.*, **20**, 163.
- Proctor, L. & Konishi, M. (1992). Responses of cells in an auditory thalamic nucleus of the barn owl to sound localization cues. *Soc. Neurosci. Abstr.*, **18**, 840.
- Puglisi, L., Cima, O. & Baldaccini, N. E. (1997). A study of the seasonal booming activity of the bittern *Botaurus stellaris*; what is the biological significance of the booms? *Ibis*, **139**, 638-645.
- Pytte, C. & Ficken, M. S. (1994). Aerial display sounds of the black-chinned hummingbird. *Condor*, **96**, 1088-1091.
- Rabatsky, A. M. (1997). Responses of two closely related rail species, *Rallus longirostris* and *Rallus elegans*, to conspecific and heterospecific calls. *Fla. Sci.*, **60**, 16-20.
- Radell, P. L. & Gottlieb, G. (1992). Developmental intersensory interference: Augmented prenatal sensory experience interferes with auditory learning in duck embryos. *Dev. Psychol.*, **28**, 795-803.
- Raphael, Y., Wang, Y. & Lee, M. K. (1994). Intercellular contacts between chick stereocilia after acoustic overstimulation. *Hear. Res.*, **73**, 85-91.
- Ratcliffe, N., Vaughan, D., Whyte, C. & Shepherd, M. (1998). Development of playback census methods for storm petrels *Hydrobates pelagicus*. *Bird Study*, **45**, 302-312.

- Ratcliffe, L. & Weisman, R. G. (1992). Pitch processing strategies in birds: A comparison of laboratory and field studies. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 211-223.
- Rebbeck, M. (1996). A pilot study for recognition of individual nightjars. *Bioacoustics*, **6**, 306.
- Rebbeck, M., Corrick, R., Eaglestone, B. & Stainton, C. (2001). Recognition of individual European nightjars *Caprimulgus europaeus* from their song. *Ibis*, **143**, 468-475.
- Redondo, T. (1999). Manipulative begging by parasitic cuckoo nestlings and paradoxical host behaviour. *Trends Ecol. Evol.*, **14**, 107.
- Redpath, S. M. (1994). Censusing tawny owls *Strix aluco* by the use of imitation calls. *Bird Study*, **41**, 192-198.
- Redpath, S. M., Appleby, B. M. & Petty, S. J. (2000). Do male hoots betray parasite loads in tawny owls? *J. Avian Biol.*, **31**, 457-462.
- Reid, J. A., Horn, R. B. & Forsman, D. E. (1999). Detection rates of spotted owls based on acoustic-lure and live-lure surveys. *Wildl. Soc. Bull.*, **27**, 986-990.
- Revilla, V., Revilla, R. & Fernandez-Lopez, A. (1999). A comparative study of the beta-adrenoceptors in higher song nuclei of birds. *Neurosci. Lett.*, **271**, 9-12.
- Richard-Yris, M. A. & Wauters, A. M. (2001). Maternal food calling in domestic hens. *Adv. Ethol.*, **36**, 250-251.
- Richter, C.-P., Sauer, G., Hoidis, S. & Klinke, R. (1996). Development of activity patterns in auditory nerve fibres of pigeons. *Hear. Res.*, **95**, 77-86.
- Rigby, L. L., Kubke, M. F. & Carr, C. E. (1995). Distribution of SV2 during development of the brainstem of the barn owl. *Am. Zool.*, **35**, 101A.
- Ristau, C. A., Kranson, R., Leone, D. & Seidel, K. (1997). Cognitive aspects of plovers' responses to acoustic playback of chick calls. *Adv. Ethol.*, **32**, 95.
- Robbins, M. B., Ridgely, R. S. & Cardiff, S. W. (1994). Voice, plumage and natural history of Anthony nightjar (*Caprimulgus anthonyi*). *Condor*, **96**, 224-228.
- Roberts, T. F., Cookson, K. K., Heaton, K. J., Hall, W. S. & Brauth, S. E. (2001). Distribution of tyrosine hydroxylase-containing neurons and fibers in the brain of the budgerigar (*Melopsittacus undulatus*): general patterns and labeling in vocal control nuclei. *J. Comp. Neurol.*, **429**, 436-454.
- Robinson, P. (1991). Broadcast distance of the mutual display call in the emperor penguin. *Behaviour*, **119**, 302-316.
- Robisson, P., Aubin, T. & Brémond, J. C. (1993). Individuality in the voice of the emperor penguin *Aptenodytes forsteri*: adaptation to a noisy environment. *Ethology*, **94**, 279-290.
- Rocha, P. L. E. & Rangel-Salazar, J. L. (2001). Owl occurrence and calling behavior in a tropical rain forest. *J. Raptor Res.*, **35**, 107-114.
- Ross, B. P., Lien, J. & Furness, R. W. (2001). Use of underwater playback to reduce the impact of eiders on mussel farms. *ICES J. Mar. Sci.*, **58**, 517-524.
- Roulin, A. (2001). On the cost of begging vocalization: Implications of vigilance. *Behav. Ecol.*, **12**, 506-512.
- Roulin, A., Koelliker, M. & Richner, H. (2000). Barn owl (*Tyto alba*) siblings vocally negotiate resources. *Proc. Roy. Soc. Lond. B.*, **267**, 459-463.
- Roulin, A. (2001). Food supply differently affects sibling negotiation and competition in the barn owl (*Tyto alba*). *Behav. Ecol. Sociobiol.*, **49**, 514-519.
- Roulin, A. (2001). Screaming as a strategy to reduce the predation risk incurred by begging? *Behaviour*, **138**, 615-627.
- Rowe, M. P., Coss, R. G. & Owings, D. H. (1986). Rattlesnake rattles and burrowing owl hisses: a case of acoustic Batesian mimicry. *Ethology*, **72**, 53-71.
- Rucci, M., Edelman, G. M. & Wray, J. (1999). Adaptation of orienting behavior: from the barn owl to a robotic system. *IEEE Trans. Robot. Automat.*, **15**, 96-110.
- Rucci, M., Wray, J. & Edelman, G. M. (1998). Spatial localization and the refinement of orienting behavior: What can be learned from the barn owl? *Proc. 1998 IEEE Int. Symp. ISIC, CIRA, ISAS*, 253-258.
- Rumpf, M. & Nichelmann, M. (1993). Development of prenatal acoustic interaction in the muscovy duck *Cairina moschata*. *Br. Poult. Sci.*, **34**, 287-296.
- Rusch, K. M., Pytte, C. L. & Ficken, M. S. (1996). Organization of agonistic vocalizations in black-chinned hummingbirds. *Condor*, **98**, 557-566.
- Ruttledge, R. F. (1993). Prolonged song of collared dove. *Br. Birds*, **86**, 570.
- Ryals, B. M., Dooling, R. J., Westbrook, E., Dent, M. L., MacKenzie, A. & Larsen, O. N. (1999). Avian species differences in susceptibility to noise exposure. *Hear. Res.*, **131**, 71-88.
- Ryals, B. M., Stalford, M. D., Lambert, P. R. & Westbrook, E. W. (1995). Recovery of noise-induced changes in the dark cells of the quail tegmentum vasculosum. *Hear. Res.*, **83**, 51-61.
- Ryals, B. M. & Rubel, E. W. (1988). Hair cell regeneration after acoustic trauma in adult *Coturnix* quail. *Science*, **240**, 1774-1776.
- Saberi, K., Farahbod, H. & Konishi, M. (1998). How do owls localize interaurally phase-ambiguous signals?

- Proc. Natl. Acad. Sci. USA*, **95**, 6465-6468.
- Saether, S. A. (1994). Vocalizations of female great snipe *Gallinago media* at the lek. *Ornis Fennica*, **71**, 11-16.
- Saino, N. & Fasola, M. (1996). The function of embryonic vocalization in the little tern (*Sterna albifrons*). *Ethology*, **102**, 265-271.
- Saunders, S. S. & Salvi, R. J. (1993). Psychoacoustics of normal adult chickens: thresholds and temporal integration. *J. Acoust. Soc. Am.*, **94**, 83-90.
- Saunders, S. S., Salvi, R. J. & Miller, K. M. (1995). Recovery of thresholds and temporal integration in adult chickens after high level 525 Hz pure tone exposure. *J. Acoust. Soc. Am.*, **97**, 1150-1164.
- Scanlan, J. (1988). *Analysis of avian "speech": Patterns and production*. Ph.D. dissertation; University College, London.
- Schaefer, M., Ruebsamen, R., Doerrscheidt, G. J. & Knipschild, M. (1992). Setting complex tasks to single units in the avian auditory forebrain. II. Do we really need natural stimuli to describe neuronal response characteristics? *Hear. Res.*, **57**, 231-244.
- Schaeffer, N., Salzer, U. & Wend, D. (1997). The call repertoire of the corncrake *Crex crex*. *Vogelwelt*, **118**, 147-156 (German).
- Schaeffer, N. (1995). Calling behaviour and functions of calls in the corncrake *Crex crex*. *Vogelwelt*, **116**, 141-151 (German).
- Scheich, H. (1990). Representational geometries of telencephalic auditory maps in birds and mammals. In *The Neocortex* (B. L. Finlay, ed.). Plenum Press; New York, pp. 119-136.
- Scherzinger, W. (1990). Comparative study on the vocal repertoire in the genus *Athene* (Strigiformes). *Proc. Int. 100. DO-G-Meeting, Current Topics Avian Biol.* (1988), pp. 89-96.
- Seddon, P. J. & van Heezik, Y. (1993). Parent-offspring recognition in the jackass penguin. *J. Field Ornithol.*, **64**, 27-31.
- Shaw, B. K., Kennedy, G. & Balaban, E. (2000). To crow like a chicken or a quail: species differences in androgen receptor distribution in relation to species differences in an androgen-dependent behavior. *Soc. Neurosci. Abstr.*, **26**.
- Shaw, B. K. (2000). Involvement of a midbrain vocal nucleus in the production of both the acoustic and postural components of crowing behavior in Japanese quail. *J. Comp. Physiol. A.*, **186**, 747-757.
- Shimizu, T. (1998). Conspecific recognition in pigeons (*Columba livia*) using dynamic video images. *Behaviour*, **135**, 43-53.
- Sieber, U. & Nievergelt, B. (1998). Effects of tourism and military activities on the display of black grouse cocks *Tetrao tetrix* in the mire landscape of Schwägalp. *Ornithol. Beob.*, **95**, 81-96.
- Silverin, B., Baillien, M., Foidart, A. & Balthazart, J. (2000). Distribution of aromatase activity in the brain and peripheral tissues of passerine and nonpasserine avian species. *Gen. Comp. Endocrinol.*, **117**, 34-53.
- Skutch, A. F. (1994). The gray-necked wood-rail: Habits, food, nesting, and voice. *Auk*, **111**, 200-204.
- Slabbekoorn, H., de Kort, S. & ten Cate, C. (1999). Comparative analysis of perch coo vocalizations in *Streptopelia* doves. *Auk*, **116**, 737-748.
- Slabbekoorn, H. & ten Cate, C. (1998). Perceptual tuning to frequency characteristics of territorial signals in collared doves. *Anim. Behav.*, **56**, 847-857.
- Slabbekoorn, H. & ten Cate, C. (1998). Multiple parameters in the territorial coo of the collared dove: interactions and meaning. *Behaviour*, **135**, 879-895.
- Slabbekoorn, H. & ten Cate, C. (1996). Responses of collared doves to playback of coos. *Behav. Processes*, **38**, 169-174.
- Slabbekoorn, H., de Kort, S. & ten Cate, C. (1997). Coo-evolution in *Streptopelia* doves, interspecific and intraspecific aspects. *Adv. Ethol.*, **32**, 132.
- Slabbekoorn, H. & ten Cate, C. (1999). Collared dove responses to playback: Slaves to the rhythm. *Ethology*, **105**, 377-392.
- Slabbekoorn, H. & ten Cate, C. (1997). Stronger territorial responses to frequency modulated coos in collared doves. *Anim. Behav.*, **54**, 955-965.
- Sleigh, M. J. & Lickliter, R. (1998). Timing of presentation of prenatal auditory stimulation alters auditory and visual responsiveness in Bobwhite quail chicks (*Colinus virginianus*). *J. Comp. Psychol.*, **112**, 153-160.
- Sleigh, M. J. & Lickliter, R. (1997). Augmented prenatal auditory stimulation alters postnatal perception, arousal, and survival in bobwhite quail chicks. *Dev. Psychobiol.*, **30**, 201-212.
- Sleigh, M. J. & Lickliter, R. (1995). Augmented prenatal visual stimulation alters postnatal auditory and visual responsiveness in bobwhite quail chicks. *Dev. Psychobiol.*, **28**, 353-366.
- Sleigh, M. J., Columbus, R. F. & Lickliter, R. (1996). Type of prenatal sensory experience affects prenatal auditory learning in bobwhite quail. *J. Comp. Psychol.*, **110**, 233-242.
- Smith, G. C. & Jones, D. N. (1997). Vocalisations of the marbled frogmouth. I: Descriptions and analysis of sex differences. *Emu*, **97**, 290-295.

- Smith, W. J. & Smith, A. M. (2000). Information about behavior is provided by songs of the striped cuckoo. *Wilson Bull.*, **112**, 491-497.
- Soler M. & Soler, J. J. (1999). Innate versus learned recognition of conspecifics in great spotted cuckoos *Clamator glandarius*. *Anim. Cogn.*, **2**, 97-102.
- Squire, R. (1993). The voice of the young cassowary. *Austral. Bird Watcher*, **15**, 41.
- Stark, R. D., Dodenhoff, D. J. & Johnson, E. V. (1998). A quantitative analysis of woodpecker drumming. *Condor*, **100**, 350-356.
- Stone, J. S. & Cotanche, D. A. (1994). Identification of the timing of S phase and the patterns of cell proliferation during hair cell regeneration in the chick cochlea. *J. Comp. Neurol.*, **341**, 50-67.
- Striedter, G. (1994). The vocal control pathways in budgerigars differ from those in songbirds. *J. Comp. Neurol.*, **343**, 35-56.
- Striedter, G. F. (1994). The vocal control pathways in budgerigars differ from those in songbirds. *J. Comp. Neurol.*, **343**, 35-56.
- Strohmann, B., Schwarz, D. W. F. & Puil, E. (1994). Subthreshold frequency selectivity in avian auditory thalamus. *J. Neurophysiol.*, **71**, 1361-1372.
- Suthers, R. A. & Hector, D. H. (1988). Individual variation in vocal tract resonance may assist oilbirds in recognizing echoes of their own sonar clicks. In *Animal Sonar: Processes and Performance* (P. E. Nachtigall & P. W. B. Moore, eds.). Plenum; New York, pp. 87-91.
- Taichun, L., Fenqi, H. & Chunlei, L. (1986). On the call of the Chinese monal (*Lophophorus ihuysii*). *Acta Ecol. Sinica*, **6**, 87-88.
- Takahashi, T. T. & Keller, C. H. (1992). Unmasking of auditory targets and enhancement of selectivity to a sound localization cue by simulated motion in the owl's inferior colliculus. *Soc. Neurosci. Abstr.*, **18**, 842.
- Telford, E. A. (1993). The use of sonographic analysis in identifying individual peregrine falcons *Falco peregrinus*. *J. Raptor Res.*, **27**, 82.
- Terry, A. M. R., McGregor, P. K. & Peake, T. M. (2001). A comparison of some techniques used to assess vocal individuality. *Bioacoustics*, **11**, 169-188.
- Thomassen, H. A. & Povel, G. D. E. (2001). Vocalization as a means to explain the phylogeny and evolution in Indo-Australian swifts and swiftlets (Aves: Apodidae). *J. Morphol.*, **248**, 291.
- Thornhill, R. (1988). The jungle fowl hen's cackle incites male competition. *Verh. Deutsch. Zool. Ges.*, **81**, 145-154.
- Thorstrom, R., Hart, J. & Watson, R. T. (1997). New record, ranging behaviour, vocalization and food of the Madagascar red owl *Tyto soumagnei*. *Ibis*, **139**, 477-481.
- Thumser, N. N. (1993). *Phylogenetic relationships among Spheniscus penguins based on the analysis of vocal and allozyme data*. Ph.D. diss., Univ. of Wisconsin-Milwaukee, Milwaukee, Wisconsin.
- Thumser, N. N., Karron, J. D. & Ficken, M. S. (1996). Interspecific variation in the calls of *Spheniscus penguins*. *Wilson Bull.*, **108**, 72-79.
- Timcke, A. & Bergmann, H.-H. (1994). Seasonally changing bird call: The trill call of male shelducks (*Tadorna tadorna*). *J. Ornithol.*, **135**, 95-100.
- Toaka, M. & Okumura, H. (1989). Individuality of chatter-calls and selective response to the bird's own call in Leach's storm-petrel, *Oceanodroma leucorhoa*. *Jpn. Women's Univ. J.*, **36**, 107-112.
- Tsue, T. T., Watling, D. L., Weisleder, P., Coltrera, M. D. & Rubel, E. W. (1994). Identification of hair cell progenitors and intermitotic migration of their nuclei in the normal and regenerating avian inner ear. *J. Neurosci.*, **14**, 140-152.
- Tubaro, P. L. & Mahler, B. (1998). Acoustic frequencies and body mass in new world doves. *Condor*, **100**, 54-61.
- Tyler, G. A. & Green, R. E. (1996). The incidence of nocturnal song by male corncrakes *Crex crex* is reduced during pairing. *Bird Study*, **43**, 214-219.
- Tyler, G. A., Green, R. E., Stowe, T. J. & Newton, A. V. (1996). Sex differences in the behaviour and measurements of corncrakes *Crex crex* in Scotland. *Ringing Migr.*, **17**, 15-19.
- Valentinuzzi, V. S. & Ferrari, E. A. M. (1997). Habituation to sound during morning and night sessions in pigeons (*Columba livia*). *Physiol. Behav.*, **62**, 1203-1209.
- Valone, T. J. (1996). Food-associated calls as public information about patch quality. *Oikos*, **77**, 153-157.
- Vehrencamp, S. L., Bradbury, J. W. & Gibson, R. M. (1989). The energetic cost of display in male sage grouse. *Anim. Behav.*, **38**, 885-896.
- Venuto, V., Ferraiuolo, V., Bottoni, L. & Massa, R. (2001). Distress call in six species of African *Poicephalus* parrots. *Ethol. Ecol. Evol.*, **13**, 49-68.
- Venuto, V. & Massa, R. (1997). Vocalization structure and its possible function in the brown-headed parrot *Poicephalus cryptoxanthus*. *Bioacoustics*, **8**, 268.
- Vielliard, J. M. E. (1995). The use of bioacoustics for the phylogenetic study of neotropical birds. *Abstracts V*

- Congreso de Ornitoloxia Neotropical, Asuncion* (Sociedad de Biología del Paraguay, ed.); Asuncion, Paraguay, p. 55.
- Vielliard, J. M. E. (1996). The current state of bioacoustical phylogeny. *Bioacoustics*, **6**, 310-311.
- Vielliard, J. M. E. (1994). Bioacoustics and phylogeny among *Amazona* parrots. In *Ornithological Notebook of the XXI International Ornithological Congress* (J. Dittami, W. Bock, M. Taborsky, R. van den Elzen and E. Vogel-Millesi, eds.); Vienna, p. 634.
- Vielliard, J. (1995). Phylogeny of bioacoustic parameters in birds. *Bioacoustics*, **6**, 171-174.
- Vinuela, J. (1997). Laying order affects incubation duration in the black kite (*Milvus migrans*): Counteracting hatching asynchrony? *Auk*, **114**, 192-199.
- Volman, S. F. & Konishi, M. (1989). Spatial selectivity and binaural responses in the inferior colliculus of the great horned owl. *J. Neurosci.*, **9**, 3083-3096.
- Wagner, H. (1993). Sound localization deficits induced by lesions in the barn owl's auditory space map. *J. Neurosci.*, **13**, 371-386.
- Walcott, C., Evers, D., Froehler, M. & Krakauer, A. (1999). Individuality in "yodel" calls recorded from a banded population of common loons, *Gavia immer*. *Bioacoustics*, **10**, 101-114.
- Wallhaeuser, E. & Scheich, H. (1987). Auditory imprinting leads to differential 2-deoxyglucose uptake and dendritic spine loss in the chick rostral forebrain. *Devel. Brain Res.*, **31**, 29-44.
- Wallhausser-Franke, E., Scheich, H. & Langner, G. (1992). Acoustic imprinting does not influence spine frequency in the visual ectostriatum of domestic chicks. *Soc. Neurosci. Abstr.*, **18**, 869.
- Wanker, R., Apcin, J., Jennerjahn, B. & Waibel, B. (1998). Discrimination of different social companions in spectacled parrotlets (*Forpus conspicillatus*): evidence for individual vocal recognition. *Behav. Ecol. Sociobiol.*, **43**, 197-202.
- Wanker, R. (1996). Vocal communication of spectacled parrotlets *Forpus conspicillatus*. *Bioacoustics*, **6**, 312.
- Wanker, R. (1999). Social system and acoustic communication in spectacled parrotlets (*Forpus conspicillatus*). In *Communication and Social Ethology* (R. F. Oliveira, ed.). ASAB Summer Meeting, p. 2.
- Warchol, M. E. & Corwin, J. T. (1993). Supporting cells in avian vestibular organs proliferate in serum free culture. *Hear. Res.*, **71**, 28-36.
- Warham, J. (1988). Vocalizations of *Procellaria* petrels. *Notornis*, **35**, 169-183.
- Warren, D. K., Patterson, D. K. & Pepperberg, I. M. (1996). Mechanisms of American English vowel production in a grey parrot (*Psittacus erithacus*). *Auk*, **113**, 41-58.
- Watson, G. (1992). The call of the topknot pigeon *Lopholaimus antarcticus*. *Sunbird*, **22**, 43-45.
- Watson, M. & Asoyama, S. (2001). Dispersion, habitat use, hunting behavior, vocalizations, and conservation status of the New Guinea harpy eagle (*Harpyopsis novaeguineae*). *J. Raptor Res.*, **35**, 235-239.
- Wauters, A. M. & Richard-Yris, M. A. (2002). Mutual influence of the maternal hen's food calling and feeding behavior on the behavior of her chicks. *Dev. Psychobiol.*, **41**, 25-36.
- Wauters, A. M. & Richard-Yris, M. A. (2001). Experience modulates emission of food calls in broody hens. *Compt. Rendus Acad. Sci. III*, **324**, 1021-1027.
- Wauters, A. M., Richard-Yris, M. A., Richard, J. P. & Foraste, M. (1999). Internal and external factors modulate food-calling in domestic hens. *Anim. Cognit.*, **2**, 1-10.
- Wauters, A. M., Richard-Yris, M. A., Pierre, J. S., Lunel, C. & Richard, J. P. (1999). Influence of chicks and food quality on food calling in broody domestic hens. *Behaviour*, **136**, 919-933.
- Weary, D. M. (1992). Bird song and operant experiments: a new tool to investigate song perception. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 201-210.
- Weisleder, P. & Rubel, E. W. (1993). Hair cell regeneration after streptomycin toxicity in the avian vestibular epithelium. *J. Comp. Neurol.*, **331**, 97-110.
- Welham, C. V. J. & Bertram, D. F. (1993). The relationship between previous meal size and begging vocalizations of nestling rhinoceros auklets *Cerorhinca monocerata*. *Anim. Behav.*, **45**, 827-829.
- Whalen, D. M. & Watts, B. D. (1999). The influence of audio-lures on capture patterns of migrant northern saw-whet owls. *J. Field Ornithol.*, **70**, 163-168.
- Whiten, A. & Ham, R. (1992). On the nature and evolution of imitation in the animal kingdom: Reappraisal of a century of research. *Adv. Study Behav.*, **21**, 239-283.
- Whitford, P. C. (1993). Use of whistled juvenile-form calls by adult Canada geese. *Passenger Pigeon*, **55**, 201-203.
- Whittaker, A. (2001). Notes on the poorly-known Buckley's forest falcon *Micrastur buckleyi* including voice, range and first Brazilian records. *Bull. Brit. Ornithol. Club*, **121**, 198-208.
- Wild, J. M. (1994). Visual and somatosensory inputs to the avian song system via nucleus uvaformis (uva) and a comparison with projections of a similar thalamic nucleus in a non-songbird, *Columba livia*. *J. Comp. Neurol.*, **349**, 512-535.
- Wild, J. M., Kartes, H. J. & Frost, B. J. (1993). Connections of the auditory forebrain in the pigeon (*Columba*

- livia). J. Comp. Neurol.*, **337**, 32-62.
- Wild, J. M. & Arends, J. J.A. (1987). A respiratory-vocal pathway in the brainstem of the pigeon. *Brain Res.*, **407**, 191-194.
- Wild, J. M. (1987). Nuclei of the lateral lemniscus project directly to the thalamic auditory nuclei in the pigeon. *Brain Res.*, **408**, 303-307.
- Wilkins, H. D. & Ritchison, G. (1999). Drumming and tapping by red-bellied woodpeckers: Description and possible causation. *J. Field Ornithol.*, **70**, 578-586.
- Wirminghaus, J. O., Downs, C. T., Symes, C. T., Dempster, E. & Perrin, M. R. (2000). Vocalizations and behaviour of the Cape parrot *Poicephalus robustus* (Psittaciformes: Psittacidae). *Durban Mus. Novit.*, **25**, 12-17.
- Woodcock, M. B., Latour, M. A. & Pajor, E. A. (2001). Variation in hen vocalizations during pre-hatch, hatch and post-hatch. *J. Dairy Sci.*, **84**, Suppl. 1., 279-280.
- Wright, T. F. (1996). Regional dialects in the contact call of a parrot. *Proc. R. Soc. Lond. B.*, **263**, 867-872.
- Wright, T. F. & Wilkinson, G. S. (2001). Population genetic structure and vocal dialects in an amazon parrot. *Proc. Roy. Soc. Lond. B.*, **268**, 609-616.
- Wright, T. F. & Dorin, M. (2001). Pair duets in the yellow-naped amazon (Psittaciformes: *Amazona auropalliata*): Responses to playbacks of different dialects. *Ethology*, **107**, 111-124.
- Waas, J. R. (1995). Social stimulation and reproductive schedules: does the acoustic environment influence the egg-laying schedule in penguin colonies? In *Penguins: Ecology and Management* (P. Dann, I. Norman and P. Reilly, eds.). Surrey Beatty; Sydney, pp. 111-137.
- Waas, J. R., Caulfield, M., Colgan, P. W. & Boag, P. T. (2000). Colony sound facilitates sexual and agonistic activities in royal penguins. *Anim. Behav.*, **60**, 77-84.
- Yates, G. K., Manley, G. A. & Koppl, C. (2000). Rate-intensity functions in the emu auditory nerve. *J. Acoust. Soc. Am.*, **107**, 2143-2154.
- Yazaki, Y., Matsushima, T. & Aoki, K. (1997). Stimulation elicits the chick crowing with testosterone in Japanese quail chicks. *Zool. Sci.*, **14**, 227-231.
- Yazaki, Y., Matsushima, T. & Aoki, K. (1999). Testosterone modulates stimulation-induced calling behavior in Japanese quails. *J. Comp. Physiol. A.*, **184**, 13-19.
- Yazaki, Y., Matsushima, T. & Aoki, K. (1997). Testosterone modulates calling behavior in Japanese quail chicks. *Zool. Sci.*, **14**, 219-225.
- Young, L., Garson, P. J. & Kaul, R. (1987). Calling behaviour and social organization in the cheer pheasant: implications for survey technique. *J. World Pheasant Assoc.*, **12**, 30-43.
- Zimmerman, P. H. & Koene, P. (1998). The effect of frustrative nonreward on vocalisations and behaviour in the laying hen, *Gallus gallus domesticus*. *Behav. Processes*, **44**, 73-79.
- Zimmermann, P. H., Koene, P. & van Hooft, J. A. R. M. (2000). The vocal expression of feeding motivation and frustration in the domestic laying hen, *Gallus gallus domesticus*. *Appl. Anim. Behav. Sci.*, **69**, 265-273.
- Zimmermann, P. H., Koene, P. & van Hooft, J. A. R. A. M. (2000). Thwarting of behaviour in different contexts and the gakel-call in the laying hen. *Appl. Anim. Behav. Sci.*, **69**, 255-264.