

TECHNIQUES

- Ahlen, I. & Baagoe, H. J. (1999). Use of ultrasound detectors for bat studies in Europe: experiences from field identification, surveys, and monitoring. *Acta Chiropterologica*, **1**, 137-150.
- Akamatsu, T., Narita, Y. & Matsu-Ura, T. (1998). Real-time click interval acquisition system for dolphin echolocation signals. *Bioacoustics*, **9**, 225.
- Akamatsu, T., Wang, D., Wang, K. & Naito, Y. (2000). A method for individual identification of echolocation signals in free-ranging finless porpoises carrying data loggers. *J. Acoust. Soc. Am.*, **108**, 1353-1356.
- Alkon, P. U., Cohen, Y. & Jordan, P. A. (1989). Towards an acoustic biotelemetry system for animal behavior studies. *J. Wildl. Manage.*, **53**, 658-662.
- Alonso-Pimentel, H. & Spangler, H. G. (1995). Female acoustic response in *Drosophila mettleri* (Diptera: Drosophilidae): A new recording technique to detect female sounds. *J. Insect Behav.*, **8**, 287-293.
- Altes, R. A. (1987). Bioacoustic systems: insights for acoustical imaging and pattern recognition. *Proc. SPIE (The International Society for Optical Engineering)*, **768**, 61-68.
- Andelt, W. F. & Hopper, S. N. (1996). Effectiveness of alarm-distress calls for frightening herons from a fish rearing facility. *Prog. Fish-Cult.*, **58**, 258-262.
- Andre, M., Larsen, H. H. & Gjerlov, P. (1996). A tool for the study of sperm whale underwater behaviour. *European Research on Cetaceans*, **9**, 42-45.
- Ashiya, T. & Nakagawa, M. (1993). A proposal of a recognition system for the species of birds receiving birdcalls: an application of recognition systems for environmental sound. *Ieice Trans. Fundam. Electron. Comm. Comput. Sci.*, **E76A**, 1858-1860.
- Assmann, P., Ballard, W., Bornstein, L. & Paschall, D. (1994). Track-Draw: A graphical interface for controlling the parameters of a speech synthesizer. *Behav. Res. Meth. Instr. Comput.*, **26**, 431-436.
- Au, W. W. L., Rasmussen, M. H. & Miller, L. (2000). Echolocation signals of wild white beaked dolphins measured with a four-hydrophone short base line array in real-time. *J. Acoust. Soc. Am.*, **108**, 2583.
- Au, W. W. L., Lammers, M. O. & Aubauer, R. (1999). A portable broadband data acquisition system for field studies in bioacoustics. *Mar. Mamm. Sci.*, **15**, 526-530.
- Aubauer, R., Lammers, M. O. & Au, W. W. L. (2000). One-hydrophone method of estimating distance and depth of phonating dolphins in shallow water. *J. Acoust. Soc. Am.*, **107**, 2744-2749.
- Aubauer, R. & Au, W. W. L. (1998). Phantom echo generation: A new technique for investigating dolphin echolocation. *J. Acoust. Soc. Am.*, **104**, 1165-1170.
- Aubin, T. (1996). New methods for recording low-amplitude signals. Application to the analysis of the courtship song of *Drosophila* genus. *Bioacoustics*, **6**, 297-298.
- Aubin, T., Rybak, F. & Moulin, B. (2000). A simple method for recording low-amplitude sounds. Application to the study of the courtship song of the fruit fly *Drosophila melanogaster*. *Bioacoustics*, **11**, 51-67.
- Aubin, T. (1994). SYNTANA: a software for the SYNthesis and ANAlysis of animal sounds. *Bioacoustics*, **6**, 80-81.
- Bain, D. E. (1986). Acoustic behavior of *Orcinus*: sequences, periodicity, behavioral correlates, and an automated technique for call classification. In *Behavioral Biology of Killer Whales* (B. C. Kirkevold & J. S. Lockard, eds.). Alan R. Liss, Inc.; New York, pp. 335-371.
- Baptista, L. F. (1994). Ethical issues involved in research with birds. *J. Ornithol.*, **135**, 519.
- Barclay, R. M. R. (1999). Bats are not birds - A cautionary note on using echolocation calls to identify bats: A comment. *J. Mammal.*, **80**, 290-296.
- Barshan, B. & Kuc, R. (1992). Bat-like mobile robot for tracking a moving obstacle. *Proc. SPIE (The International Society for Optical Engineering)*, **1613**, 46-57.
- Beeman, K. (1998). Digital signal analysis, editing and synthesis. In *Animal Acoustic Communication* (S. L. Hopp, M. J. Owren and C. S. Evans, eds.). Springer; Berlin, pp. 59-103.
- Bennet-Clark, H. C. (1999). Which Qs to choose: Questions of quality in bioacoustics? *Bioacoustics*, **9**, 351-359.
- Bergmann, H.-H. & Tuellinghoff, R. (1988). Methodical contributions to bird song excursions for beginners. *Osnabruecker Naturwiss. Mitt.*, **14**, 223-232 (German)
- Berrow, S. D. (2000). The use of acoustics to monitor burrow-nesting white-chinned petrels *Procellaria aequinoctialis* at Bird Island, South Georgia. *Polar Biol.*, **23**, 575-579.
- Bertram, S. & Johnson, L. (1998). An electronic technique for monitoring the temporal aspects of acoustic signals of captive organisms. *Bioacoustics*, **9**, 107-118.
- Blomqvist, C., Amundin, M., Kroeling, O. & Gunnarsson, P. (1998). A new application to record and store directional, pulsed communication sounds in the bottlenose dolphin *Tursiops truncatus*. *Bioacoustics*, **9**, 159-160.
- Boehner, J. & Hammerschmidt, K. (1996). Computer-aided acoustic analysis of complex bird calls. *Bioacoustics*, **6**, 313-314.
- Bonacito, C., Costantini, M., Picciulin, M., Ferrero, E. A. & Hawkins, A. D. (2002). Passive hydrophone census

- of *Sciaena umbra* (Sciaenidae) in the Gulf of Trieste (Northern Adriatic Sea, Italy). *Bioacoustics*, **12**, 292-294.
- Booth, I. J. & Booth, K. H. V. (1993). Using neural nets to identify marine mammals. *Oceans '93*, **3**, 112-115.
- Bradbury, J., Budney, G. F., Stemple, D. W. & Kroodsma, D. E. (1999). Organizing and archiving private collections of tape recordings. *Anim. Behav.*, **57**, 1343-1344.
- Bradbury, J. & Vehrencamp, S. L. (1994). SingIt! A program for interactive playback on the Macintosh. *Bioacoustics*, **5**, 308-310.
- Brensing, K., Linke, K. & Todt, D. (2001). Sound source location by difference of phase, on a hydrophone array with small dimensions. *J. Acoust. Soc. Am.*, **109**, 430-433.
- Brugge, J. F., Reale, R. A., Hind, J. E., Chan, J. C. K., Musicant, A. D. & Poon, P. W. F. (1994). Simulation of free-field sound sources and its application to studies of cortical mechanisms of sound localization in the cat. *Hear. Res.*, **73**, 67-84.
- Burt, J. M. (2000). Animal sound analysis and playback software: Building a software tool useful to field researchers. *J. Acoust. Soc. Am.*, **108**, 2582.
- Burt, J. M. (2000). Use of a radio microphone array to study banded wren song interactions at the neighborhood level. *J. Acoust. Soc. Am.*, **108**, 2583.
- Calladine, J., Buner, F. & Aebsicher, N. J. (1999). Temporal variations in the singing activity and the detection of turtle doves *Streptopelia turtur*: Implications for surveys. *Bird Study*, **46**, 74-80.
- Calupca, T. A., Fistrup, K. M. & Clark, C. W. (2000). A compact digital recording system for autonomous bioacoustic monitoring. *J. Acoust. Soc. Am.*, **108**, 2582.
- Carlson, S. (1996). Recording nature's sounds. *Sci. Am.*, **Jan.**, 80-81.
- Carr, J. A., Cranford, T. W., van Bonn, W. G., Chaplin, M. S., Carder, D. A., Kamolnick, T. & Ridgway, S. H. (1998). Video endoscopy of the dolphin sonar signal generator. *Bioacoustics*, **9**, 155.
- Carr, C. E. & Konishi, M. (1990). A circuit for detection of interaural time differences in the brainstem of the barn owl. *J. Neurosci.*, **10**, 3227-3246.
- Catchpole, C. K. (1992). Integrating playback: a wider context. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed). Plenum press; New York, pp. 35-46.
- Cate, C. ten, Jones, A. E. & Bijleveld, C. C. J. H. (2001). The inter-observer reliability of scoring sonograms by eye. *Adv. Ethol.*, **36**, 273-274.
- Cato, D. H. & McCauley, R. D. (2000). Using one or two hydrophones for marine animal surveys. *J. Acoust. Soc. Am.*, **108**, 2539.
- Cato, D. H. (1998). Simple methods of estimating source levels and locations of marine animal sounds. *J. Acoust. Soc. Am.*, **104**, 1667-1678.
- Chapman, D. M. F. & Ellis, D. D. (1998). The elusive decibel: thoughts on sonars and marine mammals. *Canad. Acoustics*, **26**, 29-31.
- Chappell, O. P., Leaper, R. & Gordon, J. (1996). Development of an automated harbour porpoise click detector. *European Research on Cetaceans*, **9**, 75-80.
- Clark, C. W., Croll, D. A., Acevedo, A. & Urban-Ramirez, J. (2000). Multi-modal surveys of fin whales in the Sea of Cortez, Mexico. *J. Acoust. Soc. Am.*, **108**, 2539.
- Clark, C. W. (1996). The application of US Navy underwater hydrophone arrays for scientific research on whales. *European Research on Cetaceans*, **9**, 7-9.
- Clark, C. W. & Ellison, W. T. (2000). Calibration and comparison of the acoustic location methods used during the spring migration of the bowhead whale, *Balaena mysticetus*, off Pt. Barrow, Alaska, 1984-1993. *J. Acoust. Soc. Am.*, **107**, 3509-3517.
- Cokl, A. (1988). Vibratory signal transmission in plants as measured by laser vibrometry. *Period. Biol.*, **90**, 193-196.
- Connaughton, M. A., Fine, M. L. & Taylor, M. H. (2002). Use of sound for localisation of spawning weakfish in Delawary Bay (USA) and effects of fish size, temperature and season on sound parameters. *Bioacoustics*, **12**, 294-296.
- Connelly, P. R., Woodward, B. & Goodson, A. D. (1998). A non-intrusive tracking technique for dolphins interacting with a pelagic trawl using a sparse array of hydrophones. *Bioacoustics*, **9**, 228.
- Connelly, P. R., Goodson, A. D. & Coggrave, C. R. (1998). Matlab modelling of shallow water sound fields to explain the aversive behaviour of a harbour porpoise. *Bioacoustics*, **9**, 227-228.
- Corben, C. (1989). Computer-based call analysis for microbat identification. *Macroderma*, **5**, 7.
- Cortopassi, K. A. & Bradbury, J. W. (2000). The comparison of harmonically rich sounds using spectrographic cross-correlation and principal coordinates analysis. *Bioacoustics*, **11**, 89-127.
- Coward, E. (1997). Equivalence of two Fourier methods for biological sequences. *J. Math. Biol.*, **36**, 64-70.
- Cunningham, R. B., Lindenmayer, D. B., Nix, H. A. & Lindenmayer, B. D. (1999). Quantifying observer heterogeneity in bird counts. *Aust. J. Ecol.*, **24**, 270-277.
- Cynx, J. & Clark, S. (1998). The laboratory use of conditional and natural responses in the study of avian

- auditory perception. In *Animal Acoustic Communication* (S. L. Hopp, M. J. Owren and C. S. Evans, eds.). Springer-Verlag; Berlin, pp. 353-377.
- Dabelsteen, T., Larsen, O. N., Pedersen, S. B. & Holland, J. (1997). Quantifying sound degradation and predicting possibilities for ranging. *Adv. Ethol.*, **32**, 27.
- Dabelsteen, T. (1992). Interactive playback: a finely tuned response. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 97-110.
- Dabelsteen, T. & McGregor, P. K. (1996). Dynamic acoustic communication and interactive playback. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 398-408.
- Deecke, V. B., Ford, J. K. B. & Spong, P. (1999). Quantifying complex patterns of bioacoustic variation: Use of a neural network to compare killer whale (*Orcinus orca*) dialects. *J. Acoust. Soc. Am.*, **105**, 2499-2507.
- Deregnaucourt, S., Guyomarc'h, J. & Richard, V. (2001). Classification of hybrid crows in quail using artificial neural networks. *Behav. Process.*, **56**, 103-112.
- Desjardins, R. N., Trainor, L. J., Hevenor, S. J. & Polak, C. P. (1999). Using mismatch negativity to measure auditory temporal resolution thresholds. *Neuroreport*, **10**, 2079-2082.
- Dooling, R. J. & Okanoya, K. (1995). The method of constant stimuli in testing auditory sensitivity in small birds. In *Methods in Comparative psychoacoustics* (G. M. Klump, R. J. Dooling, R. R. Fay & W. C. Stebbins, eds.). Birkhaeuser; Basel, pp. 155-164.
- Dror, I. E., Florer, F. L., Rios, D. & Zagaeski, M. (1996). Using artificial bat sonar neural networks for complex pattern recognition: recognizing faces and the speed of a moving target. *Biol. Cybern.*, **74**, 331-338.
- Dudzinski, K. M. & Newborough, D. (1998). Concurrent recording of dolphin behaviours, frequency-modulated tones, and pulsed vocalizations (including echolocation clicks) underwater with a swimmer-propelled system. *Bioacoustics*, **9**, 229.
- Duncan, A. J., Cato, D. H., Thomas, F. & McEachery, R. D. (2000). The development of a compact instrument for the measurement of biological sea noise. *J. Acoust. Soc. Am.*, **108**, 2584.
- El-Masri, S., Pelorson, X., Saguet, P. & Badin, P. (1998). Development of the transmission line matrix method in acoustics applications to higher modes in the vocal tract and other complex ducts. *Int. J. Num. Modell.*, **11**, 133-151.
- Elsberry, W. R. (1998). WPLOT: a utility for preparing bioacoustic data files for offline processing. *Bioacoustics*, **9**, 160.
- Engineering Design (1992). SIGNAL Software Manual. Engineering Design; Belmont.
- Erbe, C., King, A. R., Yedlin, M. & Farmer, D. M. (1999). Computer models for masked hearing experiments with beluga whales (*Delphinapterus leucas*). *J. Acoust. Soc. Am.*, **105**, 2967-2978.
- Erbe, C. (2000). Detection of whale calls in noise: performance comparison between a beluga whale, human listeners, and a neural network. *J. Acoust. Soc. Am.*, **108**, 297-303.
- Erbe, C. & Farmer, D. M. (2000). A software model to estimate zones of impact on marine mammals around anthropogenic noise. *J. Acoust. Soc. Am.*, **108**, 1327-1331.
- Evans, M. R. & Evans, J. A. (1994). A computer-based technique for the quantitative analysis of animal sounds. *Bioacoustics*, **5**, 281-290.
- Falls, J. B. (1992). Playback: A historical perspective. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 11-34.
- Fastl, H. (1993). A masking noise for speech intelligibility tests. *Proc. Acoust. Soc. Japan, Technical Committee Hearing*, **H93**, **70**, 1-6.
- Flint, J. A., Goodson, A. D. & Pomeroy, S. C. (1998). Visualising wave propagation in bio-acoustic lens structures using the transmission line modelling method. *Bioacoustics*, **9**, 216.
- Frommolt, K.-H. (1996). The Archive of Animal Sounds at the Humboldt-University of Berlin. *Bioacoustics*, **6**, 293-296.
- Frommolt, K.-H. (1993). The animal vocalization archive in the biological department of the Humboldt University in Berlin. *Berliner Orn. Ber.*, **3**, 6-8.
- Frommolt, K.-H. (1999). Sidebands - facts and artefacts. *Bioacoustics*, **10**, 219-224.
- Fujii, Y., Noguchi, M., Imamura, Y. & Tokoro, M. (1990). Using acoustic emission monitoring to detect termite activity in wood. *For. Prod. J.*, **40**, 34-36.
- Fushikida, K., Hiwatari, Y. & Waki, H. (2000). Visualized sound retrieval and categorization using a feature-based image search engine. *IEICE Trans. Inform. Syst.*, E83-D, 1978-1985.
- Fuzessery, Z. M., Gumiow, R. R. & Lane, R. (1991). A microcomputer-controlled system for use in auditory physiology. *J. Neurosci. Methods*, **36**, 45-52.
- Gaetz, W., Jantzen, K., Weinberg, H., Spong, P. & Symonds, H. (1993). A neural network method for recognition of individual *Orcinus orca* based on their acoustic behaviour: phase 1. *Oceans '93*, **1**, 455-

- Garamszegi, L. Z., Boulinier, T., Moeller, A. P., Toeroek, J., Michl, G. & Nichols, J. D. (2002). The estimation of size and change in composition of avian song repertoires. *Anim. Behav.*, **63**, 623-630.
- Gerhardt, H. C. (1992). Conducting playback experiments and interpreting their results. In *Playback Studies of Animal Communication* (P. K. McGregor, ed.). Plenum Press; New York, pp. 59-77.
- Gibbs, J. P. & Melvin, S. M. (1993). Call response surveys for monitoring breeding waterbirds. *J. Wildl. Manage.*, **57**, 27-34.
- Gilbert, F., Schuetze, H., Glahe, M. & Conrad, U. (1998). A simple hard- and software solution for generation and emission of high frequency signals. *Bioacoustics*, **9**, 161.
- Gilbert, G., McGregor, P. K. & Tyler, G. (1994). Vocal individuality as a census tool: Practical considerations illustrated by a study of two rare species. *J. Field Ornitol.*, **65**, 335-348.
- Gogala, M. (1998). Use of acoustic methods to find, locate and recognize singing cicadas in Slovenia, Croatia and Macedonia. *Bioacoustics*, **9**, 156.
- Gogala, M. & Popov, A. V. (1996). Bioacoustic survey of cicadas. *Bioacoustics*, **6**, 300-301.
- Goodson, A. D., Klinowska, M. & Bloom, P. R. S. (1994). Enhancing the acoustic detectability of gillnets. In *Cetaceans and Gillnets* (W. F. Perrin, G. P. Donovan & J. Barlow, eds.). *Rep. Int. Whal. Commn.*, (**Spec. Iss. 15**), pp. 585-595.
- Goodson, A. D., Connelly, P. R. & Lepper, P. (1997). Aversive sounds and the harbour porpoise *Phocoena phocoena*. *Bioacoustics*, **8**, 261-262.
- Goodson, A. D., Newborough, D. & Woodward, B. (1997). Interactive deterrent devices for fishing nets, designed to reduce small cetacean bycatch. *Bioacoustics*, **8**, 272-273.
- Goodson, A. D. & Lepper, P. A. (1996). A simple hydrophone monitor for cetacean acoustics. *European Research on Cetaceans*, **9**, 46-49.
- Goodson, A. D. & Datta, S. (1992). Acoustic detection of fishing nets, the dolphin perspective. *Acoustic Letters*, **16**, 129-133.
- Goodson, A. D., Mayo, R. H., Klinowska, M. & Bloom, P. R. S. (1994). Field testing passive acoustic devices designed to reduce the entanglement of small cetaceans in fishing gear. In *Cetaceans and Gillnets* (W. F. Perrin, G. P. Donovan & J. Barlow, eds.). *Rep. Int. Whal. Commn.*, (**Spec. Iss. 15**), pp. 597-606.
- Goold, J. C. (1996). Signal processing techniques for acoustic measurement of sperm whale body lengths. *J. Acoust. Soc. Am.*, **100**, 3431-3441.
- Gorczyca, M. & Hall, J. C. (1987). The INSECTAVOX, an integrated device for recording and amplifying courtship songs. *Drosophila Information Service*, **66**, 157-160.
- Gorman, R. P. & Sejnowski, T. J. (1988). Learned classification of sonar targets using a massively parallel network. *IEEE Transactions on Acoustics, Speech and Signal Processing*, **36**, 1135-1140.
- Grandin, T. (1998). The feasibility of using vocalization scoring as an indicator of poor welfare during cattle slaughter. *Appl. Anim. Behav. Sci.*, **56**, 121-128.
- Greene, C. R. (1998). Requirements and resources for instrumentation and software useful in animal bioacoustics. *Bioacoustics*, **9**, 154-155.
- Grohrock, P., Haeusler, U. & Juergens, U. (1997). Dual-channel telemetry system for recording vocalization-correlated neuronal activity in freely moving squirrel monkeys. *J. Neurosci. Methods*, **76**, 7-13.
- Groutage, D., Schempp, J. & Cohen, L. (1994). Characterization and analysis of marine mammal sounds using time-frequency and time-prony techniques. *Oceans '94*, **1**, 253-258.
- Hagstrum, D. W. & Flinn, P. W. (1993). Comparison of acoustical detection of several species of stored-grain beetles (Coleoptera, Curculionidae, Tenebrionidae, Bostrichidae, Cucujidae) over a range of temperatures. *J. Econ. Entomol.*, **86**, 1271-1278.
- Hagstrum, D. W. & Shuman, D. (1995). Automatic sample inspection and in-bin monitoring of stored-grain insects using acoustical sensors. In *Management of Grain, Bulk Commodities, and Bagged Products. Circular E-912 revised*. Oklahoma State University; Stillwater, pp. 207-209.
- Hagstrum, D. W., Flinn, P. W. & Shuman, D. (1996). Automated monitoring using acoustical sensors for insects in farm-stored wheat. *J. Econ. Entomol.*, **89**, 211-217.
- Hammer, O. & Barrett, N. (2001). Techniques for studying the spatio-temporal distribution of animal vocalizations in tropical wet forests. *Bioacoustics*, **12**, 21-35.
- Harland, E., Plowman, R. & Turnbull, M. (1996). Deployment of a sea-bed mounted hydrophone for cetacean monitoring. *European Research on Cetaceans*, **9**, 69-71.
- Harland, E. J. (1998). New technologies for marine mammal acoustic data capture. *Bioacoustics*, **9**, 221.
- Harland, E., Turnbull, M., Williams, R. & Copley, V. (1996). The Durlston cetacean monitoring project. *European Research on Cetaceans*, **9**, 89-91.
- Harland, E. & Lloyd, L. (1996). Minimising cetacean-induced false alarms in military sonars. *European Research on Cetaceans*, **9**, 72-74.
- Harrington, F. H. (1997). The utility of sound archives for readers of bioacoustic research papers. *Bioacoustics*,

7, 241-242.

- Hawkins, A. D., Casaretto, L., Picciulin, M. & Olsen, K. (2002). Locating spawning haddock by means of sound. *Bioacoustics*, **12**, 284-286.
- Hayashi, T., Mori, H., Suzuki, M., Makino, S. & Aso, H. (2002). Speech recognition using acoustic similarity-based primitives. *Systems and Computers in Japan*, **33**, 8-17.
- Hayes, S. A., Mellinger, D. K., Croll, D. A., Costa, D. P. & Borsani, J. F. (2000). An inexpensive passive acoustic system for recording and localizing wild animal sounds. *J. Acoust. Soc. Am.*, **107**, 3552-3555.
- Hayes, J. P. (1997). Temporal variation in activity of bats and the design of echolocation-monitoring studies. *J. Mammal.*, **78**, 514-524.
- Hayward, T. J. (1998). Statistical characterisation and classification of marine mammal sounds by multiple-resolution encoding of training data distributions. *Bioacoustics*, **9**, 223-224.
- Heckenlively, D. B. (1986). Descriptive analysis of simulated bird songs. *Collegiate Microcomputer*, **4**, 193-199.
- Hirabayashi, K. & Ogawa, K.-I. (1999). The efficiency of artificial wingbeat sounds for capturing midges in black light traps. *Entomol. Exp. Appl.*, **92**, 233-238.
- Hoeller, P. (1995). A new method for audio-visual analyses of the echolocation behaviour of bats. *Z. Säugetierkd.*, **60** (Sonderheft), 29 (German).
- Hoffmann, R. & Westendorf, C.-M. (1997). The development of analysis methods for speech recognition. *Behav. Processes*, **39**, 113-125.
- Hopp, S. L. & Morton, E. S. (1998). Sound playback studies: design and analysis. In *Animal Acoustic Communication: Sound Analysis and Research Methods* (S. L. Hopp, M. J. Owren and C. S. Evans, eds.). Springer-Verlag, Heidelberg, pp. 323-352.
- Horn, A. G. (1992). Field experiments on the perception of song types by birds: an overview. In *Playback and Studies of Animal Communication* (P. K. McGregor, ed.). Plenum Press, New York, pp. 191-200.
- Huang, X. & Buck, J. R. (2000). Autoregressive synthesis of bottlenose dolphin whistles. *J. Acoust. Soc. Am.*, **108**, 2636.
- Hultsch, H. (1992). Scientific documentation of acoustic signals in frequency spectrograms: how should sonograms be read? In *Lemurs in the zoo: current research results, species protection, prospects* (V. Ceska, H.-U. Hoffmann & K.-H. Winkelstraeter, eds). Verlag Paul Parey, Berlin, pp. 78-80 (German).
- Hunn, E. (1992). The use of sound recordings as voucher specimens and stimulus materials in ethnozoological research. *J. Ethnobiol.*, **12**, 187-198.
- Huynh, Q. Q., Cooper, L. N., Intrator, N. & Shouval, H. (1998). Classification of underwater mammals using feature extraction based on time-frequency analysis and BCM theory. *IEEE Trans. Signal Process.*, **46**, 1202-1207.
- Iannantuoni, M. (1998). Tascam DA-P1 portable dat recorder. *Bioacoustics*, **9**, 84-87.
- Ito, K. & Mori, K. (1999). Dynamic programming matching as a simulation of budgerigar contact call discrimination. *J. Acoust. Soc. Am.*, **105**, 552-559.
- Jackson, L. (1996). Sidebands - artefacts or facts? *Bioacoustics*, **7**, 163-164.
- Janata, P. (2001). Quantitative assessment of vocal development in the zebra finch using self-organizing neural networks. *J. Acoust. Soc. Am.*, **110**, 2593-2603.
- Janik, V. M. (1999). Pitfalls in the categorization of behaviour: a comparison of dolphin whistle classification methods. *Anim. Behav.*, **57**, 133-143.
- Janik, V. M., van Parijs, S. M. & Thompson, P. M. (2000). A two-dimensional acoustic localization system for marine mammals. *Mar. Mamm. Sci.*, **16**, 437-446.
- Johnson, M., Tyack, P., Nowacek, D. & Shorter, A. (2000). A digital acoustic recording tag for measuring the response of marine mammals to sound. *J. Acoust. Soc. Am.*, **108**, 2582.
- Jones, J. C., Di Meglio, A., Browne, R. & Wang, L. S. (1998). Design and development of a programmable underwater device for acoustic data recording and retrieval. *Bioacoustics*, **9**, 229-230.
- Jones, G. (1993). Some techniques for the detection, recording and analysis of echolocation calls from wild bats. *Proceedings of the first European Bat Detector Workshop* (K. Kapteyn, ed.). Netherlands Bat Research Foundation, Amsterdam.
- Jones, J. C., Browne, R. W., di Meglio, A. & Wang, L. S. (1997). Dolphin vocalisation analysis using an ADSP 21020. *IEEE Coll. DSP Chips Real Time Instr. Displ. Syst.*, **10**, 1-5.
- Jones, D. N. & Smith, G. C. (1997). Vocalisations of the marbled frogmouth. II: An assessment of vocal individuality as a potential census technique. *Emu*, **97**, 296-304.
- Jones, A. E., ten Cate, C. & Bijleveld, C. C. J. H. (2001). The interobserver reliability of scoring sonograms by eye: a study on methods, illustrated on zebra finch songs. *Anim. Behav.*, **62**, 791-801.
- Kaiser, A. & Bauer, H.-G. (1994). Field experiments to determine the size of breeding populations by means of capture-recapture and visual/acoustical census methods. *Vogelwarte*, **37**, 206-231.
- Kamminga, G., Cohen Stuart, A. B. & de Bruin, M. G. (1998). A time-frequency entropy measure of uncertainty applied to dolphin echolocation signals. *Acoustics Lett.*, **21**, 155-160.

- Kearns, G. D., Kwartin, N. B., Brinker, D. F. & Haramis, G. M. (1998). Digital playback and improved trap design enhances capture of migrant soras and Virginia rails. *J. Field Ornithol.*, **69**, 466-473.
- Khanna, H., Gaunt, S. L. L. & McCallum, D. A. (1997). Digital spectrographic cross-correlation: Tests of sensitivity. *Bioacoustics*, **7**, 209-234.
- Klump, G. M. (1996). Sound localization studies in non-specialized birds. In *Methods in Comparative Psychoacoustics* (G. M. Klump, R. J. Dooling, R. R. Fay & W. C. Stebbins, eds.). Birkhaeuser Verlag; Basel, pp. 221-233.
- Klump, G. M., Dooling, R. J., Fay, R. R. & Stebbins, W. C., eds. (1995). *Methods in Comparative Psychoacoustics*. Birkhaeuser Verlag; Basel.
- Knapp, D. J. & Pohorecky, L. A. (1995). An air-puff stimulus method for elicitation of ultrasonic vocalizations in rats. *J. Neurosci. Meth.*, **62**, 1-5.
- Kogan, J. A. & Margoliash, D. (1998). Automated recognition of bird song elements from continuous recordings using dynamic warping and hidden Markov models: a comparative study. *J. Acoust. Soc. Am.*, **103**, 2185-2196.
- Kremliovsky, M., Kadtko, J., Inchiosa, M. & Moore, P. (1998). Characterization of dolphin acoustic echo-location data using a dynamical classification method. *Int. J. Bifurc. Chaos Appl. Sci. Eng.*, **8**, 813-823.
- Kroodsma, D. E. (1990). How the mismatch between the experimental design and the intended hypothesis limits confidence in knowledge, as illustrated by an example from bird-song dialects. In *Interpretation and Explanation in the Study of Animal Behavior* (M. Bekoff and D. Jamieson, eds.). Westview Press; Boulder, Colorado, pp. 226-245.
- Kroodsma, D. E., Budney, G. F., Grotke, R. W., Vielliard, J. M. E., Gaunt, S. L. L., Ranft, R. & Veprintseva, O. D. (1996). Natural sound archives: Guidance for recordists and a request for cooperation. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 474-486.
- Kroodsma, D. E., Byers, B. E., Goodale, E., Johnson, S. & Liu, W.-C. (2001). Pseudoreplication in playback experiments, revisited a decade later. *Anim. Behav.*, **61**, 1029-1033.
- Kuczynski, L. (2000). Recognition of individuals of ortolan bunting *Emberiza hortulana* using image processing procedures. *Biol. Bull. Poznan*, **37**, 107-112.
- Kuenzi, A. J. & Morrison, M. L. (1998). Detection of bats by mist-nets and ultrasonic sensors. *Wildl. Soc. Bull.*, **26**, 307-311.
- Lancaster, W. C., Keating, A. W. & Henson, O. W. Jr. (1992). Ultrasonic vocalizations of flying bats monitored by radiotelemetry. *J. Exp. Biol.*, **173**, 43-58.
- Larsen, O. N. (1996). CSC: The Danish Centre for Sound Communication. *Bioacoustics*, **6**, 287-292.
- Larsen, O. N. & Dabelsteen, T. (1997). The VIFA 1 NEODYMIUM TWEETER: a versatile speaker for playback experiments. *Bioacoustics*, **8**, 323-326.
- Lashkari, K. & Lowder, S. (1998). Ocean acoustic observatory for passive monitoring of the ocean. *Bioacoustics*, **9**, 221-222.
- Leaper, R., Chappell, O. & Gordon, J. C. D. (1992). The development of practical techniques for surveying sperm whale populations acoustically. *Rep. Int. Whal. Commn.*, **45**, 549-560.
- Leboucher, G., Kreutzer, M. & Dittami, J. (1994). Copulation-solicitation displays in female canaries (*Serinus canaria*): are oestradiol implants necessary? *Ethology*, **97**, 190-197.
- Legare, M. L., Eddleman, W. R., Buckley, P. A. & Kelly, C. (1999). The effectiveness of tape playback in estimating black rail density. *J. Wildlife Manage.*, **63**, 116-125.
- Lengagne, T., Lauga, J. & Jouventin, P. (1998). A method of independent time and frequency decomposition of bioacoustic signals: inter-individual recognition in four species of penguins. *C. R. Acad. Sci. Paris, Serie III*, **320**, 885-891.
- Lepper, P. A., Kaschner, K., Connelly, P. R. & Goodson, A. D. (1998). Development of a simplified ray path model for estimating the range and depth of vocalising marine mammals. *Bioacoustics*, **9**, 231-232.
- Lettevall, E., Ugarte, F. & Wahlberg, M. (1996). Inter-calibration of body length estimates of sperm whales. *European Research on Cetaceans*, **9**, 34-37.
- Lin, Z.-B., Chittajallu, S. K., Kayalar, S., Wong, D. & Yurtseven, H. O. (1991). Modeling constant best delay-sensitive neurons and tracking neurons in the auditory cortex of the FM bat with a back-propagation neural network. *IEEE Conf. Neur. Networks Ocean Engin.*, pp. 123-132.
- Lippmann, R. P. (1997). Speech recognition by machines and humans. *Speech Communication*, **22**, 1-15.
- Lobel, P. S. (2002). Diversity of fish spawning sounds and the application of passive acoustic monitoring. *Bioacoustics*, **12**, 286-289.
- Lobel, P. S. (2001). Fish bioacoustics and behaviour: Passive acoustic detection and the application of a closed-circuit rebreather for field study. *Mar. Tech. Soc. J.*, **35**.
- Luczkovich, J. J. & Sprague, M. W. (2002). Using passive acoustics to monitor estuarine fish populations.

- Bioacoustics*, **12**, 289-291.
- Luczkovich, J. J., Sprague, M. W., Johnson, S. E. & Pullinger, R. C. (1999). Delimiting spawning areas of weakfish *Cynoscion regalis* (Family Sciaenidae) in Pamlico Sound, North Carolina, using passive hydroacoustic surveys. *Bioacoustics*, **10**, 143-160.
- Lukes, A. J., Lear, A. T. & Snider, R. K. (2001). Development of a wireless system for auditory neuroscience. *Biomed. Sci. Instrument.*, **37**, 119-124.
- Lynch, J. F. (1995). Effects of point count duration, time-of-day, and aural stimuli on detectability of migratory and resident bird species in Quintana Roo, Mexico. In *Monitoring Bird Populations by Point Counts* (C. J. Ralph, S. R. Sauer & S. Droege, eds.). Pacific SW For. Res. Stn. Gen. Tech. Rep. PSW-GTR-149, pp. 1-6.
- Manghi, M., Pavan, G., Priano, M. & Ghezzi, A. (1996). New opportunities in electronic distribution of information on bioacoustics. *Bioacoustics*, **6**, 317-318.
- Mankin, R. W. (1994). Acoustical detection of *Aedes taeniorhynchus* swarms and emergence exodes in remote salt marshes. *J. Am. Mosq. Control. Assoc.*, **10**, 302-308.
- Mankin, R. W., Shuman, D. & Coffelt, J. A. (1996). Noise shielding of acoustic devices for insect detection. *J. Econ. Entomol.*, **89**, 1301-1308.
- Mann, D. A. & Tucker, T. J. (2000). Programmable DSP datalogger for animal bioacoustics monitoring. *J. Acoust. Soc. Am.*, **108**, 2584.
- Maries, K. (1986). Recent developments in bat detector field instrumentation. *Myotis*, **23-24**, 249-254.
- Markin, V. S. & Hudspeth, A. J. (1995). Modeling the active process of the cochlea: phase relations, amplification and spontaneous oscillation. *Biophys. J.*, **69**, 138-147.
- Marx, G. (1994). Development of a method for numerical sound analysis. Dissertation. Landbauforschung Voelkenrode, Sonderheft 149, 142 pp.
- Masterton, J. J. & Oller, D. K. (1999). Use of technology in phonological assessment: evaluation of early meaningful speech and prelinguistic vocalizations. *Semin. Speech Language*, **20**, 133-147.
- May, B. J., Huang, A. Y., Aleszczyk, C. M. & Hienz, R. D. (1995). Design and conduct of sensory experiments for domestic cats. In *Methods in Comparative Psychoacoustics* (G. M. Klump, R. J. Dooling, R. R. Fay & W. C. Stebbins, eds.). Birkhaeuser; Basel, pp. 95-108.
- McCallum, A. & Vale, M. (1998). Contour cross-correlation vs. principal components analysis of parameters as methods of estimating distance matrices of dolphin whistles. *Bioacoustics*, **9**, 157-158.
- McCowan, B., Hanser, S. F. & Doyle, L. R. (1999). Quantitative tools for comparing animal communication systems: information theory applied to bottlenose dolphin whistle repertoires. *Anim. Behav.*, **57**, 409-419.
- McCowan, B., Doyle, L. R. & Hanser, S. F. (2002). Using information theory to assess the diversity, complexity, and development of communicative repertoires. *J. Comp. Psychol.*, **116**, 166-172.
- McCowan, B. (1995). A new quantitative technique for categorizing whistles using simulated signals and whistles from captive bottlenose dolphins (Delphinidae, *Tursiops truncatus*). *Ethology*, **100**, 177-193.
- McGehee, D. E. & Hildebrand, J. A. (2000). Simple methods for locating, counting, and tracking sperm whales underwater in three dimensions. *J. Acoust. Soc. Am.*, **108**, 2540.
- McGregor, P. K., Peake, T. M. & Gilbert, G. (2000). Communication behaviour and conservation: the application of sound science. In *Animal Behaviour and Conservation* (W. J. Sutherland, M. Gosling and M. Avery, eds.). Cambridge University Press; Cambridge.
- McGregor, P. K. (1992). Quantifying responses to playback: one, many, or composite multivariate measures. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 79-96.
- McGregor, P. K. & Ranft, R. D. (1994). Equipment for sound analysis and playback: a survey. *Bioacoustics*, **6**, 83-86.
- McGregor, P. K. (ed.) (1992). *Playback and Studies of Animal Communication: Problems and Prospects*. Plenum Press; New York.
- McGregor, P. K., Dabelsteen, T., Clark, C. W., Bower, J. L., Tavares, J. P. & Holland, J. (1997). Accuracy of a passive acoustic location system: empirical studies in terrestrial habitats. *Ethol. Ecol. Evol.*, **9**, 269-286.
- McGregor, P. K., Catchpole, C. K., Dabelsteen, T. et al. (1992). Design of playback experiments: the Thornbridge Hall NATO ARW consensus. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 1-9.
- McGregor, P. K. & Holland, J. (1995). AVISOFT-SONAGRAPH Pro: A PC-program for sonagraphic analysis. V. 2.1. *Anim. Behav.*, **50**, 1137-1138.
- McGregor, P. K. & Peake, T. M. (1998). The role of individual identification in conservation biology. In *Behavioral Ecology and Conservation Biology* (T. M. Caro, ed.). Oxford University Press; Oxford.
- McIlraith, A. L. & Card, H. C. (1997). A comparison of back propagation and statistical classifiers for bird

- identification. *1997 IEEE Int. Conf. Neural Networks*, Vol. 1, pp. 100-104.
- McIlraith, A. L. & Card, H. C. (1997). Birdsong recognition using backpropagation and multivariate statistics. *IEEE Trans. Signal Process.*, **45**, 2740-2748.
- McIlraith, A. L. & Card, H. C. (1997). Bird song identification using artificial neural networks and statistical analysis. *CCECE '97. Canadian Conference on Electrical and Computer Engineering. Engineering Innovation: Voyage of Discovery. Conference Proceedings*, Vol. 1, pp. 63-66.
- McIlraith, A. L. & Card, H. C. (1995). Birdsong recognition with DSP and neural networks. *IEEE WESCANEX95. Communications, Power, and Computing, Conference Proceedings*, Vol. 2., pp. 409-414.
- McKee, E. A. (1988). Decay and degradation of disk and cylinder recordings in storage. In *Audio Preservation: a Planning Study*. Associated Audio Archives Committee, Gerald Gibson, chairman. Association of Recorded Sound Collections; Rockville, Md., pp. 193-199.
- McLaren, M. A. & Cadman, M. D. (1999). Can novice volunteers provide credible data for bird surveys requiring song identification? *J. Field-Ornithol.*, **70**, 481-490.
- Mellinger, D. K. & Clark, C. W. (1993). A method for filtering bioacoustic transients by spectrogram image convolution. *Oceans '93*, **3**, 122-127.
- Mellinger, D. K. & Clark, C. W. (2000). Recognizing transient low-frequency whale sounds by spectrogram correlation. *J. Acoust. Soc. Am.*, **107**, 3518-3529.
- Mellinger, D. K. (1993). Handling time variability in bioacoustic transient detection. *Oceans '93*, **3**, 116-121.
- Mellinger, D. (1998). A low-cost, high-performance sound capture and archiving system for the subtidal zone. *Bioacoustics*, **9**, 222.
- Mennill, D. J. & Ratcliffe, L. M. (2000). A field test of 'SYRINX' sound analysis software in interactive playback. *Bioacoustics*, **11**, 77-86.
- Mensinger, A. F. & Deffenbaugh, M. (2002). Acoustical neural telemetry from free-swimming fish. *Bioacoustics*, **12**, 333-334.
- Michelsen, A., Heller, K.-G., Stumpner, A. & Rohrseitz, K. (1994). A new biophysical method to determine the gain of the acoustic trachea in bushcrickets. *J. Comp. Physiol. A.*, **175**, 145-151.
- Michelsen, A. & Rohrseitz, K. (1997). Sound localisation in a habitat: an analytical approach to quantifying the degradation of directional cues. *Bioacoustics*, **7**, 291-313.
- Miller, P. J. & Tyack, P. L. (1998). A small towed beamforming array to identify vocalizing resident killer whales (*Orcinus orca*) concurrent with focal behavioral observations. *Topical Stud. Oceanogr.*, **45**, 1389-1405.
- Milligan, S. R., Sales, G. D. & Khirnykh, K. (1993). Sound levels in rooms housing laboratory animals: an uncontrolled daily variable. *Physiol. Behav.*, **53**, 1067-1076.
- Mills, H. (2000). Geographically distributed acoustical monitoring of migrating birds. *J. Acoust. Soc. Am.*, **108**, 2582.
- Mitson, R. B. (1993). Underwater noise radiated by research vessels. *ICES (Int. Counc. Explor. Sea) Mar. Sci. Symp.*, **196**, 147-152.
- Moehl, B., Wahlberg, M. & Heerfordt, A. (2001). A large-aperture array of nonlinked receivers for acoustic positioning of biological sound sources. *J. Acoust. Soc. Am.*, **109**, 434-437.
- Murphy, C. G. & Gerhardt, H. C. (1996). Evaluating the design of mate-choice experiments: the effect of amplexus on mate choice by female barking treefrogs, *Hyla gratiosa*. *Anim. Behav.*, **51**, 881-890.
- Murray, S. C., Mercado, E. & Roitblat, H. L. (1998). The neural network classification of false killer whale (*Pseudorca crassidens*) vocalizations. *J. Acoust. Soc. Am.*, **104**, 3626-3634.
- Nagle, L., Kreutzer, M. & Vallet, E. M. (1993). Obtaining copulation solicitation displays in female canaries without estradiol implants. *Experientia*, **49**, 1022-1023.
- Nara, S., Abe, N., Wada, M. & Kuroiwa, J. (1999). A novel method of sound data description by means of cellular automata and its application to data compression. *Int. J. Bifurc. Chaos Appl. Sci. Eng.*, **9**, 1211-1217.
- Nelson, D. A., Gaunt, S. L., Bronson, C. L. & Kloth, T. J. Jr. (2001). Database design for an archive of animal sounds. *IEEE Eng. Med. Biol. Mag.*, **20**, 76-80.
- Nelson, D. A. & Marler, P. (1993). Measurement of song learning behavior in birds. In *Methods in Neurosciences, Vol. 14. Paradigms for the Study of Behavior* (P. M. Conn, ed.). Academic Press; San Diego, pp. 447-465.
- Nelson, D. A. (1998). Signal(TM)/RTSD(TM) sound analysis system. *Bioacoustics*, **9**, 247-254.
- Newborough, D., Goodson, A. D. & Woodward, B. (1998). Micro-controller based deterrents: acoustic devices to reduce harbour porpoise *Phocoena phocoena* incidental catch in gillnets. *Bioacoustics*, **9**, 232-233.
- Newland, P. L. & Chapman, C. J. (1993). Locomotory Behaviour and swimming performance of the Norway lobster *Nephrops norvegicus* in the presence of an acoustic tag. *Mar. Biol. (Berl.)*, **115**, 33-37.
- Noad, M. J. & Cato, D. H. (2000). Comparison of acoustic and visual surveying of humpback whales off East

- Australia. *J. Acoust. Soc. Am.*, **108**, 2540.
- Norman, A. P., Teagle, L. & Jones, G. (1998). A method for the synchronisation and control of ultrasound recording and stereophotogrammetry in the reconstruction of animal flight. *Bioacoustics*, **9**, 207-212.
- Norman, R. G. & Greene, C. R. (2000). An autonomous acoustic recorder using a directional sensor for locating calling bowhead whales. *J. Acoust. Soc. Am.*, **108**, 2582.
- Norris, J. & Evans, W. E. (1998). Advances in acoustic censusing of marine mammals. *Bioacoustics*, **9**, 158.
- Notarbartolo di Sciara, G. & Gordon, J. (1997). Bioacoustics: A tool for the conservation of cetaceans in the Mediterranean Sea. *Mar. Freshwat. Behav. Physiol.*, **30**, 125-146.
- Nowacek, D. P., Tyack, P. L. & Wells, R. S. (2001). A platform for continuous behavioral and acoustic observation of free-ranging marine mammals: Overhead video combined with underwater audio. *Mar. Mamm. Sci.*, **17**, 191-199.
- Nowicki, S. & Nelson, D. (1990). Defining natural categories in acoustic signals: comparison of three methods applied to "chick-a-dee" call notes. *Ethology*, **86**, 89-101.
- Nyamsi, R. G. M., Aubin, T. & Brémond, J. C. (1994). On the extraction of some time dependent parameters of an acoustic signal by means of the analytic signal concept. Its application to animal sound study. *Bioacoustics*, **5**, 187-203.
- O'Farrell, M. J. & Gannon, W. L. (1999). A comparison of acoustic versus capture techniques for the inventory of bats. *J. Mammal.*, **80**, 24-30.
- O'Farrell, M. J., Miller, B. W. & Gannon, W. L. (1999). Qualitative identification of free-flying bats using the Anabat detector. *J. Mammal.*, **80**, 11-23.
- O'Farrell, M. J. & Miller, B. W. (1999). Use of vocal signatures for the inventory of free-flying Neotropical bats. *Biotropica*, **31**, 507-516.
- Oba, T. (1996). Monitoring biodiversity through natural sound diversity. *Bioacoustics*, **6**, 303.
- Oba, T. (1998). A preliminary analysis of riverain sound environment based upon sound source species and their acoustic features. *Bioacoustics*, **9**, 151-152.
- Obrist, M. (1988). Individually recognizable freeflying bats: a new method to record and analyze their echolocation calls. *Myotis*, **26**, 87-95.
- Ogutu, J. O. & Dublin, H. T. (1998). The response of lions and spotted hyenas to sound playbacks as a technique for estimating population size. *Afr. J. Ecol.*, **36**, 83-95.
- Okanoya, K. (1995). Adaptive tracking procedures to measure auditory sensitivity. In *Methods in Comparative Psychoacoustics* (G. M. Klump, R. J. Dooling, R. R. Fay & W. C. Stebbins, eds.). Birkhaeuser; Basel, pp. 143-153.
- Okanoya, K. & Kimura, T. (1993). A software bird call detector and its application to automated playback experiments. *Bioacoustics*, **5**, 117-122.
- Okanoya, K. & Dooling, R. J. (1988). Obtaining acoustic similarity measures from animals: A method for species comparisons. *J. Acoust. Soc. Am.*, **83**, 1690-1693.
- Okumura, T., Akamatsu, T. & Yan, H. Y. (2002). Analyses of small tank acoustics: Empirical and theoretical approaches. *Bioacoustics*, **12**, 330-332.
- Osiejuk, T. S. (2000). Recognition of individuals by song, using cross-correlation of sonograms of ortolan buntings *Emberiza hortulana*. *Biol. Bull. Poznan*, **37**, 95-106.
- Otter, K., Njegovan, M., Naugler, C., Fotheringham, J. & Ratcliffe, L. (1994). A simple technique for interactive playback experiments using a Macintosh powerbook computer. *Bioacoustics*, **5**, 301-308.
- Owren, M. J. & Linker, C. D. (1995). Some analysis methods that may be useful to acoustic primatologists. In *Current Topics in Primate Vocal Communication* (E. Zimmermann, J. D. Newman & U. Juergens, eds.). Plenum Press; New York, London.
- Owren, M. J. & Bernacki, R. H. (1998). Applying linear predictive coding (LPC) to frequency-spectrum analysis of animal acoustic signals. In *Animal Acoustic Communication* (S. L. Hopp, M. J. Owren and C. S. Evans, eds.). Springer-Verlag; Berlin, pp. 129-162.
- Palakal, M. J., Murthy, U., Chittajallu, S. K. & Wong, D. (1995). Tonotopic representation of auditory responses using self-organizing maps. *Math. Comput. Modell.*, **22**, 7-21.
- Panek, M. (1998). Use of call counts for estimating spring density of the grey partridge *Perdix perdix*. *Acta Ornithologica*, **33**, 143-148.
- Parijs, S. M. van, Thompson, P. M., Hastie, G. D. & Bartels, B. A. (1998). Modification and deployment of a sonobuoy for recording underwater vocalizations from marine mammals. *Mar. Mamm. Sci.*, **14**, 310-316.
- Parijs, S. M. van, Hastie, G. D. & Thompson, P. M. (2000). A design for a two-dimensional boat-bound hydrophone array for studying harbor seals, *Phoca vitulina*. *Mar. Mamm. Sci.*, **16**, 481-488.
- Parker, T. A., III (1991). On the use of tape recorders in avifaunal surveys. *Auk*, **108**, 443-444.
- Parsons, S., Boonman, A. M. & Obrist, M. K. (2000). Advantages and disadvantages of techniques for transforming and analyzing chiropteran echolocation calls. *J. Mammal.*, **81**, 927-938.

- Parsons, S. (2001). Identification of New Zealand bats (*Chalinolobus tuberculatus* and *Mystacina tuberculata*) in flight from analysis of echolocation calls by artificial neural networks. *J. Zool.*, **253**, 447-456.
- Parsons, S. (1996). A comparison of the performance of a brand of broad-band and several brands of narrow-band bat detectors in two different habitat types. *Bioacoustics*, **7**, 33-43.
- Pavan, G. (1992). A portable DSP workstation for real-time analysis of cetacean sounds in the field. *European Research on Cetaceans, Cambridge, UK*, **6**, 165-167.
- Pavan, G. & Manghi, M. (1998). Anti-aliasing filters of DAT recorders and PC sound boards. *Bioacoustics*, **9**, 161.
- Pavan, G., Priano, M., Manghi, M. & Fossati, C. (1998). A cetacean sound library for the Mediterranean sea. Technical aspects and concerns. *Bioacoustics*, **9**, 162.
- Pavan, G., Priano, M., Manghi, M. & Fossati, C. (1998). Software tools for real-time IPI measurements on sperm whale sounds. *Bioacoustics*, **9**, 224-225.
- Pavan, G., Nascetti, D., Manghim, M., Priano, M., Fossati, C. & Borsani, J. F. (1996). Cooperative bioacoustic research in the Mediterranean Sea with the Italian Navy. *Bioacoustics*, **6**, 318-319.
- Pavan, G. & Manghi, M. (1996). Dual channel real-time analysis on a PC. *Bioacoustics*, **6**, 304.
- Pavan, G. (1994). A digital signal processing workstation for bioacoustical research. *Atti VI Convegno Italiano di Ornitologia (1991)*. Boll. Mus. Reg. Sci. Nat., Torino, pp. 227-234.
- Pavan, G. & Brodsky, E. (1997). Real-time spectrographic analysis with Sound Blaster sound boards. *Bioacoustics*, **8**, 278-279.
- Pavan, G. & Manghi, M. (1997). Ultrasound acquisition and analysis. Comparison of current methods. *Bioacoustics*, **8**, 277-278.
- Pavan, G., Borsani, J. F., Fossati, C., Manghi, M. & Priano, M. (1996). Acoustic research cruises in the Mediterranean - 1994. *European Research on Cetaceans*, **9**, 85-88.
- Pavan, G. (1994). Low-cost real-time spectrographic analysis of sounds. *Bioacoustics*, **6**, 81
- Peake, T. M., Otter, K. A., Terry, A. M. R. & McGregor, P. K. (2000). SCREECH: an interactive playback programs for PCs. *Bioacoustics*, **11**, 69-75.
- Penner, M. J. (1995). Psychophysical methods. In *Methods in Comparative Psychoacoustics* (G. M. Klump, R. J. Dooling, R. R. Fay & W. C. Stebbins, eds.). Birkhaeuser; Basel, pp. 47-57.
- Penteriani, V. (1999). Dawn and morning goshawk courtship vocalizations as a method for detecting nest sites. *J. Wildl. Manage.*, **63**, 511-516.
- Pepperberg, I. M. (1992). What studies on song learning can teach us about playback experiments. In *Playback and Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 45-57.
- Peremans, H., Walker, A. & Hallam, J. (1997). A bionic sonarhead. *Bioacoustics*, **8**, 262.
- Pettersson, L. (1993). Ultrasound detectors: Different techniques, purposes and methods. In *Proceedings of the first European Bat-Detector Workshop* (K. Kapteyn ed.). Netherlands Bat Research Foundation; Amsterdam, pp. 11-19.
- Placer, J. & Slobodchikoff, C. N. (2000). A fuzzy-neural system for identification of species-specific alarm calls of Gunnison's prairie dogs. *Behav. Process.*, **52**, 1-9.
- Popper, A. N. & Carlson, T. J. (1998). Application of the use of sound to control fish behaviour. *Trans. Am. Fish. Soc.*, **127**, 673-707.
- Popper, A. N., Balletto, J., Strait, K., Winchell, F., Wells, A. W. & Vaskis, M. (2002). Preliminary evidence for the use of sound to decrease losses of aquatic organisms at a power plant cooling water intake. *Bioacoustics*, **12**, 306-307.
- Popper, A. N. (2002). An overview of the applied use of sound in fisheries and fish biology. *Bioacoustics*, **12**, 303-305.
- Pye, J. D. (1993). Is fidelity futile? The true signal is illusory especially with ultrasound. *Bioacoustics*, **4**, 271-286.
- Pye, J. D. (1986). Recording bat sounds by new techniques. *Myotis*, **23-24**, 245-248.
- Ranft, R. (1997). The wildlife section of the British Library National Sound Archive (NSA). *Bioacoustics*, **7**, 315-319.
- Ranft, R. (1996). A sound base for bioacoustic research: the National Sound Archive in London. *Bioacoustics*, **6**, 305.
- Ranft, R. (1994). Using the National Sound Archive wildlife collections in bioacoustic research. *Bioacoustics*, **6**, 73.
- Ranft, R. (1995). AVISOFT-SONAGRAPH PRO 2.3 sound analysis software for WINDOWS PCs. *Bioacoustics*, **6**, 253-260.
- Ranft, R. (1998). Bioacoustic recordings at the British Library National Sound Archive: new methods for storage and access. *Bioacoustics*, **9**, 162.
- Rappole, J. H., McShea, W. J. & Vega-Rivera, J. (1993). Evaluation of two survey methods in upland avian

- breeding communities. *J. Field Ornithol.*, **64**, 55-70.
- Ratcliffe, N., Vaughan, D., Whyte, C. & Shepherd, M. (1998). Development of playback census methods for storm petrels *Hydrobates pelagicus*. *Bird Study*, **45**, 302-312.
- Ratcliffe, L. & Weisman, R. G. (1992). Pitch processing strategies in birds: A comparison of laboratory and field studies. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 211-223.
- Rebeck, M. (1996). A pilot study for recognition of individual nightjars. *Bioacoustics*, **6**, 306.
- Reby, D., Lek, S., Dimopoulos, I., Joachim, J., Lauga, J. & Aulagnier, S. (1997). Artificial neural networks as a classification method in the behavioural sciences. *Behav. Processes*, **40**, 35-43.
- Redpath, S. M. (1994). Censusing tawny owls *Strix aluco* by the use of imitation calls. *Bird Study*, **41**, 192-198.
- Reid, J. A., Horn, R. B. & Forsman, D. E. (1999). Detection rates of spotted owls based on acoustic-lure and live-lure surveys. *Wildl. Soc. Bull.*, **27**, 986-990.
- Riddett, P. (1998). Sony TCD D8 portable dat recorder. *Bioacoustics*, **9**, 81-83.
- Riede, T. (1996). SIGNALIZE: Signal analysis for speech and sound. *Bioacoustics*, **6**, 327-331.
- Riede, T. (1997). HYPERSIGNAL(TM)-MACRO: A signal processing environment for engineers and scientists. *Bioacoustics*, **7**, 321-325.
- Riede, K. (1996). New information technologies in taxonomy related to bioacoustics. *International Senckenberg Conference: Global Biodiversity Research in Europe*, p. 63.
- Riede, K. (1993). Monitoring biodiversity: analysis of Amazonian rainforest sounds. *Ambio*, **22**, 546-548.
- Riede, K. (1993). Bioacoustics of calling communities from a Malaysian lowland rainforest. *Verh. Deutsch. Zool. Ges.*, **86**, 269 (German).
- Ripley, B. D. (1996). *Pattern Recognition and Neural Networks*. Cambridge University Press; Cambridge.
- Roch, J. B., Comze, F., Eyrand, A. & Deubreuil, C. (1990). Synchronization of glottography and laryngeal stroboscopy. *Folia Phoniat.*, **43**, 53-59.
- Rogers, C. (1995). High resolution analysis of bird sounds. *1995 International Conference on Acoustics, Speech, and Signal Processing, Conference Proceedings*, Vol. 5, pp. 3011-3014.
- Roitblat, H. L., Moore, P. W. B., Nachtigall, P. E., Penner, R. H. & Au, W. W. L. (1989). Dolphin echolocation: identification of returning echoes using a counterpropagation network. *IJCNN (Int. Joint Conf. Neur. Networks)*, **1**, 295-300.
- Roitblat, H. L., Moore, P. W. B., Nachtigall, P. E., Penner, R. H. & Au, W. W. L. (1989). Natural echolocation with an artificial neural network. *Int. J. Neur. Networks, Res. Appl.*, **1**, 239-248.
- Ross, B. P., Lien, J. & Furness, R. W. (2001). Use of underwater playback to reduce the impact of eiders on mussel farms. *ICES J. Mar. Sci.*, **58**, 517-524.
- Rothenberg, J. (1995). Ensuring the longevity of digital documents. *Sci. Am.*, **272**(1), 42-47.
- Rucci, M., Edelman, G. M. & Wray, J. (1999). Adaptation of orienting behavior: from the barn owl to a robotic system. *IEEE Trans. Robot. Automat.*, **15**, 96-110.
- Saucier, M. H., Baltz, D. M. & Roumillat, W. A. (1992). Hydrophone identification of spawning sites of spotted seatrout *Cynoscion nebulosus* (Osteichthyes, Sciaenidae) near Charleston, South Carolina. *Northeast Gulf Sci.*, **12**, 141-145.
- Sayigh, L. S., Tyack, P. L. & Wells, R. S. (1993). Recording underwater sounds of free-ranging dolphins while underway in a small boat. *Mar. Mamm. Sci.*, **9**, 209-213.
- Schaub, M., Schwilch, R. & Jenni, L. (1999). Does tape-luring of migrating Eurasian reed-warblers increase number of recruits or capture probability? *Auk*, **116**, 1047-1053.
- Scheffrahn, R. H., Robbins, W. P., Busey, P., Su, N.-Y. & Mueller, R. K. (1993). Evaluation of a novel, hand-held acoustic emissions detector to monitor termites (Isoptera: Kalotermitidae, Rhinotermitidae) in wood. *J. Econ. Entomol.*, **86**, 1720-1729.
- Schekkerman, H. (1999). Sex bias and seasonal patterns in tape-lured samples of migrating skylarks *Alauda arvensis*. *Ringing & Migration*, **19**, 299-305.
- Schilt, C. R. (2002). Natural history in an unnatural environment: Can we help fish to help themselves? *Bioacoustics*, **12**, 310-313.
- Schmalz, W., Siegesmund, M., Thuermer, K., Kranawettreiser, J. & Hack, H.-P. (2002). A new method to investigate the downstream migration of fishes within a hydropower plant area in a Middle European river - a possibility to evaluate the effectiveness of behaviour barriers. *Bioacoustics*, **12**, 308-310.
- Schoen, P. C., Puppe, B. & Manteuffel, G. (2001). Linear prediction coding analysis and self-organizing feature map as tools to classify stress calls of domestic pigs (*Sus scrofa*). *J. Acoust. Soc. Am.*, **110**, 1425-1431.
- Schoen, P.-C., Puppe, B. & Manteuffel, G. (1998). A sound analysis system based on LabVIEW(R) applied to the analysis of suckling grunts of domestic pigs *Sus scrofa*. *Bioacoustics*, **9**, 119-133.
- Schrader, L. & Hammerschmidt, K. (1997). Computer-aided analysis of acoustic parameters in animal vocalisations: a multi-parametric approach. *Bioacoustics*, **7**, 247-265.
- Schrader, L. & Hammerschmidt, K. (1996). Computer-aided analysis of acoustic parameters: new possibilities of

- signal analysis. *Bioacoustics*, **6**, 307.
- Schukat-Talamazzini, E. G. (1995). *Automatic Voice Recognition. Basics, Statistical Models and Efficient Algorithms*. Vieweg; Braunschweig/Wiesbaden (German).
- Searcy, W. A. (1992). Measuring responses of female birds to male song. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 175-189.
- Searcy, W. A. & Capp, M. S. (1997). Estradiol dosage and the solicitation display assay in red-winged blackbirds. *Condor*, **99**, 826-828.
- Shade, R. E., Furgason, E. S. & Murdock, L. L. (1990). Detection of hidden insect infestations by feeding-generated ultrasonic signals. *Am. Entomol.*, **36**, 231-234.
- Shuman, D., Coffelt, J. A., Vick, K. W. & Mankin, R. W. (1993). Quantitative acoustical detection of larvae feeding inside kernels of grain. *J. Econ. Entomol.*, **86**, 933-938.
- Smart, J. (1995). Sound advice. *Birding World*, **8**, 75-76.
- Smith, W. J. (1996). Using interactive playback to study how songs and singing contribute to communication about behavior. In *Ecology and Evolution of Acoustic Communication in Birds* (D. E. Kroodsma & E. H. Miller, eds.). Comstock Publishing Associates, Cornell University Press; Ithaca & London, pp. 377-397.
- Specht, R. (1997). Analysis of ultrasound using AVISOFT-sonagraph software. *Bioacoustics*, **8**, 276-277.
- Specht, R. (1996). Avisoft-Sonagraph Pro - sonographic analysis under Windows. *Bioacoustics*, **6**, 308.
- Speisberger, J. L. & Fristrup, K. M. (1990). Passive localization of calling animals and sensing of their acoustic environment using acoustic tomography. *Am. Nat.*, **135**, 107-153.
- Sprague, M. W., Luczkovich, J. J., Pullinger, R. C., Johnson, S. E., Jenkins, T. & Daniel, H. J. III (2000). Using spectral analysis to identify drumming sounds of some North Carolina fishes in the family Sciaenidae. *J. Elisha Mitchell Soc.*, **116**, 124-145.
- Stafford, K. M. & Fox, C. G. (1997). Acoustic localizations of blue whales *Balaenoptera musculus* by fixed arrays and moored autonomous hydrophone arrays. *Bioacoustics*, **8**, 260-261.
- Stoddard, P. K. (1998). Application of filters in bioacoustics. In *Animal Acoustic Communication: Sound Analysis and Research Methods* (S. L. Hopp, M. J. Owren and C. S. Evans, eds.). Springer; Berlin, pp. 105-127.
- Sturtivant, C. & Datta, S. (1995). Techniques to isolate dolphin whistles and other tonal sounds from background noise. *Acoustics Lett.*, **18**, 189-193.
- Sturtivant, C. & Datta, S. (1998). Automatic dolphin whistle detection, extraction, encoding and classification. *Bioacoustics*, **9**, 234.
- Sturtivant, C. & Datta, S. (1998). Dolphin whistle classification with the "Dolphin" software. *Bioacoustics*, **9**, 224.
- Sturtivant, C. R. & Datta, S. (1996). The enhancement and identification of whistles and other tonal sounds from marine mammals among background noise. *European Research on Cetaceans*, **9**, 53-55.
- Suzuki, R. & Buck, J. R. (2000). Extraction and tracking of bottlenose dolphin whistle contours. *J. Acoust. Soc. Am.*, **108**, 2635.
- Svellingen, I., Totland, B. & Oevredal, J. T. (2002). A remote-controlled instrument platform for fish behaviour studies and sound monitoring. *Bioacoustics*, **12**, 335-336.
- Tchernichovski, O., Nottebohm, F., Ho, C. E., Pesaran, B. & Mitra, P. P. (2000). A procedure for an automated measurement of song similarity. *Anim. Behav.*, **59**, 1167-1176.
- Teimoorzadeh, K. (1995). Seeing in the dark with artificial bats. In *Advances in Artificial Life. Third European Conference on Artificial Life Proceedings* (F. Moran, A. Moreno, J. J. Merelo and P. Chacon, eds.). Springer-Verlag; pp. 590-601.
- Telfer, E. S. & Farr, D. R. (1993). The potential of acoustical recordings as a means of monitoring breeding birds. *Can. Wildl. Serv. Progr. Notes*, 203.
- Terhune, J. M., Burton, H. & Green, K. (1993). Classification of diverse call types using cluster analysis techniques. *Bioacoustics*, **4**, 245-258.
- Terry, A. & McGregor, P. (2001). Finding faces in the crowd: Neural networks used to count and monitor populations of calling birds. *Adv. Ethol.*, **36**, 274.
- Terry, A. M. R., McGregor, P. K. & Peake, T. M. (2001). A comparison of some techniques used to assess vocal individuality. *Bioacoustics*, **11**, 169-188.
- Thode, A. M., D'Spain, G. L. & Kuperman, W. A. (2000). Matched-field processing, geoacoustic inversion, and source signature recovery of blue whale vocalizations. *J. Acoust. Soc. Am.*, **107**, 1286-1300.
- Thode, A. M., Mellinger, D. K., Stienessen, S., Martinez, A. & Mullin, K. D. (2000). Three-dimensional localization of diving sperm whales using a short-aperture towed horizontal array. *J. Acoust. Soc. Am.*, **108**, 2540.
- Thompson, N. S., LeDoux, K. & Moody, K. (1994). A system for describing bird song units. *Bioacoustics*, **5**,

- Tigges, M., Mergell, P., Herzl, H., Wittenberg, T. & Eysholdt, U. (1997). Observation and modelling of glottal biphonation. *Acustica*, **83**, 707-714.
- Trouilhet, J.-F., Nadaud, S., Vincent, F. & Ricci, J.-C. (1998). Presentation of a methodology for classification of biological signals: Application to the recognition of thrush calls. *Bull. Soc. Zool. France*, **123**, 279-292 (French).
- Tschuch, G. (1996). Analysis of signals from stridulatory organs without any resonance. *Bioacoustics*, **6**, 310.
- Tyack, P. L. & Recchia, C. A. (1991). A datalogger to identify vocalizing dolphins. *J. Acoust. Soc. Am.*, **90**, 1668-1671.
- Varela, A. (1994). Art of audio archiving in the '90s. *Pro Sound News*, **16**(1), 40.
- Vaughan, N., Jones, G. & Harris, S. (1997). Habitat use by bats (Chiroptera) assessed by means of a broad-band acoustic method. *J. Appl. Ecol.*, **34**, 716-730.
- Vaughan, N., Jones, G. & Harris, S. (1997). Identification of British bat species by multivariate analysis of echolocation call parameters. *Bioacoustics*, **7**, 189-207.
- Vielliard, J. (1993). "Side-bands" artefact and digital sound processing. *Bioacoustics*, **5**, 159-162.
- Vielliard, J. (1993). Recording wildlife in tropical rainforest. *Bioacoustics*, **4**, 305-311.
- Vieten, M., Kamper, K. & Diel, R. D. (1989). Social learning with bats. Behavioural science with PC-assisted acoustic measurement engineering. *Feinwerktechnik & Messtechnik*, **97**, 551-552 (German).
- Wahlberg, M., Moehl, B. & Madsen, P. T. (2001). Estimating source position accuracy of a large-aperture hydrophone array for bioacoustics. *J. Acoust. Soc. Am.*, **109**, 397-406.
- Wahlberg, M., Lettevall, E. & Medlund, L. (1996). Estimating the length of sperm whales from interpulse intervals in their clicks. *European Research on Cetaceans*, **9**, 38-40.
- Wahlstroem, S. (1996). Bioacoustics and SI-quantities and units. *Bioacoustics*, **6**, 311-312.
- Wang, J., Sakaguchi, H. & Sokabe, M. (1999). Sex differences in the vocal motor pathway of the zebra finch revealed by real-time optical imaging technique. *NeuroReport*, **10**, 2487-2492.
- Wartzok, D., Sayegh, S., Stone, H., Barchak, J. & Barnes, W. (1992). Acoustic tracking system for monitoring under-ice movements of polar seals. *J. Acoust. Soc. Am.*, **92**, 682-687.
- Waters, D. A. & Walsh, A. L. (1994). The influence of bat detector brand on the quantitative estimation of bat activity. *Bioacoustics*, **5**, 205-221.
- Watson, C. (1995). The PDR 1000 portable DAT recorder. *Bioacoustics*, **6**, 175-177.
- Watson, C. (1994). Nagra D: An operational assessment. *Bioacoustics*, **5**, 239-241.
- Weary, D. & Weisman, R. (1993). SoundEdit v. 2.0.3. *Anim. Behav.*, **45**, 417-418.
- Weary, D. M. (1992). Bird song and operant experiments: a new tool to investigate song perception. In *Playback and Studies of Animal Communication: Problems and Prospects* (P. K. McGregor, ed.). Plenum Press; New York, pp. 201-210.
- Webb, B. (1995). Using robots to model animals: A cricket test. *Robotics and Autonomous Systems*, **16**, 117-132.
- Webb, B. (1996). A cricket robot. *Sci. Am.*, **Dec.**, 62-67.
- Webb, J. C., Litzkow, C. A. & Slaughter, D. C. (1988). A computerized acoustical larval detection system. *Appl. Engin. Agric.*, **4**, 268-274.
- Welbergen, P. & Lankinen, P. (1991). A practical device for sound recording of *Drosophila*. *Drosophila Inform. Serv.*, **70**, 263-264.
- White, D. J., King, A. P. & Duncan, S. D. (2002). Voice recognition technology as a tool for behavioral research. *Behav. Res. Meth.*, **34**, 1-5.
- Whitman, A. A., Hagan III, J. M. & Brokaw, N. V. L. (1997). A comparison of two bird survey techniques used in a subtropical forest. *Condor*, **99**, 955-965.
- Wilkinson, G. S. (1994). Canary I.I.: Sound analysis software for Macintosh computers. *Bioacoustics*, **5**, 227-238.
- Williams, J. M. (1993). Objective comparison of song syllables: a dynamic programming approach. *J. Theor. Biol.*, **161**, 317-328.
- Wood, M., Casaretto, L., Horgan, G. & Hawkins, A. D. (2002). Discriminating between fish sounds - a wavelet approach. *Bioacoustics*, **12**, 337-339.
- Woodward, B. (1998). Principles of tracking bio-sonar sources underwater. *Bioacoustics*, **9**, 234-235.
- Woodward, B. & Coggrave, C. R. (1996). Tracking cetaceans by sonar click detection. *European Research on Cetaceans*, **9**, 50-52.
- Wu, B. M., Chan, F. H. Y., Lam, F. K., Lam, M. C., Poon, P. W. F. & Poon, A. M. S. (1998). A PC-based system for long-term monitoring of animal activity. *Proc. 20th Ann. Int. Conf. IEEE Eng. Medic. Biol. Soc.*, Vol. 20, pp. 1910-1913.
- Wu, B. M., Chan, F. H., Lam, F. K., Poon, P. W. & Poon, A. M. (2000). A novel system for simultaneous monitoring of locomotor and sound activities in animals. *J. Neurosci. Meth.*, **101**, 69-73.
- Yan, H. Y., Kenyon, T. N. & Ladich, F. (1997). Use of auditory brainstem response (ABR) for fish auditory

- sensitivity study. *Bioacoustics*, **8**, 251.
- Yen, G. G. & Quiang, F. (2001). Automatic frog calls monitoring system: a machine learning approach. *Int. J. Comput. Intell. Appl.*, **2**, 165-186.
- Zmarich, C., Vernier, E. & Ferrero, F. (1997). Methodological considerations on the acoustic signal analysis for two species of bats (Chiroptera, Vespertilionidae). *Bioacoustics*, **8**, 275-276.