

Non-passerine birds 2004

(includes publications since the last list and some that were not included in the last list)

Compiled by P. Hansen

- Aubin, T. (2004). Penguins and their noisy world. *An. Acad. Bras. Cienc.*, **76**, 279-283.
- Baker, M. C. (2004). The chorus song of cooperatively breeding laughing kookaburras (Coraciiformes, Halcyonidae: *Dacelo novaeguineae*): Characterization and comparison among groups. *Ethology*, **110**, 21-35.
- Bayly, K. & Evans, C. S. (2003). Dynamic changes in alarm call structure: A strategy for reducing conspicuousness to avian predators. *Behaviour*, **140**, 353-369.
- Beckers, G. J. L., Gossens, B. M. A. & ten Cate, C. (2003). Perceptual salience of acoustic differences between conspecific and allo-specific vocalizations in African collared doves. *Anim. Behav.*, **65**, 605-614.
- Beckers, G. J. L., Suthers, R. A. & ten Cate, C. (2003). Mechanisms of frequency and amplitude modulation in ring dove song. *J. Exp. Biol.*, **206**, 1833-1843.
- Bertelli, S. & Tubaro, P. L. (2002). Body mass and habitat correlates of song structure in a primitive group of birds. *Biol. J. Linn. Soc.*, **77**, 423-430.
- Biasotti, B., Gnane, G., Boccardo, E. & Pavan, G. (2002). Acoustic repertoire of *Spheniscus humboldti*: preliminary report on a small captive colony. *Bioacoustics*, **13**, 94.
- Brittan-Powell, E. F. & Dooling, R. J. (2004). Development of auditory sensitivity in budgerigars (*Melopsittacus undulatus*). *J. Acoust. Soc. Am.*, **115**, 3092-3102.
- Butchart, S. H. M., Kilner, R. M., Fuisz, T. & Davies, N. B. (2003). Differences in the nestling begging calls of hosts and host-races of the common cuckoo, *Cuculus canorus*. *Anim. Behav.*, **65**, 345-354.
- Ceugniet, M., Aubin, T., Bernard-Laurent, A. & Soyez, D. (2002). Coding and decoding systems of the rally call of two species of partridges and their hybrids. *Bioacoustics*, **13**, 97-98.
- Collias, N. E. (2000). Filial imprinting and leadership among chicks in family integration of the domestic fowl. *Behaviour*, **137**, 197-211.
- Delport, W., Kemp, A. C. & Ferguson, J. W. H. (2002). Vocal identification of individual African wood owls *Strix woodfordii*: a technique to monitor long-term adult turnover and residency. *Ibis*, **144**, 30-39.
- Deregnaucourt, S. & Guyomarc'h, J.-C. (2003). Mating call discrimination in female European (*Coturnix c. coturnix*) and Japanese quail (*Coturnix c. japonica*). *Ethology*, **109**, 107-120.
- Eda-Fujiwara, H., Watanabe, A. & Kimura, T. (2002). The role of learned acoustic structure in the song of the budgerigar, *Melopsittacus undulatus*. *J. Yamashina Inst. Ornithol.*, **34**, 9-15.
- Farnsworth, A., Gauthreaux, S. A., Jr. & van Blaricom, D. (2004). A comparison of nocturnal call counts of migrating birds and reflectivity measurements on Doppler radar. *J. Avian Biol.*, **35**, 365-369.
- Ficken, M. S., Rusch, K. M., Taylor, S. J. & Powers, D. R. (2002). Reproductive behavior and communication in blue-throated hummingbirds. *Wilson Bull.*, **114**, 197-209.
- Gonzalez-Solis, J. (2004). Regulation of incubation shifts near hatching by giant petrels: a timed mechanism, embryonic signalling or food availability? *Anim. Behav.*, **67**, 663-671.
- Hall, M. L. (2004). A review of hypotheses for the functions of avian duetting. *Behav. Ecol. Sociobiol.*, **55**, 415-430.

- Insley, S. J., Paredes, R. & Jones, I. L. (2002). Sex differences in razorbill *Alca torda* parent-offspring vocal recognition. *J. Exp. Biol.*, **206**, 25-31.
- Jackson, H. D. (2003). Song of the golden nightjar, *Caprimulgus eximius*. *Ostrich*, **74**, 241-242.
- Jouventin, P. & Aubin, T. (2002). Recognition compared between nesting and non-nesting penguins (movie presentation). *Bioacoustics*, **13**, 82.
- Jouventin, P. & Aubin, T. (2002). Acoustic systems are adapted to breeding ecologies: individual recognition in nesting penguins. *Anim. Behav.*, **64**, 747-757.
- Kampen, H. S. Van & Hogan, J. A. (2000). Courtship food-calling in burmese red junglefowl: III. Factors influencing the male's behavior. *Behaviour*, **137**, 1191-1209.
- Kearvell, J. C. & Briskie, J. V. (2003). Similarity of chatter calls between orange-fronted parakeet *Cyanoramphus malherbi* and yellow-crowned parakeet *C. auriceps*. *Ibis*, **145**, 333-336.
- King, B. (2003). The song of *Ninox scutulata obscura*. *J. Bombay Nat. Hist. Soc.*, **100**, 388-389.
- Kort, S. R. de & ten Cate, C. (2004). Repeated decrease in vocal repertoire size in *Streptopelia* doves. *Anim. Behav.*, **67**, 549-557.
- Kort, S. R. de, den Hartog, P. M. & ten Cate, C. (2002). Diverge or merge? The effect of sympatric occurrence on the territorial vocalizations of the vinaceous dove *Streptopelia vinacea* and the ringnecked dove *S. capicola*. *J. Avian Biol.*, **33**, 150-158.
- Kraaijeveld, K. & Mulder, R. A. (2002). The function of triumph ceremonies in the black swan. *Behaviour*, **139**, 45-54.
- Lacroix, D. L., Lanctot, R. B., Reed, J. A. & McDonald, T. L. (2003). Effect of underwater seismic surveys on molting male long-tailed ducks in the Beaufort Sea, Alaska. *Can. J. Zool.*, **81**, 1862-1875.
- Laje, R., Gardner, T. J. & Mindlin, G. B. (2002). Neuromuscular control of vocalizations in birdsong: A model. *Physical Review E*, **65**, 519211-519218.
- Larsen, O. N. (2004). Does the environment constrain avian sound localization? *An. Acad. Brasil. Cienc.*, **76**, 267-273.
- Larsen, O. N. & Goller, F. (2002). New views of sound generating structures in the bird syrinx. *Bioacoustics*, **13**, 83-84.
- Lengagne, T. & Lauga, J. (2002). Syllable recognition in the king penguin. *Bioacoustics*, **13**, 90.
- Lengagne, T. & Slater, P. J. B. (2002). The effects of rain on acoustic communication: tawny owls have good reason for calling less in wet weather. *Proc. R. Soc. Lond. B.*, **269**, 2121-2125.
- Lohr, B., Wright, T. F. & Dooling, R. J. (2003). Detection and discrimination of natural calls in masking noise by birds: estimating the active space of a signal. *Anim. Behav.*, **65**, 763-777.
- Mack, A. L. & Jones, J. (2003). Low-frequency vocalizations by cassowaries (*Casuarius* spp.). *Auk*, **120**, 1062-1068.
- Madsen, V., Balsby, T. J. S., Dabelsteen, T. & Osorno, J. L. (2004). Bimodal signaling of a sexually selected trait: Gular pouch drumming in the magnificent frigatebird. *Condor*, **106**, 156-160.
- Martin-Vivaldi, M., Martinez, J. G., Palomino, J. J. & Soler, M. (2002). Extrapair paternity in the hoopoe *Upupa epops*: an exploration of the influence of interactions between breeding pairs, non-pair males and strophe length. *Ibis*, **144**, 236-247.

- Martin-Vivaldi, M., Palomino, J. J. & Soler, M. (2004). Strophe length in spontaneous songs predicts male response to playback in the hoopoe *Upupa epops*. *Ethology*, **110**, 351-362.
- Masin, S., Massa, R. & Bottone, L. (2004). Evidence of tutoring in the development of subsong in newly-fledged Meyer's parrots *Poicephalus meyeri*. *An. Acad. Brasil. Cienc.*, **76**, 231-236.
- Miller, E. H., Vanderwerf, E. & McPherson, L. (2003). Vocalizations of the tuamoto sandpiper, *Prosobonia cancellata*. *Wilson Bull.*, **115**, 455-463.
- Miyazaki, M. & Waas, J. R. (2002). 'Last word' effects of male advertising calls on female preference in little blue penguins. *Behaviour*, **139**, 1413-1423.
- Miyazaki, M. & Waas, J. R. (2003). Acoustic properties of male advertisement and their impact on female responsiveness in little penguins *Eudyptula minor*. *J. Avian Biol.*, **34**, 229-232.
- Nakagawa, S., Waas, J. R. & Miyazaki, M. (2001). Heart rate changes reveal that little blue penguin chicks (*Eudyptula minor*) can use vocal signatures to discriminate familiar from unfamiliar chicks. *Behav. Ecol. Sociobiol.*, **50**, 180-188.
- Nebel, S. & McCaffery, B. J. (2003). Vocalization activity of breeding shorebirds: documentation of its seasonal decline and applications for breeding bird surveys. *Can. J. Zool.*, **81**, 1702-1708.
- Nicolas, G., Fraigneau, C. & Aubin, T. (2004). Variation in the behavioral responses of budgerigars *Melopsittacus undulatus* to an alarm call in relation to sex and season. *An. Acad. Brasil. Cienc.*, **76**, 359-364.
- Ornelas, J. F., Gonzales, C. & Uribe, J. (2002). Complex vocalizations and aerial displays of the amethyst-throated hummingbird (*Lampornis amethystinus*). *Auk*, **199**, 1141-1149.
- Osiejuk, T.S. & Olech, B. (2004). Amplitude spectra of corncrake calls: what do they signalise? *Anim. Biol.*, **54**, 207-220.
- Penteriani, V. (2002). Variation in the function of eagle owl vocal behaviour: territorial defence and intra-pair communication? *Ethol. Ecol. Evol.*, **14**, 275-281.
- Penteriani, V. (2003). Breeding density affects the honesty of bird vocal displays as possible indicators of male/territory quality. *Ibis*, **145** (on-line), E127-E135.
- Penteriani, V., Faivre, B., Mazuc, J. & Cezilly, F. (2002). Pre-laying vocal activity as a signal of male and nest stand quality in goshawks. *Ethol. Ecol. Evol.*, **14**, 9-17.
- Plummer, T. K. & Striedter, G. F. (2002). Brain lesions that impair vocal imitation in adult budgerigars. *J. Neurobiol.*, **53**, 413-428.
- Price, J. J., Johnson, K. P. & Clayton, D. H. (2004). The evolution of echolocation in swiftlets. *J. Avian Biol.*, **35**, 135-143.
- Puglisi, L. & Adamo, C. (2004). Discrimination of individual voices in male great bitterns (*Botaurus stellaris*) in Italy. *Auk*, **121**, 541-547.
- Pytte, C. L., Rusch, K. M. & Siegler, M. S. (2003). Regulation of vocal amplitude by the blue-throated hummingbird, *Lampornis clemenciae*. *Anim. Behav.*, **66**, 703-710.
- Quillfeldt, P. (2002). Begging in the absence of sibling competition in Wilson's storm-petrels, *Oceanites oceanicus*. *Anim. Behav.*, **64**, 579-587.
- Radford, A. N. (2003). Territorial vocal rallying in the green woodhoopoe: influence of rival group size and composition. *Anim. Behav.*, **66**, 1035-1044.
- Radford, A. N. (2004). Vocal coordination of group movement by green woodhoopoes (*Phoeniculus purpureus*). *Ethology*, **110**, 11-20.

- Radford, A. N. (2004). Voice breaking in males result in sexual dimorphism of green woodhoopoe calls. *Behaviour*, **141**, 555-569.
- Radford, A. N. (2004). Vocal mediation of foraging competition in the cooperatively breeding green woodhoopoe (*Phoeniculus purpureus*). *Behav. Ecol. Sociobiol.*, **56**, 279-285.
- Rainey, H. J., Zuberbuhler, K. & Slater, P. J. B. (2004). Hornbills can distinguish between primate alarm calls. *Proc. R. Soc. Lond., B.*, **271**, 755-759.
- Rowe, C. (2002). Sound improves visual discrimination learning in avian predators. *Proc. R. Soc. Lond., B.*, **269**, 1353-1357.
- Rowe, C. & Skelhorn, J. (2004). Avian psychology and communication. *Proc. R. Soc. Lond., B.*, **271**, 1435-1442.
- Sæther, S. A. (2002). Female calls in lek-mating birds: indirect mate choice, female competition for mates, or direct mate choice? *Behav. Ecol.*, **13**, 344-352.
- Searby, A., Jouventin, P. & Aubin, T. (2004). Acoustic recognition in macaroni penguins: an original signature system. *Anim. Behav.*, **67**, 615-625.
- Secondi, J., de Bakker, M. A. G. & ten Cate, C. (2002). Female responses to male coos in the collared dove *Streptopelia decaocto*. *Behaviour*, **139**, 1287-1302.
- Secondi, J., den Hartog, P. M. & ten Cate, C. (2003). To trill or not to trill? Territorial response to a heterospecific vocal trait in male collared doves, *Streptopelia decaocto*. *Behav. Ecol.*, **14**, 694-701.
- Seddon, N. (2002). The structure, context and possible functions of solos, duets and choruses in the subdesert mesite (*Monias benschi*). *Behaviour*, **139**, 645-676.
- Seddon, N. & Tobias, J. A. (2003). Communal singing in the cooperatively breeding subdesert mesite *Monias benschi*: evidence of numerical assessment? *J. Avian Biol.*, **34**, 72-80.
- Seddon, N., Amos, W., Mulder, R. A. & Tobias, J. A. (2004). Male heterozygosity predicts territory size, song structure and reproductive success in a cooperatively breeding bird. *Proc. R. Soc. Lond., B.*, **271**, 1823-1830.
- Seddon, N., Butchart, S. I. & Odling Smee, L. (2002). Duetting in the subdesert mesite *Monias benschi*: evidence for acoustic mate defence? *Behav. Ecol. Sociobiol.*, **52**, 7-16.
- Seddon, N., Tobias, J. A. & Alvarez, A. (2002). Vocal communication in the pale-winged trumpeter (*Psophia leucoptera*): Repertoire, context and functional reference. *Behaviour*, **139**, 1331-1359.
- Shaw, B. K. & Kennedy, G. G. (2002). Evidence for species differences in the pattern of androgen receptor distribution in relation to species differences in an androgen-dependent behavior. *J. Neurobiol.*, **52**, 203-220.
- Stridter, G. F., Freibott, L., Hile, A. G. & Burley, N. T. (2003). For whom the male calls: an effect of audience on contact call rate and repertoire in budgerigars, *Melopsittacus undulatus*. *Anim. Behav.*, **65**, 875-882.
- Suthers, R. A. (2004). Vocal mechanisms in birds and bats: a comparative view. *An. Acad. Brasil. Cienc.*, **76**, 247-252.
- Terry, A. M. R. & McGregor, P. K. (2002). Census and monitoring based on individually identifiable vocalizations: the role of neural networks. *Anim. Conserv.*, **5**, 103-111.
- Thomassen, H. A., Djasim, U. M. & Povel, D. E. (2004). Echoclick design in swiftlets: single as well as double clicks. *Ibis*, **146**, 173-174.
- Tobias, A. J. & Seddon, N. (2003). Vocalizations and display in the long-tailed ground-roller (*Uratelornis chimaera*). *Wilson Bull.*, **115**, 193-196.

Toukhsati, S. R. & Rickard, N. S. (2004). Variations in intensity and frequency moderate the facilitative effects of a complex rhythm stimulus on long-term memory consolidation in the day-old chick (*Gallus gallus*). *J. Comp. Psychol.*, **118**, 65-70.

Vehrencamp, S. L., Ritter, A. F., Keever, M. & Bradbury, J. W. (2003). Responses to playback of local vs. distant contact calls in the orange-fronted conure, *Aratinga canicularis*. *Ethology*, **109**, 37-54.

Venuto, V. & Taylor, S. (2002). High frequency utterance and perception in the brown-headed parrot *Poicephalus cryptoxanthus*. *Bioacoustics*, **13**, 84-85.

Wahlberg, M., Tougaard, J. & Møhl, B. (2003). Localising bitterns *Botaurus stellaris* with an array of non-linked microphones. *Bioacoustics*, **13**, 233-245.

Wanker, R. (2002). Social system and acoustic communication of spectacled parrotlets (*Forpus conspicillatus*): Research in captivity and the wild. In *Bird Research and Breeding* (C. Mettke-Hofmann & U. Ganzlosser, eds.). Filander Verlag; Fuerth.

Wanker, R. & Fischer, J. (2001). Intra- and interindividual variation in the contact calls of spectacled parrotlets (*Forpus conspicillatus*). *Behaviour*, **138**, 709-726.

Weisman, R. G., Njegovan, M. G., Williams, M. T., Cohen, J. S. & Sturdy, C. B. (2004). A behavior analysis of absolute pitch: sex, experience, and species. *Behav. Processes*, **66**, 289-307.

Wright, T. F., Cortopassi, K. A., Bradbury, J. W. & Dooling, R. J. (2003). Hearing and vocalizations in the orange-fronted conure (*Aratinga canicularis*). *J. Comp. Psychol.*, **117**, 87-95.

Zimmerman, P. H., Lundberg, A., Keeling, L. J. & Koene, P. (2003). The effect of an audience on the gakel-call and other frustration behaviours in the laying hen (*Gallus gallus domesticus*). *Anim. Welfare*, **12**, 315-326.