

Non-primate mammals 2004

(includes publications since the last list and some that were not included in the last list)

Compiled by P. Hansen

Abgrall, P., Terhune, J. M. & Burton, H. R. (2003). Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges. *Aquat. Mamm.*, **29**, 268-277.

Altes, R. A., Dankiewicz, L. A., Moore, P. W. & Helweg, D. A. (2003). Multiecho processing by an echolocating dolphin. *J. Acoust. Soc. Am.*, **114**, 1155-1166.

Arnold, A. P. (2003). The gender of the voice within: the neural origin of sex differences in the brain. *Curr. Opin. Neurobiol.*, **13**, 759-764.

Arraut, E. M. & Vielliard, J. M. E. (2004). The song of the Brazilian population of humpback whale *Megaptera novaeangliae*, in the year 2000: individual song variations and possible implications. *An. Acad. Bras. Cienc.*, **76**, 373-380.

Au, W. W. L. & Benoit-Bird, K. J. (2003). Automatic gain control in the echolocation system of dolphins. *Nature*, **19**, 861.

Au, W. W. L. & Wursig, B. (2004). Echolocation signals of dusky dolphins (*Lagenorhynchus obscurus*) in Kaikoura, New Zealand. *J. Acoust. Soc. Am.*, **115**, 2307-2313.

Au, W. W. L., Ford, J. K. B., Horne, J. K. & Alman, K. A. N. (2004). Echolocation signals of free-ranging killer whales (*Orcinus orca*) and modeling of foraging for chinook salmon (*Oncorhynchus tshawytscha*). *J. Acoust. Soc. Am.*, **115**, 901-909.

Au, W. W. L., Pack, A. A., Lammers, M. O., Herman, L., Andrews, K. & Deakos, M. (2003). The acoustic field of singing humpback whales in the vertical plane. *J. Acoust. Soc. Am.*, **113**, 2277.

Baack, J. K. & Switzer, P. V. (2000). Alarm calls affect foraging behavior in eastern chipmunks (*Tamias striatus*, Rodentia: Sciuridae). *Ethology*, **106**, 1057-1066.

Barlow, J. & Cameron, G. A. (2003). Field experiments show that acoustic pingers reduce marine mammal bycatch in the California drift gill net fishery. *Mar. Mamm. Sci.*, **19**, 265-283.

Bazua-Duran, C. (2004). Differences in the whistle characteristics and repertoire of bottlenose and spinner dolphins. *An. Acad. Bras. Cienc.*, **76**, 386-392.

Behr, O. & von Helversen, O. (2004). Bat serenades - complex courtship songs of the sac-winged bat (*Saccopteryx bilineata*). *Behav. Ecol. Sociobiol.*, **56**, 106-115.

Benoit-Bird, K. J., Wuersig, B. & McFadden, C. J. (2004). Dusky dolphin (*Lagenorhynchus obscurus*) foraging in two different habitats: Active acoustic detection of dolphins and their prey. *Mar. Mamm. Sci.*, **20**, 215-231.

Blackwell, S. B., Lawson, J. W. & Williams, M. T. (2004). Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *J. Acoust. Soc. Am.*, **115**, 2346-2357.

Blumstein, D. T., Verneyre, L. & Daniel, J. C. (2004). Reliability and the adaptive utility of discrimination among alarm callers. *Proc. R. Soc. Lond., B.*, **271**, 1851-1857.

Branstetter, B. K., Mevissen, S. J., Herman, L. M., Pack, A. A. & Roberts, S. P. (2003). Horizontal angular discrimination by an echolocating bottlenose dolphin (*Tursiops truncatus*). *Bioacoustics*, **14**, 15-34.

Brodgers, H. G., Findlay, C. S. & Zheng, L. (2004). Effects of clutter on echolocation call structure of *Myotis septentrionalis* and *M. lucifugus*. *J. Mammal.*, **85**, 273-281.

- Chappell, O., Leaper, R. & Gordon, J. (1996). Development and performance of an automated harbour porpoise click detector. *Rep. Int. Whal. Comm.*, **46**, 587-594.
- Charrier, I., Mathevon, N. & Jouventin, P. (2003). Vocal signature recognition of mothers by fur seal pups. *Anim. Behav.*, **65**, 543-550.
- Clark, C. W. & Clapham, P. J. (2004). Acoustic monitoring on a humpback whale (*Megaptera novaeangliae*) feeding ground shows continual singing into late spring. *Proc. R. Soc. Lond., B.*, **271**, 1051-1057.
- Cook, M. L. H., Sayigh, L. S., Blum, J. E. & Wells, R. S. (2004). Signature-whistle production in undisturbed free-ranging bottlenose dolphins (*Tursiops truncatus*). *Proc. R. Soc. Lond., B.*, **271**, 1043-1049.
- Darden, S. K., Dabelsteen, T. & Pedersen, S. B. (2003). A potential tool for swift fox (*Vulpes velox*) conservation: Individuality of long-range barking sequences. *J. Mammal.*, **84**, 1417-1427.
- Darden, S. K., Pedersen, S. B. & Dabelsteen, T. (2003). Methods of frequency analysis of a complex mammalian vocalisation. *Bioacoustics*, **13**, 247-263.
- Davidson, S. M. & Wilkinson, G. S. (2002). Geographic and individual variation in vocalizations by male *Saccopteryx bilineata* (Chiroptera: Emballonuridae). *J. Mammal.*, **83**, 526-535.
- Davidson, S. M. & Wilkinson, G. S. (2004). Function of male song in the greater white-lined bat, *Saccopteryx bilineata*. *Anim. Behav.*, **67**, 883-891.
- Dawson, S. M. & Thorpe, C. W. (1990). A quantitative analysis of the sounds of Hector's dolphin. *Ethology*, **86**, 131-145.
- Deecke, V. B., Slater, P. J. B. & Ford, J. K. B. (2002). Selective habituation shapes acoustic predator recognition in harbour seals. *Nature*, **420**, 171-173.
- Dobson, F. S. & Jouventin, P. (2002). How mothers find their pups in a colony of Antarctic fur seals. *Behav. Processes*, **61**, 77-85.
- Eiler, K. C. & Banak, S. A. (2004). Variability in the alarm call of golden-mantled ground squirrels (*Spermophilus lateralis* and *S. saturatus*). *J. Mammal.*, **85**, 43-50.
- Erbe, C. (2002). Underwater noise of whale-watching boats and its effects on killer whales (*Orcinus orca*). *Mar. Mamm. Sci.*, **18**, 394-418.
- Erbe, C. & Farmer, D. M. (1998). Masked hearing thresholds of a beluga whale (*Delphinapterus leucas*) in icebreaker noise. *Deep-Sea Research II*, **45**, 1373-1388.
- Erber, C. & Simao, S. M. (2004). Analysis of whistles produced by the Tucuxi dolphin *Sotalia fluviatilis* from Sepetiba Bay, Brazil. *An. Acad. Bras. Cienc.*, **76**, 381-385.
- Facchini, A., Bastianoni, S., Marchettini, N. & Rustici, M. (2003). Characterization of chaotic dynamics in the vocalization of *Cervus elaphus corsicanus* (L.). *J. Acoust. Soc. Am.*, **114**, 3040-3043.
- Fenton, M. B. (2003). Eavesdropping on the echolocation and social calls of bats. *Mamm. Rev.*, **33**, 193-204.
- Finneran, J. J. (2003). Whole-lung resonance in a bottlenose dolphin (*Tursiops truncatus*) and white whale (*Delphinapterus leucas*). *J. Acoust. Soc. Am.*, **114**, 529-535.
- Finneran, J. J., Dear, R., Carder, D. A. & Ridgway, S. H. (2003). Auditory and behavioral responses of California sea lions (*Zalophus californianus*) to single underwater impulses from an arc-gap transducer. *J. Acoust. Soc. Am.*, **114**, 1667-1677.
- Finneran, J. J., Oliver, C. W., Schaefer, K. M. & Ridgway, S. H. (2000). Source levels and estimated yellowfin tuna (*Thunnus albacares*) detection ranges for dolphin jaw pops, breaches and tail slaps. *J. Acoust. Soc. Am.*,

107, 649-656.

Foote, A. D., Osborne, R. W. & Hoelzel, A. R. (2004). Whale-call response to masking boat noise. *Nature*, **428**, 910.

Frankel, A. S. (2003). Humpback whale song: A new review. *J. Acoust. Soc. Am.*, **113**, 2275.

Fristrup, K. M., Hatch, L. T. & Clark, C. W. (2003). Variation in humpback whale (*Megaptera novaeangliae*) song length in relation to low-frequency sound broadcasts. *J. Acoust. Soc. Am.*, **113**, 3411-3424.

Frommolt, K.-H. (2002). Acoustic and temporal features of long distance wolf vocalisations and their possible consequences for signal transmission. *Bioacoustics*, **13**, 88.

Frommolt, K.-H. & Gebler, A. (2004). Directionality of dog vocalizations. *J. Acoust. Soc. Am.*, **116**, 561-565.

Frommolt, K.-H., Goltsman, M. E. & Macdonald, D. W. (2003). Barking foxes, *Alopex lagopus*: field experiments in individual recognition in a territorial mammal. *Anim. Behav.*, **65**, 509-518.

Gillespie, D. (1997). An acoustic survey for sperm whales in the Southern Ocean Sanctuary conducted from the RV Aurora Australis. *Rep. Int. Whal. Commn.*, **47**, 897-907.

Gillespie, D. & Chappell, O. (2002). An automatic system for detecting and classifying the vocalisations of harbour porpoises. *Bioacoustics*, **13**, 37-61.

Goodson, A. D. (1997). A narrow band bio-sonar: Investigating echolocation in the harbour porpoise. *Proc. Inst. Acoust.*, **19**, 19-28.

Goold, J. C. & Jefferson, T. A. (2004). A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*. *Aquatic Mamm.*, **30**, 175-178.

Gourbal, B. E. F., Barthelemy, M., Petit, G. & Gabrion, C. (2004). Spectrographic analysis of the ultrasonic vocalisations of adult male and female BALB/c mice. *Naturwissenschaften*, **91**, 381-385.

Greene, C. R., Jr., McLennan, M. W., Norman, R. G., McDonald, T. L., Jakubczak, R. S. & Richardson, W. J. (2004). Directional frequency and recording (DIFAR) sensors in seafloor recorders to locate calling bowhead whales during their fall migration. *J. Acoust. Soc. Am.*, **116**, 799-813.

Greenfield, M. D. & Baker, M. (2003). Bat avoidance in non-aerial insects: The silence response of signaling males in an acoustic moth. *Ethology*, **109**, 427-442.

Hare, J. F. & Atkins, B. A. (2001). The squirrel that cried wolf: reliability detection by juvenile Richardson's ground squirrels (*Spermophilus richardsonii*). *Behav. Ecol. Sociobiol.*, **51**, 108-112.

Harley, H. E., Putman, E. A. & Roitblat, H. L. (2003). Bottlenose dolphins perceive object features through echolocation. *Nature*, **424**, 667.

Hayes, S. A., Costa, D. P., Harvey, J. T. & Le Boeuf, B. J. (2004). Aquatic mating strategies of the male pacific harbor seal (*Phoca vitulina richardii*): Are males defending the hotspot? *Mar. Mamm. Sci.*, **20**, 639-656.

Hayes, S. A., Kumar, A., Costa, D. P., Mellinger, D. K., Harvey, J. T., Southall, B. L. & Le Boeuf, B. J. (2004). Evaluating the function of the male harbour seal, *Phoca vitulina*, roar through playback experiments. *Anim. Behav.*, **67**, 1133-1139.

Helweg, D. A. (2002). A computational model of humpback whale hearing. *Bioacoustics*, **13**, 85.

Helweg, D. A. (2002). Automatic detection and species identification of blue and fin whale calls. *Bioacoustics*, **13**, 96.

Hirtum, A. Van, Chedad, A., Aerts, J.-M., Berckmans, D., Gustin, P. & Moreaux, B. (2002). On-line cough recogniser system. *Bioacoustics*, **13**, 78.

- Holderied, M. W. & von Helversen, O. (2003). Echolocation range and wingbeat period match in aerial-hawking bats. *Proc. R. Soc. Lond., B.*, **270**, 2293-2299.
- Holt, M. M., Schusterman, R. J., Southall, B. L. & Kastak, D. (2004). Localization of aerial broadband noise by pinnipeds. *J. Acoust. Soc. Am.*, **115**, 2339-2345.
- Ibanez, C., Juste, J., Lopez-Wilchis, R. & Nunez-Garduno, A. (2004). Habitat variation and jamming avoidance in echolocation calls of the sac-winged bat (*Balantiopteryx plicata*). *J. Mammal.*, **85**, 38-42.
- Illmann, G., Schrader, L., Spinka, M. & Sustr, P. (2002). Acoustical mother-offspring recognition in pigs (*Sus scrofa domestica*). *Behaviour*, **139**, 487-505.
- Illmann, G., Spinka, M. & De Jonge, F. (2001). Vocalizations around the time of milk ejection in domestic piglets: a reliable indicator of their condition? *Behaviour*, **138**, 431-451.
- Jones, G., Barabas, A., Elliott, W. & Parsons, S. (2002). Female greater wax moths reduce sexual display behavior in relation to the potential risk of predation by echolocating bats. *Behav. Ecol.*, **13**, 375-380.
- Kapusta, J. & Szentgyorgyi, H. (2004). Ultrasonic responses of CBA pups to the odour of genetically different mice. *Behaviour*, **141**, 157-167.
- Kazial, K. A. & Masters, W. M. (2004). Female big brown bats, *Eptesicus fuscus*, recognize sex from a caller's echolocation signals. *Anim. Behav.*, **67**, 855-863.
- Keeley, A. T. H. & Keeley, B. W. (2004). The mating system of *Tadarida brasiliensis* (Chiroptera: Molossidae) in a large highway bridge colony. *J. Mammal.*, **85**, 113-119.
- Kingston, T. & Rossiter, S. J. (2004). Harmonic-hopping in Wallace's bats. *Nature*, **429**, 654-657.
- Koschinski, S., Culik, B. M., Henriksen, O. D., Tregenza, N., Ellis, G., Jansen, C. & Kathe, G. (2004). Behavioural reactions of free-ranging porpoises and seals to the noise of a simulated 2 MW windpower generator. *Mar. Ecol. Progr. Series*, **265**, 263-273.
- Lammers, M. O. & Au, W. W. (2003). Directionality in the whistles of Hawaiian spinner dolphins (*Stenella longirostris*): A signal feature to cue direction of movement? *Mar. Mamm. Sci.*, **19**, 249-264.
- Lammers, M. O., Au, W. W. L. & Herzing, D. L. (2003). The broadband social acoustic signaling behavior of spinner and spotted dolphins. *J. Acoust. Soc. Am.*, **114**, 1629-1639.
- Laurinolli, M. H., Hay, A. E., Desharnais, F. & Taggart, C. T. (2003). Localization of North Atlantic right whale sounds in the Bay of Fundy using a sonobuoy array. *Mar. Mamm. Sci.*, **19**, 709-723.
- LePage, E. L. (2003). The mammalian cochlear map is optimally warped. *J. Acoust. Soc. Am.*, **114**, 896-906.
- Leaper, R. & Scheidat, M. (1998). An acoustic survey for cetaceans in the Southern Ocean Sanctuary conducted from the German Government research vessel Polarstern. *Rep. Int. Whal. Commn.*, **48**, 431-437.
- Leippert, D., Frank, E., Gabriel, P., Kutter, S., Scheidemann, K. D., von Stillfried, N. & Weller, F. (2002). Prey-correlated spectral changes in echolocation sounds of the Indian false vampire *Megaderma lyra*. *Ethology*, **108**, 139-156.
- Leong, K. M., Ortolani, A., Burks, K. D., Mellen, J. D. & Savage, A. (2003). Quantifying acoustic and temporal characteristics of vocalizations for a group of captive African elephants *Loxodonta africana*. *Bioacoustics*, **13**, 213-231.
- Li, C.-W., Jiang, Z.-G. & Zeng, Y. (2001). Bellowing, rank-class and mating success in Pere David's deer stags. *Zool. Res.*, **22**, 454-460.
- Ligout, S., Sebe, F. & Porter, P. H. (2004). Vocal discrimination of kin and non-kin agemates among lambs.

Behaviour, **141**, 355-369.

Liu, R. C., Miller, K. D., Merzenich, M. M. & Schreiner, C. E. (2003). Acoustic variability and distinguishability among mouse ultrasound vocalizations. *J. Acoust. Soc. Am.*, **114**, 3412-3422.

Ljungblad, D., Clark, C. & Shimada, H. (1998). A comparison of sounds attributed to pygmy blue whales (*Balaenoptera musculus brevicauda*) recorded south of the Madagascar Plateau and those attributed to 'true' blue whales (*Balaenoptera musculus*) recorded off Antarctica. *Rep. Int. Whal. Commn.*, **48**, 439-442.

Macias, S. & Mora, E. C. (2003). Variation in echolocation calls of *Pteronotus quadridens* (Chiroptera: Mormoopidae) in Cuba. *J. Mammal.*, **84**, 1428-1436.

Madsen, P. T., Carder, D. A., Au, W. W. L., Nachtigall, P. E., Møhl, B. & Ridgway, S. H. (2003). Sound production in neonate sperm whales. *J. Acoust. Soc. Am.*, **113**, 2988-2991.

Madsen, P. T., Kerr, I. & Payne, R. (2004). Echolocation clicks of two free-ranging, oceanic delphinids with different food preferences: false killer whales *Pseudorca crassidens* and Risso's dolphins *Grampus griseus*. *J. Exp. Biol.*, **207**, 1811-1823.

Madsen, P., Wahlberg, M. & Møhl, B. (2002). Male sperm whale (*Physeter macrocephalus*) acoustics in a high-latitude habitat: implications for echolocation and communication. *Behav. Ecol. Sociobiol.*, **53**, 31-41.

Maes, J. H. R. & de Groot, G. (2003). Effects of noise on the performance of rats in an operant discrimination task. *Behav. Processes*, **61**, 57-68.

Mandelli, M.-J. & Sales, G. (2004). Ultrasonic vocalizations of infant short-tailed field voles, *Microtus agrestis*. *J. Mammal.*, **85**, 282-289.

Marchant-Forde, J. N., Marchant-Forde, R. M. & Weary, D. M. (2002). Responses of dairy cows and calves to each other's vocalisations after early separation. *Appl. Anim. Behav. Sci.*, **78**, 19-28.

Mathevon, N., Charrier, I. & Aubin, T. (2004). A memory like a female fur seal: long-lasting recognition of pup's voice by mothers. *An. Acad. Brasil. Cienc.*, **76**, 237-241.

Matthews, J. N., Brown, S., Gillespie, D., Johnson, M., McLanaghan, R., Moscrop, A., Nowacek, D., Leaper, R., Lewis, T. & Tyack, P. (2001). Vocalisation rates of the North Atlantic right whale. *J. Cetac. Res. Manage.*, **3**, 271-282.

McComb, K., Reby, D., Baker, L., Moss, C. & Sayialel, S. (2003). Long-distance communication of acoustic cues to social identity in African elephants. *Anim. Behav.*, **65**, 317-329.

McDonald, M. A. & Moore, S. E. (2002). Calls recorded from North Pacific right whales (*Eubalaena japonica*) in the eastern Bering Sea. *J. Cetac. Res. Manage.*, **4**, 261-266.

Mellinger, D. K. & Clark, C. W. (2003). Blue whale (*Balenoptera musculus*) sounds from the North Atlantic. *J. Acoust. Soc. Am.*, **114**, 1108-1119.

Mellinger, D. K., Stafford, K. M. & Fox, C. G. (2004). Seasonal occurrence of sperm whale (*Physeter macrocephalus*) sounds in the gulf of Alaska, 1999-2001. *Mar. Mamm. Sci.*, **20**, 48-62.

Miller, L. A. & Helweg, D. A. (2002). Bats, humans and neural networks discriminate amplitude-modulated FM echoes. *Bioacoustics*, **13**, 86.

Miller, P. J. O., Shapiro, A. D., Tyack, P. L. & Solow, A. R. (2004). Call-type matching in vocal exchanges of free-ranging resident killer whales, *Orcinus orca*. *Anim. Behav.*, **67**, 1099-1107.

Mitchell, B. R. (2004). *Coyote vocal communication and its application to the selective management of problem individuals*. Ph. D. dissertation. University of Vermont.

- Moles, A. & D'Amato, F. R. (2002). Ultrasound emission in social communication about food in female mice. *Bioacoustics*, **13**, 93.
- Monticelli, P. F., Tokumaru, R. S. & Ades, C. (2004). Isolation induced changes in guinea pig *Cavia porcellus* pup distress whistles. *An. Acad. Bras. Cienc.*, **76**, 368-372.
- Moors, H. B. & Terhune, J. M. (2003). Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls. *Aquat. Mamm.*, **29**, 278-288.
- Moors, H. B. & Terhune, J. M. (2004). Repetition patterns in Weddell seal (*Leptonychotes weddellii*) underwater multiple element calls. *J. Acoust. Soc. Am.*, **116**, 1261-1270.
- Moshou, D., Chedad, A., Van Hirtum, A., Aerts, J.-M., Berckmans, D. & Ramon, H. (2002). Cough neural recognition system. *Bioacoustics*, **13**, 98-99.
- Moss, C. F. & Sinha, S. R. (2003). Neurobiology of echolocation in bats. *Curr. Opin. Neurobiol.*, **13**, 751-758.
- Møhl, B., Wahlberg, M., Madsen, P. T., Heerfordt, A. & Lund, A. (2003). The monopulsed nature of sperm whale clicks. *J. Acoust. Soc. Am.*, **114**, 1143-1154.
- Nachtigall, P. E., Pawloski, J. L. & Au, W. W. L. (2003). Temporary threshold shifts and recovery following noise exposure in the Atlantic bottlenosed dolphin (*Tursiops truncatus*). *J. Acoust. Soc. Am.*, **113**, 3425, 3429.
- National Research Council of the National Academies (2003). *Ocean Noise and Marine Mammals*. The National Academies Press; Washington, D. C.
- Newman, J. D. (2003). Vocal communication and the triune brain. *Physiol. Behav.*, **79**, 495-502.
- Nicastro, N. & Owren, M. J. (2003). Classification of domestic cat (*Felis catus*) vocalizations by naive and experienced human listeners. *J. Comp. Psychol.*, **117**, 44-52.
- Nieukirk, S. L., Stafford, K. M., Mellinger, D. K., Dziak, R. P. & Fox, C. G. (2004). Low-frequency whale and seismic airgun sounds recorded in the mid-Atlantic Ocean. *J. Acoust. Soc. Am.*, **115**, 1832-1843.
- Niezrecki, C., Phillips, R., Meyer, M. & Beusse, D. O. (2003). Acoustic detection of manatee vocalizations. *J. Acoust. Soc. Am.*, **114**, 1640-1647.
- Nowacek, D. P., Casper, B. M., Wells, R. S., Nowacek, S. M. & Mann, D. A. (2003). Intraspecific and geographic variation of West Indian manatee (*Trichechus manatus* spp.) vocalizations. *J. Acoust. Soc. Am.*, **114**, 66-69.
- Nummela, S., Thewissen, J. G. M., Bajpai, S., Hussain, S. T. & Kumar, K. (2004). Eocene evolution of whale hearing. *Nature*, **430**, 776-778.
- Oleson, E. M., Barlow, J., Gordon, J., Rankin, S. & Hildebrand, J. A. (2003). Low frequency calls of Bryde's whales. *Mar. Mamm. Sci.*, **19**, 406.
- Pack, A. A., Herman, L. M., Hoffmann-Kuhnt, M. & Branstetter, B. K. (2002). The object behind the echo: dolphins (*Tursiops truncatus*) perceive object shape globally through echolocation. *Behav. Processes*, **58**, 1-26.
- Page, B., Goldsworthy, S. D. & Hindell, M. A. (2002). Individual vocal traits of mother and pup fur seals. *Bioacoustics*, **13**, 121-143.
- Parijs, S. M. van & Corkeron, P. J. (2002). Ontogeny of vocalisations in infant black flying foxes, *Pteropus alecto*. *Behaviour*, **139**, 1111-1124.
- Parijs, S. M. van & Kovacs, K. M. (2002). In-air and underwater vocalizations of eastern Canadian harbour seals, *Phoca vitulina*. *Can. J. Zool.*, **80**, 1173-1179.

- Parijs, S. M. van, Corkeron, P. J., Harvey, J., Hayes, S. A., Mellinger, D. K., Rouget, P. A., Thompson, P. M., Wahlberg, M. & Kovacs, K. M. (2003). Patterns in the vocalizations of male harbor seals. *J. Acoust. Soc. Am.*, **113**, 3403-3410.
- Parijs, S. M. van, Leysen, T. & Simila, T. (2004). Sounds produced by Norwegian killer whales, *Orcinus orca*, during capture. *J. Acoust. Soc. Am.*, **116**, 557-560.
- Parijs, S. M. van, Lydersen, C. & Kovacs, K. M. (2003). Vocalizations and movements suggest alternative mating tactics in male bearded seals. *Anim. Behav.*, **65**, 273-283.
- Parijs, S. M. van, Lydersen, C. & Kovacs, K. M. (2004). Effects of ice cover on the behavioural patterns of aquatic-mating male bearded seals. *Anim. Behav.*, **68**, 89-96.
- Parks, S. E. (2003). Response of North Atlantic right whales (*Eubalaena glacialis*) to playback of calls recorded from surface active groups in both the North and South Atlantic. *Mar. Mamm. Sci.*, **19**, 563.
- Pavey, C. R., Grunwald, J.-E. & Neuweiler, G. (2001). Foraging habitat and echolocation behaviour of Schneider's leafnosed bat, *Hipposideros speoris*, in a vegetation mosaic in Sri Lanka. *Behav. Ecol. Sociobiol.*, **50**, 209-218.
- Payne, K. (2000). The progressively changing songs of humpback whales: A window on the creative process in a wild animal. In *The Origins of Music* (N. L. Wallin, B. Merker and S. Brown, eds.). The MIT Press; Cambridge, Mass., pp. 135-150.
- Payne, K. B., Thompson, M. & Kramer, L. (2003). Elephant calling patterns as indicators of group size and composition: The basis for an acoustic monitoring system. *Afr. J. Ecol.*, **41**, 99-107.
- Pepin, D., Cargnelutti, B., Gonzalez, G., Joachim, J. & Reby, D. (2001). Diurnal and seasonal variations of roaring activity of farmed red deer stags. *Appl. Anim. Behav. Sci.*, **74**, 233-239.
- Perla, B. S. & Slobodchikoff, C. N. (2002). Habitat structure and alarm call dialects in Gunnison's prairie dog (*Cynomys gunnisoni*). *Behav. Ecol.*, **13**, 844-850.
- Peters, G. (2002). Purring and similar vocalizations in mammals. *Mamm. Rev.*, **32**, 245-271.
- Peters, G., East, M. L., Herzel, H., Henschel, J. R., Gus, M., Mills, L., Wilhem, K. & Hofer, H. (2004). Spotted hyaena whoops: Frequent incidence of vocal instabilities in a mammalian loud call. *Bioacoustics*, **14**, 99-109.
- Phillips, A. V. (2003). Behavioral cues used in reunions between mother and pup South American fur seals (*Arctocephalus australis*). *J. Mammal.*, **84**, 524-535.
- Phillips, A. V. & Stirling, I. (2001). Vocal repertoire of South American fur seals, *Arctocephalus australis*: structure, function, and context. *Can. J. Zool.*, **79**, 420-437.
- Phillips, R., Niezrecki, C. & Beusse, D. O. (2004). Determination of West Indian manatee vocalization levels and rate. *J. Acoust. Soc. Am.*, **115**, 422-428.
- Placer, J. & Slobodchikoff, C. N. (2004). A method for identifying sounds used in the classification of alarm calls. *Behav. Processes*, **67**, 87-98.
- Podos, J., da Silva, V. M. F. & Rossi-Santos, M. R. (2002). Vocalizations of Amazon River dolphins, *Inia geoffrensis*: Insights into the evolutionary origins of delphinid whistles. *Ethology*, **108**, 601-612.
- Portfors, C. V. (2004). Combination sensitivity and processing of communication calls in the inferior colliculus of the moustached bat *Pteronotus parnellii*. *An. Acad. Brasil. Cienc.*, **76**, 253-257.
- Randall, J. A. & Rogovin, K. A. (2002). Variation in and meaning of alarm calls in a social desert rodent *Rhombomys opimus*. *Ethology*, **108**, 513-527.

- Reby, D. & McComb, K. (2003). Anatomical constraints generate honesty: acoustic cues to age and weight in the roars of red deer stags. *Anim. Behav.*, **65**, 519-530.
- Rendell, L. & Whitehead, H. (2004). Do sperm whales share coda vocalizations? Insights into coda usage from acoustic size measurement. *Anim. Behav.*, **67**, 855-863.
- Rendell, L. E. & Whitehead, H. (2003). Vocal clans in sperm whales (*Physeter macrocephalus*). *Proc. R. Soc. Lond., B.*, **270**, 225-231.
- Rendell, L. E. & Whitehead, H. (2003). Comparing repertoires of sperm whale codas: A multiple methods approach. *Bioacoustics*, **14**, 61-81.
- Riede, T., Tembrock, G., Herzel, H. & Brunnberg, L. (2002). The harmonics to noise ratio applied to dog barks. *Bioacoustics*, **13**, 79.
- Rinelander, M. Q. & Dawson, S. M. (2004). Measuring sperm whales from their clicks: Stability of interpulse intervals and validation that they indicate whale length. *J. Acoust. Soc. Am.*, **115**, 1826-1831.
- Robbins, R. L. & McCreery, E. K. (2003). African wild dog pup vocalizations with special reference to Morton's model. *Behaviour*, **140**, 333-351.
- Rogers, T. L. (2003). Factors influencing the acoustic behaviour of male phocid seals. *Aquat. Mamm.*, **29**, 247-260.
- Rogers, T. L. & Cato, D. H. (2002). Individual variation in the acoustic behaviour of the adult male leopard seal, *Hydrurga leptonyx*. *Behaviour*, **139**, 1267-1286.
- Roux, A. Le, Jackson, T. P. & Cherry, M. I. (2001). The effect of changing call duration and calling bouts on vigilance in Brants' whistling rat, *Parotomys brantsii*. *Behaviour*, **138**, 1287-1302.
- Russ, J. M., Jones, G., Mickie, I. J. & Racey, P. A. (2004). Interspecific responses to distress calls in bats (Chiroptera: Vespertilionidae): a function for convergence in call design? *Anim. Behav.*, **67**, 1005-1014.
- Ryabov, V. A. & Zaslavsky, G. L. (2002). Monaural hearing of a bottlenosed dolphin. *Bioacoustics*, **13**, 100.
- Sanvito, S. & Galimberti, F. (2003). Source level of male vocalizations in the genus *Mirounga*: repeatability and correlates. *Bioacoustics*, **14**, 47-59.
- Schleich, C. & Busch, C. (2002). Acoustic signals of a solitary subterranean rodent *Ctenomys talarum* (Rodentia: Ctenomyidae): Physical characteristics and behavioural correlates. *J. Ethology*, **20**, 123-131.
- Schleich, C. E. & Busch, C. (2004). Functional morphology of the middle ear of *Ctenomys talarum* (Rodentia: Octodontidae). *J. Mammal.*, **85**, 290-295.
- Schon, P.-C., Puppe, B., Gromyko, T. & Manteuffel, G. (1999). Common features and individual differences in nurse grunting of domestic pigs (*Sus scrofa*): a multiparametric analysis. *Behaviour*, **136**, 49-66.
- Searby, A. & Jouventin, P. (2003). Mother-lamb acoustic recognition in sheep: a frequency coding. *Proc. R. Soc. Lond., B.*, **270**, 1765-1771.
- Serrano, A. & Terhune, J. M. (2002). Stability of the underwater vocal repertoire of harp seals (*Pagophilus groenlandicus*). *Aquat. Mamm.*, **28**, 93-101.
- Serrano, A. & Terhune, J. M. (2003). Antimasking aspects of harp seal (*Pagophilus groenlandicus*) underwater vocalizations. *J. Acoust. Soc. Am.*, **113**, 3083-3090.
- Siemers, B. M. & Schnitzler, H.-U. (2004). Echolocation signals reflect niche differentiation in five sympatric congeneric bat species. *Nature*, **429**, 657-661.
- Siemers, B. M., Kalko, E. K. & Schnitzler, H.-U. (2001). Echolocation behavior and signal plasticity in the

- Neotropical bat *Myotis nigricans* (Schinz, 1821)(Vespertilionidae): a convergent case with European species of *Pipistrellus*. *Behav. Ecol. Sociobiol.*, **50**, 317-328.
- Sloan, J. L. & Hare, J. F. (2004). Monotony and the information content of Richardson's ground squirrel (*Spermophilus richardsonii*) repeated calls: Tonic communication or signal certainty? *Ethology*, **110**, 147-156.
- Smotherman, M., Zhang, S. & Metzner, W. (2003). A neural basis for auditory feedback control of vocal pitch. *J. Neurosci.*, **23**, 1464-1477.
- Sousa Lima, R. S., Paglia, A. P. & Fonseca, G. A. B. (2002). Individual distinct vocalisations in Amazonian manatees *Trichechus inunguis*. *Bioacoustics*, **13**, 90-91.
- Southall, B. L., Schusterman, R. J. & Kastak, D. (2003). Auditory masking in three pinnipeds: Aerial critical ratios and direct critical bandwidth measurements. *J. Acoust. Soc. Am.*, **114**, 1660-1666.
- Speakman, J. R. (2001). The evolution of flight and echolocation in bats: another leap in the dark. *Mamm. Rev.*, **31**, 111-130.
- Specht, R. (2004). Compact and user-friendly ultrasound acquisition systems optimized for field recording. *An. Acad. Brasil. Cienc.*, **76**, 452-454.
- Spinka, M., Stehulova, I., Zacharova, J., Maletinska, J. & Illmann, G. (2002). Nursing behaviour and nursing vocalisations in domestic sows: repeatability and relationship with maternal investment. *Behaviour*, **139**, 1077-1097.
- Stafford, K. M. (2003). Two types of blue whale calls recorded in the gulf of Alaska. *Mar. Mamm. Sci.*, **19**, 682-693.
- Stirling, I. & Thomas, J. A. (2003). Relationships between underwater vocalizations and mating systems in phocid seals. *Aquat. Mamm.*, **29**, 227-246.
- Supin, A. Ya., Nachtigall, P. E., Au, W. W. L. & Breese, M. (2004). The interaction of outgoing echolocation pulses and echoes in the false killer whale's auditory system: Evoked-potential study. *J. Acoust. Soc. Am.*, **115**, 3218-3225.
- Supin, A. Ya., Nachtigall, P. E., Pawloski, J. & Au, W. W. L. (2003). Evoked potential recording during echolocation in a false killer whale *Pseudorca crassidens*. *J. Acoust. Soc. Am.*, **113**, 2408-2411.
- Suthers, R. A. (2004). Vocal mechanisms in birds and bats: a comparative view. *An. Acad. Brasil. Cienc.*, **76**, 247-252.
- Swaisgood, R. R., Rowe, M. P. & Owings, D. H. (2003). Antipredator responses of California ground squirrels to rattlesnakes and rattling sounds: the roles of sex, reproductive parity, and offspring age in assessment and decision-making rules. *Behav. Ecol. Sociobiol.*, **55**, 22-31. (+ erratum, **55**, 410-413).
- Swartz, S. L., Cole, T., McDonald, M. A., Hildebrand, J. A., Oleson, E. M., Martinez, A., Clapham, P. J., Barlow, J. & Jones, M. L. (2003). Acoustic and visual survey of humpback whale (*Megaptera novaeangliae*) distribution in the eastern and southeastern Caribbean Sea. *Carib. J. Sci.*, **39**, 195-208.
- Ulanovsky, N., Fenton, M. B., Tsoar, A. & Korine, C. (2004). Dynamics of jamming avoidance in echolocating bats. *Proc. R. Soc. Lond., B.*, **271**, 1467-1475.
- Vieira, M. L. & Brown, R. E. (2002). Ultrasonic vocalizations and ontogenetic development in California mice (*Peromyscus californicus*). *Behav. Processes*, **59**, 147-156.
- Volodin, I. A. & Volodina, E. V. (2002). Biphonation as a prominent feature of dhole *Cuon alpinus* sounds. *Bioacoustics*, **13**, 105-120.
- Warkentin, K. J., Keeley, A. T. H. & Hare, J. F. (2001). Repetitive calls of juvenile Richardson's ground

- squirrels (*Spermophilus richardsonii*) communicate response urgency. *Can. J. Zool.*, **79**, 569-573.
- Watwood, S. L., Tyack, P. L. & Wells, R. S. (2004). Whistle sharing in paired male bottlenose dolphins, *Tursiops truncatus*. *Behav. Ecol. Sociobiol.*, **55**, 531-543.
- Weisman, R. G., Njegovan, M. G., Williams, M. T., Cohen, J. S. & Sturdy, C. B. (2004). A behavior analysis of absolute pitch: sex, experience, and species. *Behav. Processes*, **66**, 289-307.
- Whitehead, H. & Rendell, L. (2004). Movements, habitat use and feeding success of cultural clans of South Pacific sperm whales. *J. Anim. Ecol.*, **73**, 190-196.
- Wilson, D. R. & Hare, J. F. (2003). Richardson's ground squirrels (*Spermophilus richardsonii*) do not communicate predator movements via changes in call rate. *Can. J. Zool.*, **81**, 2026-2031.
- Wilson, D. R. & Hare, J. F. (2004). Ground squirrel uses ultrasonic alarms. *Nature*, **430**, 523.
- Wright, S. L. & Brown, R. E. (2004). Sex differences in ultrasonic vocalizations and coordinated movement in the California mouse (*Peromyscus californicus*). *Behav. Processes*, **65**, 155-162.
- Yin, S. & McCowan, B. (2004). Barking in domestic dogs: context specificity and individual recognition. *Anim. Behav.*, **68**, 343-355.
- Yurk, H., Barrett-Lennard, L., Ford, J. K. B. & Matkin, C. O. (2002). Cultural transmission within maternal lineages: vocal clans in resident killer whales in southern Alaska. *Anim. Behav.*, **63**, 1103-1119.