

## Non-passerine birds 2006

(includes publications since the last list and some that were not included in the last list)

Compiled by P. Hansen

Adams, J. L., Camelio, K. W., Orique, M. J. & Blumstein, D. T. (2006). Does information of predators influence general wariness? *Behav. Ecol. Sociobiol.*, **60**, 742-747.

Alladi, P. A., Roy, T., Singh, N. & Wadhwa, S. (2005). Prenatal auditory enrichment with species-specific calls and sitar music modulates expression of Bcl-2 and Bax to alter programmed cell death in developing chick auditory nuclei. *Int. J. Dev. Neurosci.*, **23**, 363-373.

Aubin, T. & Jouventin, P. (2002). How to vocally identify kin in a crowd: The penguin model. *Adv. Study Behav.*, **31**, 243-277.

Barry, K. L. & Goth, A. (2006). Call recognition in chicks of the Australian brush-turkey (*Alectura lathami*). *Anim. Cogn.*, **9**, 47-54.

Beckers, G. J. L., Nelson, B. S. & Suthers, R. A. (2004). Vocal-tract filtering by lingual articulation in a parrot. *Curr. Biol.*, **17**, 1592-1597.

Bolhuis, J. J. & Eda-Fujiwara, H. (2003). Bird brains and songs: neural mechanisms of birdsong perception and memory. *Anim. Biol.*, **53**, 129-145.

Boncoraglio, G., Rubolini, D., Romano, M., Martinelli, R. & Saino, N. (2006). Effects of elevated yolk androgens on perinatal begging behavior in yellow-legged gull (*Larus michahellis*) chicks. *Horm. Behav.*, **50**, 442-447.

Bond, A. B. & Diamond, J. (2005). Geographic and ontogenetic variation in the contact calls of the kea (*Nestor notabilis*). *Behaviour*, **142**, 1-20.

Brauth, S. E., Liang, W., Amateau, S. K. & Robert, T. F. (2005). Sexual dimorphism of vocal control nuclei in budgerigars (*Melopsittacus undulatus*) revealed with Nissl and NADPH-d staining. *J. Comp. Neurol.*, **484**, 15-27. (Correction: *J. Comp. Neurol.*, **486**, 98).

Brauth, S. E., Liang, W. R. & Hall, W. S. (2006). Contact-call driven and tone-driven zenk expression in the nucleus ovoidalis of the budgerigar (*Melopsittacus undulatus*). *Neuroreport*, **17**, 1407-1410.

Brauth, S. E., Liang, W. R., Beru, Y., Roberts, T. F. & Hall, W. S. (2006). Feeding and contact call stimulation both induce zenk and cfos expression in a higher order telencephalic area necessary for vocal learning in budgerigars. *Behav. Brain Res.*, **168**, 331-338.

Brittan-Powell, E. F., Lohr, B., Hahn, D. C. & Dooling, R. J. (2005). Auditory brainstem responses in the eastern screech owl: An estimate of auditory thresholds. *J. Acoust. Soc. Am.*, **118**, 314-321.

Brumm, H. & Slabbekoorn, H. (2005). Acoustic communication in noise. *Adv. Study Behav.*, **35**, 151-209.

Campenhausen, M. von & Wagner, H. (2006). Influence of the facial ruff on the sound-receiving characteristics of the barn owl's ears. *J. Comp. Physiol. A.*, **192**, 1073-1082.

Campo, J. L., Gil, M. G. & Davila, S. G. (2005). Effects of specific noise and music stimuli on stress and fear levels of laying hens of several breeds. *Appl. Anim. Behav. Sci.*, **91**, 75-84.

Chan, K. & Mudie, D. (2004). Variation in vocalisations of the ground parrot at its northern range. *Austr. J. Zool.*, **52**, 147-158.

Chen, G., Bonder, E. M. & Cheng, M. F. (2006). Lesion-induced neurogenesis in the hypothalamus is involved in behavioral recovery in adult ring doves. *J. Neurobiol.*, **66**, 537-551.

Chen, Z. & Maher, R. C. (2006). Semi-automatic classification of bird vocalizations using spectral peak tracks. *J. Acoust. Soc. Am.*, **120**, 2974-2984.

Cheng, M. F., Peng, J. P., Chen, G., Gardner, J. P. & Bonder, E. M. (2004). Functional restoration of acoustic units and adult-generated neurons after hypothalamic lesion. *J. Neurobiol.*, **60**, 197-213.

Chiba, A. & Hosokawa, N. (2006). Effects of androgens and estrogens on crowings and distress callings in male Japanese quail, *Coturnix japonica*. *Horm. Behav.*, **49**, 4-14.

Clark, C. J. (2006). Observations on the Vervain hummingbird's (*Mellisuga minima*) display dive and territorial behavior. *Ornitol. Neotrop.*, **17**, 403-408.

Conway, C. J., Gibbs, J. P. & Haukos, D. A. (2005). Effectiveness of call-broadcast surveys for monitoring marsh birds. *Auk*, **122**, 15-25.

Cortopassi, K. A. & Bradbury, J. W. (2006). Contact call diversity in wild orange-fronted parakeet pairs, *Aratinga canicularis*. *Anim. Behav.*, **71**, 1141-1154.

Crozier, M. L., Seamans, M. E. & Gutierrez, R. J. (2005). The effect of broadcasting great horned owl vocalizations on spotted owl vocal responsiveness. *J. Raptor Res.*, **39**, 111-118.

Davies, N. B., Madden, J. R., Butchart, S. H. M. & Rutila, J. (2006). A host-race of the cuckoo *Cuculus canorus* with nestlings attuned to the parental alarm calls of the host species. *Proc. R. Soc. B.*, **273**, 693-699.

Dooling, R. J., Ryals, B. M., Dent, M. L. & Reid, T. L. (2006). Perception of complex sounds in budgerigars (*Melopsittacus undulatus*) with temporary hearing loss. *J. Acoust. Soc. Am.*, **119**, 2524-2532.

Dufty, A. M. & Crandall, M. B. (2005). Corticosterone secretion in response to adult alarm calls in American kestrels. *J. Field Ornithol.*, **76**, 319-325.

- Eda-Fujiwara, H., Yamamoto, A., Sugita, H., Takahashi, Y., Kojima, Y., Sakashita, R., Ogawa, H., Miyamoto, T. & Kimura, T. (2004). Sexual dimorphism of acoustic signals in the oriental white stork: Non-invasive identification of sex in birds. *Zool. Sci.*, **21**, 817-821.
- Elemans, C. P. H., Spierts, I. L. Y., Mueller, U. K., van Leeuwen, J. V. & Goller, F. (2004). Superfast muscles control dove's trill. *Nature*, **431**, 146.
- Elemans, C. P. H., Spierts, I. L. Y., Hendriks, M., Schipper, H., Muller, U. K. & van Leeuwen, J. L. (2006). Syringeal muscles fit the trill in ring doves (*Streptopelia risoria* L.). *J. Exp. Biol.*, **209**, 965-977.
- Fernandez, J. M. S., Ibarguen, A. M., Cuica, N. A., Del Rey, A. S. & Montoya, F. S. (2004). Auditory function recovery following acoustic overstimulation. *Acta Oto-Laryngol.*, **124**, 427-430.
- Fletcher, N. H., Riede, T., Beckers, G. J. L. & Suthers, R. A. (2004). Vocal tract filtering and the 'coo' of doves. *J. Acoust. Soc. Am.*, **116**, 3750-3756.
- Frye, G. G. (2005). A previously undescribed vocalization of the northern pygmy-owl. *J. Raptor Res.*, **39**, 476-477.
- Gaunt, S. L. L., Nelson, D. A., Dantzker, M. S., Budney, G. F. & Bradbury, J. W. (2005). New directions for bioacoustic collections. *Auk*, **122**, 984-987.
- Gee, J. M. (2005). No species barrier by call in an avian hybrid zone between California and Gambel's quail (*Callipepla californica* and *C. gambelii*). *Biol. J. Linn. Soc.*, **86**, 253-264.
- Gee, J. M. (2006). Natural occurrence of crowing in a free-living female galliform, the California quail. *Wilson J. Ornithol.*, **118**, 256-259.
- Gonzalez, C., Ornelas, J. F. & Nelson, D. A. (2005). Song structure and microgeographic song variation in wedge-tailed sabre wings (*Campylopterus curvipennis*) in Veracruz, Mexico. *Auk*, **122**, 593-607.
- Goodale, E., Kotagama, S. W. & Holberton, R. L. (2005). Alarm calling in Sri Lankan mixed-species bird flocks. *Auk*, **122**, 108-120.
- Griffin, A. S., Savani, R. S., Hausmanis, K. & Lefebvre, L. (2005). Mixed-species aggregations in birds: zenaida doves, *Zenaida aurita*, respond to the alarm calls of Carib grackles, *Quiscalus lugubris*. *Anim. Behav.*, **70**, 507-515.
- Hale, A. M. (2004). Predation risk associated with group singing in a Neotropical wood-quail. *Wilson Bull.*, **116**, 167-171.
- Hale, A. M. (2006). The structure, context and functions of group singing in black-breasted wood-quail (*Odontophorus leucolaemus*). *Behaviour*, **143**, 511-533.
- Hale, A. M. (2006). Group living in the black-breasted wood-quail and the use of playbacks as a survey technique. *Condor*, **108**, 107-119.

- Hardouin, L. A., Tabel, P. & Bretagnolle, V. (2006). Neighbour-stranger discrimination in the little owl, *Athene noctua*. *Anim. Behav.*, **72**, 105-112.
- Hawkins, R. D., Helms, C. A., Winston, J. B., Warchol, M. E. & Lovett, M. (2006). Applying genomics to the avian inner ear: Development of subtractive cDNA resources for exploring sensory function and hair cell regeneration. *Genomics*, **87**, 801-808.
- Heij, C. J. & Verboom, W. C. (2005). Spectral analyses of vocalisations of the Moluccan megapode *Eulipoa wallacei* (Aves: Megapodiidae) during egg-laying activities. *Deinsea*, **11**, 151-157.
- Hile, A. G., Burley, N. T., Coopersmith, C. B., Foster, V. S. & Stridter, G. F. (2005). Effects of male vocal learning on female behavior in the budgerigar, *Melopsittacus undulatus*. *Ethology*, **111**, 901-923.
- Holschuh, C. I. & Otter, K. A. (2005). Using vocal individuality to monitor Queen Charlotte saw-whet owls (*Aegolius acadicus brooksi*). *J. Raptor Res.*, **39**, 134-141.
- Hunter, T. A. & Picman, J. (2005). Characteristics of the wing sounds of four hummingbird species that breed in Canada. *Condor*, **107**, 570-582.
- Ishtiaq, F. & Rahmani, A. R. (2005). The forest owlet *Heteroglaux blewitti*: vocalization, breeding biology and conservation. *Ibis*, **147**, 197-205.
- Iwaniuk, A. N., Clayton, D. H. & Wylie, D. R. W. (2006). Echolocation, vocal learning, auditory localization and the relative size of the avian auditory midbrain nucleus (MLd). *Behav. Brain Res.*, **167**, 305-317.
- Jones, T. A., Jones, S. M. & Paggett, K. C. (2006). Emergence of hearing in the chicken embryo. *J. Neurophysiol.*, **96**, 128-141.
- Jouventin, P., Cuthbert, R. J. & Ottvall, R. (2006). Genetic isolation and divergence in sexual traits: evidence for the northern rockhopper penguin *Eudyptes moseleyi* being a sibling species. *Mol. Ecol.*, **15**, 3413-3423.
- Kleeman, P. M. & Gilardi, J. D. (2005). Geographical variation of St. Lucia parrot flight vocalizations. *Condor*, **107**, 62-68.
- Kroodsma, D. (2005). *The Singing Life of Birds. The Art and Science of Listening to Birdsong*. Houghton Mifflin Company; Boston, New York.
- Kwan, C., Ho, K. C., Mei, G., Li, Y., Ren, Z., Xu, R., Zhang, Y., Lao, D., Stevenson, M., Stanford, V. & Rochet, C. (2006). An automated acoustic system to monitor and classify birds. *Eurasip. J. Appl. Signal Proc.*, Art. no. 96706.
- Lieser, M., Berthold, P. & Manley, G. A. (2005). Infrasound in the capercaillie (*Tetrao urogallus*). *J. Ornithol.*, **146**, 395-398.
- Langmore, N. E. (2002). Vocal duetting: definitions, discoveries and directions. *Trends Ecol. Evol.*, **17**, 451-452.

- Larsen, O. N., Dooling, R. J. & Michelsen, A. (2006). The role of pressure difference reception in the directional hearing of budgerigars (*Melopsittacus undulatus*). *J. Comp. Physiol. A.*, **192**, 1063-1072.
- Lauer, A. M., Dooling, R. J., Leek, M. R. & Lentz, J. J. (2006). Phase effects in masking by harmonic complexes in birds. *J. Acoust. Soc. Am.*, **119**, 1251-1259.
- Lei, F. M. & Payne, R. B. (2002). Territorial songs of the drongo cuckoo complex (*Surniculus lugubris* & *S. veluinus*). *Raffles Bull. Zool.*, **50**, 205-213.
- Lickliter, R. (2005). Prenatal sensory ecology and experience: Implications for perceptual and behavioral development in precocial birds. *Adv. Study Behav.*, **35**, 235-274.
- Lohr, B., Dooling, R. J. & Bartone, S. (2006). The discrimination of temporal fine structure in call-like harmonic sounds by birds. *J. Comp. Psychol.*, **120**, 239-251.
- Mackin, W. A. (2005). Neighbor-stranger discrimination in Audubon's shearwater (*Puffinus l. lherminieri*) explained by a 'real enemy' effect. *Behav. Ecol. Sociobiol.*, **59**, 326-332.
- Madden, J. R. & Davies, N. B. (2006). A host-race difference in begging calls of nestling cuckoos *Cuculus canorus* develops through experience and increases host provisioning. *Proc. R. Soc. B.*, **273**, 2343-2351.
- Manteuffel, G., Puppe, B. & Schoen, P. C. (2004). Vocalization of farm animals as a measure of welfare. *Appl. Anim. Behav. Sci.*, **88**, 163-182.
- Marler, P. (2004). Bird calls: Their potential for behavioral neurobiology. *Ann. N. Y. Acad. Sci.*, **1016**, 31-44.
- Marler, P. & Slabbekoorn, H., eds. (2004). *Nature's Music. The Science of Birdsong*. Elsevier; San Diego, California.
- Mauro, I. (2005). Field discovery, mound characteristics, bare parts, vocalisations and behaviour of Bruijn's brush-turkey (*Aepyodius bruijnii*). *Emu*, **105**, 273-281.
- McNeil, R., McSween, A. & Lachapelle, P. (2005). Comparison of the retinal structure and function in four bird species as a function of the time they start singing in the morning. *Brain Behav. Evol.*, **65**, 202-214.
- Michalczuk, J. & Michalczuk, M. (2006). Reaction to playback and density estimations of Syrian woodpeckers *Dendrocopos syriacus* in agricultural areas of south-eastern Poland. *Acta Ornithol.*, **41**, 33-39.
- Mindlin, G. B. & Laje, R. (2005). *Physics of Birdsong*. Springer Verlag.
- Miskelly, C. M. & Taylor, G.A. (2004). Establishment of a colony of common diving petrels (*Pelecanoides urinatrix*) by chick transfers and acoustic attraction. *Emu*, **104**, 205-211.
- Miyazaki, M. & Waas, J. R. (2005). Effect of male call pitch on female behaviour and mate

fidelity in little penguins. *J. Ethol.*, **23**, 167-171.

Navarro, J., Minguez, E., Garcia, D., Villacorta, C., Botella, F., Sanchez-Zapata, J. A., Carrete, M. & Gimenez, A. (2005). Differential effectiveness of playbacks for little owls (*Athene noctua*) surveys before and after sunset. *J. Raptor Res.*, **39**, 454-457.

Nottebohm, F. (2002). Birdsong's clockwork. *Nature Neurosci.*, **5**, 925-926.

Osiejuk, T. S., Olech, B., Ratynska, K., Owsinski, A. & Gromadzka-Ostrowska, J. (2004). Effects of season, plasma testosterone and body size on corncrake (*Crex crex*) call rhythm. *Ann. Zool. Fennici*, **41**, 647-659.

Partan, S., Yelda, S., Price, V. & Shimizu, T. (2005). Female pigeons, *Columba livia*, respond to multisensory audio/video playbacks of male courtship behaviour. *Anim. Behav.*, **70**, 957-966.

Pepperberg, I. M. (2004). 'Insightful' string-pulling in grey parrots (*Psittacus erithacus*) is affected by vocal competence. *Anim. Cogn.*, **7**, 263-266.

Perkel, D. J. (2004). Origin of the anterior forebrain pathway. *Ann. N. Y. Acad. Sci.*, **1016**, 736-748.

Pincemy, G. & Guyomarc'h, C. (2005). Inter-individual variability during morning choruses in Japanese quail males (*Coturnix coturnix japonica*). *Compt. Rendus Biol.*, **328**, 97-104.

Polak, M. (2005). Temporal pattern of vocal activity of the water rail *Rallus aquaticus* and the little crane *Porzana parva* in the breeding season. *Acta Ornithol.*, **40**, 21-26.

Polak, M. (2006). Booming activity of male bitterns *Botaurus stellaris* in relation to reproductive cycle and harem size. *Ornis Fennica*, **83**, 27-33.

Price, J. J., Johnson, K. P., Bush, S. E. & Clayton, D. H. (2005). Phylogenetic relationships of the Papuan swiftlet *Aerodramus papuensis* and implications for the evolution of avian echolocation. *Ibis*, **147**, 790-796.

Pytte, C. L., Ficken, M. S. & Moiseff, A. (2004). Ultrasonic singing by the blue-throated hummingbird: a comparison between production and perception. *J. Comp. Physiol. A.*, **190**, 665-673.

Quillfeldt, P. & Masello, J. F. (2004). Context-dependent honest begging in Cory's shearwaters (*Calonectris diomedea*): influence of food availability. *Acta Ethol.*, **7**, 73-80.

Radford, A. N. (2005). Group-specific vocal signatures and neighbour-stranger discrimination in the cooperatively breeding green woodhoopoe. *Anim. Behav.*, **70**, 1227-1234.

Radford, A. N. & du Plessis, M. A. (2004). Territorial vocal rallying in the green woodhoopoe: factors affecting contest length and outcome. *Anim. Behav.*, **68**, 803-810.

Rainey, H. J., Zuberbuehler, K. & Slater, P. J. B. (2004). The responses of black-casqued

- hornbills to predator vocalisations and primate alarm calls. *Behaviour*, **141**, 1263-1277.
- Riede, T., Beckers, G. J. L., Blevins, W. & Suthers, R. A. (2004). Inflation of the esophagus and vocal tract filtering in ring doves. *J. Exp. Biol.*, **207**, 4025-4036.
- Ryan, P. G., Sinclair, I., Cohen, C., Mills, M. S. L., Spottiswoode, C. N. & Cassidy, R. (2004). The conservation status and vocalizations of threatened birds from the scarp forests of the Western Angola endemic bird area. *Bird Conserv. Int.*, **14**, 247-260.
- Sangster, G. & Rozendaal, F. G. (2004). Territorial songs and species-level taxonomy of nightjars of the *Caprimulgus macrurus* complex, with description of a new species. *Zool. Verh. Leiden*, **350**, 7-45.
- Scharff, C. & White, S. A. (2004). Genetic components of vocal learning. *Ann. N. Y. Acad. Sci.*, **1016**, 325-347.
- Schlee, M. A. & Iorgulescu, A. E. (2003). Displays and vocalisations in the palm-nut vulture, *Gypohierax angolensis*. *Ostrich*, **74**, 149-158.
- Schmidt, K. A. (2006). Non-additivity among multiple cues of predation risk: a behaviorally-driven trophic cascade between owls and songbirds. *Oikos*, **113**, 82-90.
- Searby, A. & Jouventin, P. (2004). How to measure information carried by a modulated vocal signature? *J. Acoust. Soc. Am.*, **116**, 3192-3198.
- Searby, A. & Jouventin, P. (2005). The double vocal signature of crested penguins: is the identity coding system of rockhopper penguins *Eudyptes chrysocome* due to phylogeny or ecology? *J. Avian Biol.*, **36**, 449-460.
- Seavy, N. E. (2004). Environmental correlates of African wood-owl calling activity in Kibale National Park, Uganda. *J. Raptor Res.*, **38**, 208-213.
- Shwinska-Kowalska, M., Rzadzinska, A., Rajkowska, E. & Malczyk, M. (2005). Expression of BFGF and NGF and their receptors in chick's auditory organ following overexposure to noise. *Hear. Res.*, **210**, 93-103.
- Siqueira, L. O., Vieira, A. S. & Ferrari, E. A. M. (2005). Time-of-day variation in the sensitization of the acoustic reponse in pigeons. *Biol. Rhythm Res.*, **36**, 151-157.
- Southwell, C. (2005). Response behaviour of seals and penguins to helicopter surveys over the pack ice off East Antarctica. *Antarctic Sci.*, **17**, 328-334.
- Stoleson, S. H., Kirschbaum, K. J., Frank, J. & Atwood, C. J. (2004). From the field: Integrating GPS, GIS and avian call-response surveys using pocket PCs. *Wildl. Soc. Bull.*, **32**, 1309-1312.
- Sung, H.-C., Miller, E. H. & Flemming, S. P. (2005). Breeding vocalizations of the piping plover (*Charadrius melodus*): structure, diversity, and repertoire organization. *Can. J. Zool.*, **83**, 579-595.

- Suthers, R. A. & Zollinger, S. A. (2004). Producing song: The vocal apparatus. *Ann. N. Y. Acad. Sci.*, **1016**, 109-129.
- Taylor, S. & Perrin, M. R. (2005). Vocalisations of the brown-headed parrot, *Poicephalus cryptoxanthus*: their general form and behavioural context. *Ostrich*, **76**, 61-72.
- Taylor, S. E. & Young, J. R. (2006). A comparative behavioral study of three greater sage-grouse populations. *Wilson J. Ornithol.*, **118**, 36-41.
- Terpstra, N. J., Bolhuis, J. J., den Boer-Visser, A. M. & ten Cate, C. (2005). Neuronal activation related to auditory perception in the brain of a non-songbird, the ring dove. *J. Comp. Neurol.*, **488**, 342-351.
- Thode, C., Bock, J., Braun, K. & Darlison, M. G. (2005). The chicken immediate-early gene ZENK is expressed in the medio-rostral neostriatum/hyperstriatum ventrale, a brain region involved in acoustic imprinting, and is up-regulated after exposure to an auditory stimulus. *Neuroscience*, **130**, 611-617.
- Thomassen, H. A. & Povel, G. D. E. (2006). Comparative and phylogenetic analysis of the echo clicks and social vocalizations of swiftlets (Aves: Apodidae). *Biol. J. Linn. Soc.*, **88**, 631-643.
- Trager, I., Masello, J. F., Mundry, R. & Quillfeldt, P. (2006). Do acoustic parameters of begging calls of Cory's shearwaters *Calonectris diomedea* reflect chick body condition? *Waterbirds*, **29**, 315-320.
- Tripp, T. M. & Otter, K. A. (2006). Vocal individuality as a potential long-term monitoring tool for western screech-owls, *Megascops kennicottii*. *Can. J. Zool.*, **84**, 744-753.
- Volodin, I. A., Volodina, E. V., Klenova, A. V. & Filatova, O. A. (2005). Individual and sexual differences in the calls of the monomorphic white-faced whistling duck *Dendrocygna viduata*. *Acta Ornithol.*, **40**, 43-52.
- Wada, K., Sakaguchi, H., Jarvis, E. D. & Hagiwara, M. (2004). Differential expression of glutamate receptors in avian neural pathways for learned vocalization. *J. Comp. Neurol.*, **476**, 44-64.
- Walcott, C., Mager, J. N. & Piper, W. (2006). Changing territories, changing tunes: male loons, *Gavia immer*, change their vocalizations when they change territories. *Anim. Behav.*, **71**, 673-683.
- Wanker, R., Sugama, Y. & Prinage, S. (2005). Vocal labelling of family members in spectacled parrotlets, *Forpus conspicillatus*. *Anim. Behav.*, **70**, 111-118.
- Webb, D. M. & Zhang, J. (2005). FoxP2 in song-learning birds and vocal-learning mammals. *J. Heredity*, **96**, 212-216.
- Weckstein, J. D. (2005). Molecular phylogenetics of the *Ramphastos toucans*: Implications for the evolution of morphology, vocalizations, and coloration. *Auk*, **122**, 1191-1209.



(Erratum. *Auk*, **123**, 610, 2006).

Wellendorf, S. D., Palmer, W. E. & Bromley, P. T. (2004). Estimating calling rates of northern bobwhite coveys and measuring abundance. *J. Wildl. Manage.*, **68**, 672-682.

Wilkins, H. D. & Husak, M. S. (2006). Effect of time and barred owl playback on winter detection of woodpeckers in east-central Mississippi. *Southeast. Natural.*, **5**, 555-560.

Wright, T. F., Rodrigues, A. M. & Fleischer, R. C. (2005). Vocal dialects, sex-biased dispersal, and microsatellite population structure in the parrot *Amazona auropalliata*. *Molec. Ecol.*, **14**, 1197-1205.

Zeigler, H. P. & Marler, P. (eds.) (2004). Behavioral Neurobiology of Birdsong. *Ann. N. Y. Acad. Sci.*, **1016**.

Zvonov, B. M. (2005). The mechanism of acoustic transmission in birds. *Biol. Bull.*, **32**, 151-160.