

Techniques 2006

(includes publications since the last list and some that were not included in the last list)

Compiled by P. Hansen

Adam, O. (2006). Advantages of the Hilbert Huang transform for marine mammals signals analysis. *J. Acoust. Soc. Am.*, **120**, 2965-2973.

Adam, O. (2006). The use of the Hilbert-Huang transform to analyze transient signals emitted by sperm whales. *Appl. Acoustics*, **67**, 1134-1143.

Adam, O., Motsch, J.-F., Desharnais, F., DiMarzio, N., Gillespie, D. & Gisiner, R. C. (2006). Overview of the 2005 workshop on detection and localization of marine mammals using passive acoustics. *Appl. Acoustics*, **67**, 1061-1070.

Akamatsu, T., Wang, D. & Wang, K. (2005). Off-axis sonar beam pattern of free-ranging finless porpoises measured by a stereo pulse event data logger. *J. Acoust. Soc. Am.*, **117**, 3325-3330.

Ball, K. R. & Buck, J. R. (2005). A beamforming video recorder for integrated observations of dolphin behavior and vocalizations. *J. Acoust. Soc. Am.*, **117**, 1005-1008.

Bey, N. Y. (2006). Extraction of signals buried in noise. Part I: Fundamentals. *Signal Process.*, **86**, 2464-2478.

Bower, J. L. & Clark, C. W. (2005). A field test of the accuracy of a passive acoustic location system. *Bioacoustics*, **15**, 1-14.

Brown, J. & Miller, P. (2006). Classifying killer whale vocalizations using (dynamic) time warping. *Echoes*, **16**, 45-57.

Brown, J. C., Hodgins-Davis, A. & Miller, P. J. O. (2006). Classification of vocalizations of killer whales using dynamic time warping. *J. Acoust. Soc. Am.*, **119**, EL34-EL40.

Buckland, S. T. (2006). Point-transect surveys for songbirds: Robust methodologies. *Auk*, **123**, 345-357.

Cataldo, E., Leta, F. R., Lucero, J. & Nicolato, L. (2006). Synthesis of voiced sounds using low-dimensional models of the vocal cords and time-varying subglottal pressure. *Mechanics Res. Comm.*, **33**, 250-260.

Chen, Z. & Maher, R. C. (2006). Semi-automatic classification of bird vocalizations using spectral peak tracks. *J. Acoust. Soc. Am.*, **120**, 2974-2984.

Chesmore, E. D. & Ohya, E. (2004). Automated identification of field-recorded songs of four British grasshoppers using bioacoustic signal recognition. *Bull. Entomol. Res.*, **94**, 319-330.

Clemins, P. J. & Johnson, M. T. (2006). Generalized perceptual linear prediction features for

animal vocalization analysis. *J. Acoust. Soc. Am.*, **120**, 527-534.

Clemins, P. J., Johnson, M. T., Leong, K. M. & Savage, A. (2005). Automatic classification and speaker identification of African elephant (*Loxodonta africana*) vocalizations. *J. Acoust. Soc. Am.*, **117**, 956-963.

Conway, C. J., Gibbs, J. P. & Haukos, D. A. (2005). Effectiveness of call-broadcast surveys for monitoring marsh birds. *Auk*, **122**, 15-25.

Cranford, T. V., Van Bonn, W. G., Chaplin, M. S., Carr, J. A., Kamolnick, D. A. & Ridgway, S. H. (1997). Visualizing dolphin sonar signal generation using high-speed video endoscopy. *J. Acoust. Soc. Am.*, **102**, 3123.

Cunningham, R. B., Lindenmayer, D. B. & Lindenmayer, B. D. (2004). Sound recording of bird vocalisations in forests. I. Relationships between bird vocalisations and point interval counts of bird numbers - a case study in statistical modeling. *Wildl. Res.*, **31**, 195-207.

Dawson, M. R. W., Charrier, I. & Sturdy, C. B. (2006). Using an artificial neural network to classify black-capped chickadee (*Poecile atricapillus*) call note types. *J. Acoust. Soc. Am.*, **119**, 3161-3172.

Deecke, V. B. & Janik, V. M. (2006). Automated categorization of bioacoustic signals: Avoiding perceptual pitfalls. *J. Acoust. Soc. Am.*, **119**, 645-653.

Delwiche, M. J., Houk, A. P., Gorenzel, W. P. & Salmon, T. P. (2005). Electronic broadcast call unit for bird control in orchards. *Appl. Engin. Agricult.*, **21**, 721-727.

Desharnais, F., Ebbeson, G. R., Matthews, M.-N. R., Heard, G. J., Thomson, D. J. & Brooke, G. H. (2006). A generalized beamformer for localization of marine mammals. *Appl. Acoustics*, **67**, 1213-1225.

Dietrich, C., Schwenker, F. & Palm, G. (2003). Multiple classifier systems for the recognition of Orthoptera songs. *Lecture Notes in Computer Sci.*, **2781**, 474-481.

Doran, P. J., Gulezian P. Z. & Betts, M. G. (2005). A test of the mobbing playback method for estimating bird reproductive success. *J. Field Ornithol.*, **76**, 227-233.

Downey, B. A., Jones, P. F., Quinlan, R. W. & Scrimgeour, G. J. (2006). Use of playback alarm calls to detect and quantify habitat use by Richardson's ground squirrels. *Wildl. Soc. Bull.*, **34**, 480-484.

Du, P. & Troyer, T. W. (2006). A segmentation algorithm for zebra finch song at the note level. *Neurocomputing*, **69**, 1375-1379.

Duchamp, J. E., Yates, M., Muzika, R. M. & Swihart, R. K. (2006). Estimating probabilities of detection for bat echolocation calls: An application of the double-observer method. *Wildl. Soc. Bull.*, **34**, 408-412.

Eastman, K. M. & Simmons, J. A. (2005). A method of flight path and chirp pattern

reconstruction for multiple flying bats. *Acoust. Res. Lett.*, **6**, 257-262.

Filatova, O. A., Fedutin, I. D., Burdin, A. M. & Hoyt, E. (2006). Using a mobile hydrophone stereo system for real-time acoustic localization of killer whales (*Orcinus orca*). *Appl. Acoustics*, **67**, 1243-1248.

Garamszegi, L. Z., Balsby, T. J. S., Bell, B. D., Borowiec, M., Byers, B. E., Draganoiu, T., Eens, M., Forstmeier, W., Galeotti, P., Gil, D., Gorissen, L., Hansen, P., Lampe, H. M., Leitner, S., Lontkowski, J., Nagle, L., Nemeth, E., Pinxten, R., Rossi, J.-M., Saino, N., Tanvez, A., Titus, R., Toeroek, J., Van Duyse, E. & Møller, A. P. (2005): Estimating the complexity of bird song by using capture-recapture approaches from community ecology. *Behav. Ecol. Sociobiol.*, **57**, 305-317.

Gerasimov, A. V., Morozov, O. A. & Fidel'man, V. R. (2005). Application of the modified-linear-prediction method to separation of acoustic features of voice signals. *J. Comm. Technol. Electron.*, **50**, 1192-1195.

Giraudet, P. & Glotin, H. (2006). Real-time 3D tracking of whales by echo-robust precise TDOA estimates with a widely-spaced hydrophone array. *Appl. Acoustics*, **67**, 1106-1117.

Hale, A. M. (2006). Group living in the black-breasted wood-quail and the use of playbacks as a survey technique. *Condor*, **108**, 107-119.

Han, J. S., Bird, G. C., Li, W. D., Jones, J. & Neugebauer, V. (2005). Computerized analysis of audible and ultrasonic vocalizations of rats as a standardized measure of pain-related behavior. *J. Neurosci. Meth.*, **141**, 261-269.

Hawkins, R. D., Helms, C. A., Winston, J. B., Warchol, M. E. & Lovett, M. (2006). Applying genomics to the avian inner ear: Development of subtractive cDNA resources for exploring sensory function and hair cell regeneration. *Genomics*, **87**, 801-808.

Hedwig, B. & Poulet, J. F. A. (2005). Mechanisms underlying phonotactic steering in the cricket *Gryllus bimaculatus* revealed with a fast trackball system. *J. Exp. Biol.*, **208**, 915-927.

Heupel, M. R., Semmens, J. M. & Hobday, A. J. (2006). Automated acoustic tracking of aquatic animals: scales, design and deployment of listening station arrays. *Mar. Freshw. Res.*, **57**, 1-13.

Hill, D. A. & Greenaway, F. (2005). Effectiveness of an acoustic lure for surveying bats in British woodlands. *Mammal Rev.*, **35**, 116-122.

Holderied, M. W., Korine, C., Fenton, M. B., Parsons, S., Robson, S. & Jones, G. (2005). Echolocation call intensity in the aerial hawking bat *Eptesicus bottae* (Vespertilionidae) studied using stereo videogrammetry. *J. Exp. Biol.*, **208**, 1321-1327.

Kandia, V. & Stylianou, Y. (2006). Detection of sperm whale clicks based on the Teager-Kaiser energy operator. *Appl. Acoustics*, **67**, 1144-1163.

Kihara, T., Harada, T., Kato, M., Nakano, K., Murakami, O., Kikusui, T. & Koshida, N.

- (2006). Reproduction of mouse-pup ultrasonic vocalizations by nanocrystalline silicon thermoacoustic emitter. *Appl. Physics Lett.*, **88**, Art. No. 043902.
- Kwan, C., Ho, K. C., Mei, G., Li, Y., Ren, Z., Xu, R., Zhang, Y., Lao, D., Stevenson, M., Stanford, V. & Rochet, C. (2006). An automated acoustic system to monitor and classify birds. *Eurasip. J. Appl. Signal Proc.*, Art. no. 96706.
- Laplanche, C., Adam, O., Lopatka, M. & Motsch, J.-F. (2006). Measuring the off-axis angle and the rotational movements of phonating sperm whales using a single hydrophone. *J. Acoust. Soc. Am.*, **119**, 4074-4082.
- Lee, C.-H., Chou, C.-H., Han, C.-C. & Huang, R.-Z. (2006). Automatic recognition of animal vocalizations using averaged MFCC and linear discriminant analysis. *Pattern Recog. Lett.*, **27**, 93-101.
- Logue, D. M., Gammon, D. E. & Baker, M. C. (2005). Minidisc recorders versus audiocassette recorders: A performance comparison. *Bioacoustics*, **15**, 15-33.
- Lopatka, M., Adam, O., Laplanche, C., Motsch, J.-F. & Zarzycki, J. (2006). Sperm whale click analysis using a recursive time-variant lattice filter. *Appl. Acoustics*, **67**, 1118-1133.
- Madsen, P. T. (2005). Marine mammals and noise: Problems with root mean square sound pressure levels for transients. *J. Acoust. Soc. Am.*, **117**, 3952-3957.
- Mankin, R. W., Anderson, J. B., Mizrach, A., Epsky, N. D., Shuman, D., Heath, R. R., Mazor, M., Hetzroni, A., Grinshpun, J., Taylor, P. W. & Garrett, S. L. (2004). Broadcasts of wing-fanning vibrations recorded from calling male *Ceratitis capitata* (Diptera: Tephritidae) increase captures of females in traps. *J. Econ. Entomol.*, **97**, 1299-1309.
- Martin, S. W., Phillips, M., Bauer, E. J., Moore, P. W. & Houser, D. S. (2005). Instrumenting free-swimming dolphins echolocating in open water. *J. Acoust. Soc. Am.*, **117**, 2301-2307.
- Mellinger, D. K. (2004). A comparison of methods for detecting right whale calls. *Can. Acoust.*, **32**, 55-65.
- Mellinger, D. K. & Clark, C. W. (2006). MobySound: A reference archive for studying automatic recognition of marine mammal sounds. *Appl. Acoustics*, **67**, 1226-1242.
- Mennill, D. J., Burt, J. M., Fristrup, K. M. & Vehrencamp, S. L. (2006). Accuracy of an acoustic location system for monitoring the position of duetting songbirds in tropical forest. *J. Acoust. Soc. Am.*, **119**, 2832-2839.
- Molles, L. E. & Waas, J. R. (2006). Are two heads better than one? Responses of the duetting kokako to one- and two-speaker playback. *Anim. Behav.*, **72**, 131-138.
- Mooney, T. A., Nachtigall, P. E. & Au, W. W. L. (2004). Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges. *Aquat. Mammals*, **30**, 220-226.

- Munger, L., Mellinger, D. K., Wiggins, S. M., Moore, S. E. & Hildebrand, J. A. (2005). Performance of spectrogram correlation in detecting right whale calls in long-term recordings from the Bering Sea. *Can. Acoust.*, **33**, 25-34.
- Nelson, G. L. & Graves, B. M. (2004). Anural population monitoring: Comparison of the North American monitoring program's calling index with mark-recapture estimates for *Rana clamitans*. *J. Herpetol.*, **38**, 355-359.
- Nickerson, C. M., Bloomfield, L. L., Dawson, M. R. W. & Sturdy, C. B. (2006). Artificial neural network discrimination of black-capped chickadee (*Poecile atricapillus*) call notes. *J. Acoust. Soc. Am.*, **120**, 1111-1117.
- Nielsen, B. K. & Møhl, B. (2006). Hull-mounted hydrophones for passive acoustic detection and tracking of sperm whales (*Physeter macrocephalus*). *Appl. Acoustics*, **67**, 1175-1186.
- Nosal, E.-M. & Frazer, L. N. (2006). Track of a sperm whale from delays between direct and surface-reflected clicks. *Appl. Acoustics*, **67**, 1187-1201.
- Obrist, M. K., Boesch, R. & Fluckiger, P. F. (2004). Variability in echolocation call design of 26 Swiss bat species: consequences, limits and options for automated field identification with a synergetic pattern recognition approach. *Mammalia*, **68**, 307-322.
- Oswald, J. N., Rankin, S. & Barlow, J. (2004). The effect of recording and analysis bandwidth on acoustic identification of delphinid species. *J. Acoust. Soc. Am.*, **116**, 3178-3185.
- Pellet, J. & Schmidt, B. R. (2005). Monitoring distributions using call surveys: estimating site occupancy, detection probabilities and inferring absence. *Biol. Conserv.*, **123**, 27-35.
- Pfennig, K. S. & Ryan, M. J. (2006). Reproductive character displacement generates reproductive isolation among conspecific populations: an artificial neural network study. *Proc. R. Soc. B.*, **273**, 1361-1368.
- Phillips, R., Niezrecki, C. & Beusse, D. O. (2006). Theoretical detection ranges for acoustic based manatee avoidance technology. *J. Acoust. Soc. Am.*, **120**, 153-163.
- Placer, J., Slobodchikoff, C. N., Burns, J., Placer, J. & Middleton, R. (2006). Using self-organizing maps to recognize acoustic units associated with information content in animal vocalizations. *J. Acoust. Soc. Am.*, **119**, 3140-3146.
- Poyle, J. A. (2004). Modeling abundance index data from anuran calling surveys. *Conserv. Biol.*, **18**, 1378-1385.
- Preatoni, D. G., Nodari, M., Chirichella, R., Tosi, G., Wauters, L. A. & Martinoli, A. (2005). Identifying bats from time-expanded recordings of search calls: Comparing classification methods. *J. Wildl. Manage.*, **69**, 1601-1614.
- Rempel, R. S., Hobson, K. A., Holborn, G., Van Wilgenburg, S. L. & Elliott, J. (2005). Bioacoustic monitoring of forest songbirds: interpreter variability and effects of configuration and digital processing methods in the laboratory. *J. Field Ornithol.*, **76**, 1-11.

- Royle, J. A. & Link, W. A. (2005). A general class of multinomial mixture models for anuran calling survey data. *Ecology*, **86**, 2505-2512.
- Schoen, P. C., Puppe, B. & Manteuffel, G. (2004). Automated recording of stress vocalisations as a tool to document impaired welfare in pigs. *Anim. Welfare*, **13**, 105-110.
- Searby, A. & Jouventin, P. (2004). How to measure information carried by a modulated vocal signature? *J. Acoust. Soc. Am.*, **116**, 3192-3198.
- Shyu, H. J. & Hillson, R. (2006). A software workbench for estimating the effects of cumulative sound exposure in marine mammals. *IEEE J. Ocean. Engin.*, **31**, 8-21.
- Skarsoulis, E. K. & Kalogerakis, M. A. (2006). Two-hydrophone localization of a click source in the presence of refraction. *Appl. Acoustics*, **67**, 1202-1212.
- Skowronski, M. D. & Harris, J. G. (2006). Acoustic detection and classification of Microchiroptera using machine learning: Lessons learned from automatic speech recognition. *J. Acoust. Soc. Am.*, **119**, 1817-1833.
- Spiesberger, J. L. (2005). Probability distributions for locations of calling animals, receivers, sound speeds, winds, and data from travel time differences. *J. Acoust. Soc. Am.*, **118**, 1790-1800.
- Stevens, C. E. & Paszkowski, C. A. (2004). Using chorus-size ranks from call surveys to estimate reproductive activity of the wood frog (*Rana sylvatica*). *J. Herpetol.*, **38**, 404-410.
- Stoleson, S. H., Kirschbaum, K. J., Frank, J. & Atwood, C. J. (2004). From the field: Integrating GPS, GIS and avian call-response surveys using pocket PCs. *Wildl. Soc. Bull.*, **32**, 1309-1312.
- Tanttu, J. T., Turunen, J., Selin, A. & Ojanen, M. (2006). Automatic feature extraction and classification of crossbill (*Loxia* spp.) flight calls. *Bioacoustics*, **15**, 251-269.
- Tchernichovski, O., Lints, T. J., Deregnacour, S., Cimenser, A. & Mitra, P. P. (2004). Studying the song development process: Rationale and methods. *Ann. N. Y. Acad. Sci.*, **1016**, 348-363.
- Thode, A. (2004). Tracking sperm whale (*Physeter macrocephalus*) dive profiles using a towed passive acoustic array. *J. Acoust. Soc. Am.*, **116**, 245-253.
- Thode, A. (2005). Three-dimensional passive acoustic tracking of sperm whales (*Physeter macrocephalus*) in ray-refracting environments. *J. Acoust. Soc. Am.*, **118**, 3575-3584.
- Thomsen, F., van Elk, N., Brock, V. & Piper, W. (2005). On the performance of automated porpoise-click-detectors in experiments with captive harbor porpoises (*Phocoena phocoena*). *J. Acoust. Soc. Am.*, **118**, 37-40.
- Tiemann, C. O., Porter, M. B. & Frazer, L. N. (2004). Localization of marine mammals near Hawaii using an acoustic propagation model. *J. Acoust. Soc. Am.*, **115**, 2834-2843.

- Tiemann, C. O., Thode, A. M., Straley, J., O'Connell, V. & Folkert, K. (2006). Three-dimensional localization of sperm whales using a single hydrophone. *J. Acoust. Soc. Am.*, **120**, 2355-2365.
- Tindemans, I., Bournans, T., Verhoye, M. & Van der Linden, A. (2006). Ir-SE and IR-MEMRI allow in vivo visualization of oscine neuroarchitecture including the main forebrain regions of the song control system. *NMR Biomedic.*, **19**, 18-29.
- Tougaard, J. & Eriksen, N. (2006). Analysing differences among animal songs quantitatively by means of the Levenshtein distance measure. *Behaviour*, **143**, 239-252.
- Ujvari, M., Baagoe, H. J. & Madsen, A. B. (2004). Effectiveness of acoustic road markings in reducing deer-vehicle collisions: a behavioural study. *Wildl. Biol.*, **10**, 155-159.
- Wade, P., Heide-Jørgensen, M. P., Shelden, K., Barlow, J., Carretta, J., Durban, J., LeDuc, R., Munger, L., Rankin, S., Sauter, A. & Stinchcomb, C. (2006). Acoustic detection and satellite-tracking leads to discovery of rare concentration of endangered North Pacific right whales. *Biology Lett.*, **2**, 417-419.
- Wang, K., Wang, D., Akamatsu, T., Li, S. & Xiao, J. (2005). A passive acoustic monitoring method applied to observation and group size estimation of finless porpoises. *J. Acoust. Soc. Am.*, **118**, 1180-1185.
- Wang, K., Wang, D., Akamatsu, T., Fujita, K. & Shiraki, R. (2006). Estimated detection distance of a baiji's (Chinese river dolphin, *Lipotes vexillifer*) whistles using a passive acoustic survey method. *J. Acoust. Soc. Am.*, **120**, 1361-1365.
- Weir, L. A., Royle, J. A., Nanjappa, P. & Jung, R. E. (2005). Modeling anural detection and site occupancy on North American Amphibian Monitoring Program (NAAMP) routes in Maryland. *J. Herpetol.*, **39**, 627-639.
- White, D. J., Gros-Louis, J., King, A. P. & West, M. J. (2006). A method to measure the development of song preferences in female cowbirds, *Molothrus ater*. *Anim. Behav.*, **72**, 181-188.
- Willert, V., Eggert, J., Adamy, J., Stahl, R. & Korner, E. (2006). A probabilistic model for binaural sound localization. *IEEE Trans. Syst. Man Cybern., B.*, **36**, 982-994.
- Yan, Z., Niezrecki, C. & Beusse, D. O. (2005). Background noise cancellation for improved acoustic detection of manatee vocalizations. *J. Acoust. Soc. Am.*, **117**, 3566-3573.
- Yan, Z., Niezrecki, C., Cattafesta, III, L. N. & Beusse, D. O. (2006). Background noise cancellation of manatee vocalizations using an adaptive line enhancer. *J. Acoust. Soc. Am.*, **120**, 145-152.
- Zysman, D., Mendez, J. M., Pando, B., Aliaga, J., Goller, F. & Mindlin, G. B. (2005). Synthesizing bird song. *Physical Review*, **E 72**, Art. No. 051926.